

SWC 357, Firearms

Specifications

Ordering Entities: All weapons will be procured, maintained, issued, and operated in accordance with the current Tennessee Firearms & Weapon Related Laws publication.

Contract Supplier(s): The contractor shall comply with all applicable state and federal laws and regulations in the performance of this contract.

Definitions:

1. Modular Back Strap – Allows the operator to instantly customize its grip to adapt to an individual shooter's hand.
2. SLIMLINE Design - Slime frame with GLOCK single stack magazine. Built-in beaver tail design.

Category One: Glock Handguns & Accessories

(More than one version of this weapon may be found in the evaluation model).

- **GLOCK 17 Gen5 (9x19mm):** Rough textured frame. Modular Back Strap. The pistol retains the GLOCK accessory rail for the operator's attachments.

Weapon specifics are listed below:

Caliber/System:	9x19 / Safe Action
Length:	202 mm / 7.95 inch
Width:	30.00 mm / 1.18 inch
Length Between Sights:	165 mm / 6.49 inch
Height:	138 mm / 5.43 inch
Barrel Height:	32 mm / 1.26 inch
Barrel Length:	114 mm / 4.48 inch
Weight-Unloaded:	625 g / 22.05 oz.
Weight-Loaded:	905 g / 32.12 oz.
Trigger Pull:	2.5 kg / 5.5 lbs.
Trigger Travel:	12.5 mm / 0.49 inch
Barrel Rifling:	right hand, hexagonal
Length of Twist:	250 mm / 9.84 inch
Magazine Capacity-Standard:	17
Magazine Capacity-Optional:	33

Each pistol shall be delivered in a hard shell case with a speed loader, three Glock magazines, a cleaning set, a cable lock, instructions for use manual, and a firearm safety brochure.

- **GLOCK 19 Gen5 (9x19mm):** Rough textured frame. Modular Back Strap The G19 Gen5 9x19mm retains the Glock accessory rail for the operator's attachments.

Weapon specifics are listed below:

Caliber/System:	9x19 / Safe Action
Length:	185 mm / 7.28 inch
Width:	30.00 mm / 1.18 inch
Length Between Sights:	153 mm / 6.02 inch
Height:	127 mm / 4.99 inch
Barrel Height:	32 mm / 1.26 inch
Barrel Length:	102 mm / 4.01 inch
Weight-Unloaded:	670 g / 23.65 oz.
Weight-Loaded:	855 g / 30.18 oz.
Trigger Pull:	2.5 kg / 5.5 lbs.
Trigger Travel:	12.5 mm / 0.49 inch
Barrel Rifling:	right hand, hexagonal
Length of Twist:	250 mm / 9.84 inch
Magazine Capacity- Standard:	15

Each pistol shall be delivered in a hard shell case with a speed loader, three Glock magazines, a cleaning set, a cable lock, instructions for use manual, and a firearm safety brochure.

- **GLOCK 22 Gen5 MOS (.40 cal):** Rugged nitrite The pistol retains the GLOCK accessory rail for the operator's attachments.

Weapon specifics are listed below:

Caliber/System:	.40 / Safe Action
Length:	202 mm / 7.95 inch
Width:	30.00 mm / 1.18 inch
Length Between Sights:	165 mm / 6.49 inch
Height:	138 mm / 5.43 inch
Barrel Height:	32 mm / 1.26 inch
Barrel Length:	114 mm / 4.48 inch
Weight-Unloaded:	645 g / 22.75 oz.
Weight-Loaded:	975 g / 34.42 oz.
Trigger Pull:	2.5 kg / 5.5 lbs.
Trigger Travel:	12.5 mm / 0.49 inch
Barrel Rifling:	right hand, hexagonal
Length of Twist:	250 mm / 9.84 inch

Magazine Capacity-Standard: 15

Each pistol shall be delivered in a hard shell case with a speed loader, three Glock magazines, a cleaning set, a cable lock, instructions for use manual, and a firearm safety brochure.

- **GLOCK 23 Gen 5 40 Caliber:**

Weapons specifics are listed below:

Caliber/System:	.40 S&W / Safe Action
Length:	185 mm / 7.28 inch
Width:	34 mm / 1.34 inch
Length Between Sights:	152 mm / 5.98 inch
Height:	129 mm / 5.08 inch
Barrel Length:	102 mm / 4.02 inch
Weight-Unloaded:	687 g / 24.23 oz.
Weight-Loaded:	974 g / 34.36 oz
Trigger Pull:	2.5 kg / 5.5 lbs.
Trigger Travel:	12.5 mm / 0.49 inch
Barrel Rifling:	right hand, hexagonal
Length of Twist:	250 mm / 9.84 inch
Magazine Capacity – Standard:	13

Each pistol shall be delivered in a hard shell case with a speed loader, three Glock magazines, a cleaning set, a cable lock, instructions for use manual, and a firearm safety brochure.

- **GLOCK 26 Gen5 (9x19mm):** Rough textured frame. Modular Back Strap.

Weapon specifics are listed below:

Caliber/System:	9x19 / Safe Action
Length:	163 mm / 6.41 inch
Width:	30.00 mm / 1.18 inch
Length Between Sights:	137 mm / 5.39 inch
Height:	106 mm / 4.17 inch
Barrel Height:	32 mm / 1.26 inch
Barrel Length:	87 mm / 3.42 inch
Weight-Unloaded:	615 g / 21.71 oz.
Weight-Loaded:	740 g / 26.12 oz.
Trigger Pull:	2.5 kg / 5.5 lbs.
Trigger Travel:	12.5 mm / 0.49 inch
Barrel Rifling:	right hand, hexagonal

Length of Twist: 250 mm / 9.84 inch
Magazine Capacity- Standard: 10

Each pistol shall be delivered in a hard shell case with a speed loader, three Glock magazines, a cleaning set, a cable lock, instructions for use manual, and a firearm safety brochure.

- **GLOCK G45 Gen5 (9x19mm):** nDLC finish

Height: 139 mm / 5.47 inch
Barrel Height: n/a
Barrel Length: 102 mm / 4.02 inch
Weight-Unloaded: 694 g / 24.98 oz.
Weight-Loaded: 860 g30.34 oz.
Trigger Pull: 26 N
Slide Length: 174 mm / 6.85 inch
Width: 34 mm / 1.34 inch
Slide Width: 25.5mm / 1.0 inch
Magazine Capacity- Standard: 17

Each pistol shall be delivered in a hard shell case with a speed loader, three Glock magazines, a cleaning set, a cable lock, instructions for use manual, and a firearm safety brochure.

- **GLOCK 43X MOS (9x19mm):**

Height: 128 mm / 5.04 inch
Barrel Height: n/a
Barrel Length: 87 mm / 3.41 inch
Weight-Unloaded: 526 g / 18.55 oz
Weight-Loaded: 651 g / 22.96 oz
Trigger Pull: 24 N
Slide Length: 154 mm / 6.06 inch
Width: 28 mm / 1.10 inch
Slide Width: 22 mm / 0.87 inch
Magazine Capacity-Standard: 10

Each pistol shall be delivered in a hard shell case with a speed loader, three Glock magazines, a cleaning set, a cable lock, instructions for use manual, and a firearm safety brochure.

- **GLOCK ACCESSORIES & CATALOG:**

GLOCK 1-Pistol Range Bag. Size: 8" X 12" black with GLOCK shooting sports logo silk-screened on outside zippered pocket. The soft-shelled gun case with a padded pocket for the pistol and four (4) magazine holders with enough room to accommodate box of ammunition.

GLOCK 4-Pistol Range Bag. Size: 16"L X 10"W X 11"H. Heavy duty bag with room for four (4) GLOCK handguns inside and outside storage pockets which is able to store ammunition and accessories. The bag has oversized loops for lock placement and a padded shoulder strap. The bag includes removable compartments for added convenience and protection.

GLOCK Duty Holster (not available for 10mm, .45 Auto and .45 G.A.P). Left and right hand versions. Available in 1.77 inch (45mm) belt width.

GLOCK Range Kit. Includes GLOCK shooting glasses, soft foam earplugs with case and adjustable ear muffs. The shooting glasses have clear poly-carbonate lenses.

GLOCK Sport Combat Holster. A lightweight ambidextrous holster. The holster will accommodate belt widths from 1.25" to 2.48". The SM fits 9x19, .40, .357 (G17, G26, G34, G22, G23, G27, G35, G32, G31) and the LG fits G20, G28, G21, G30 (except for the G36) and .45 G.A.P. caliber GLOCK pistols.

GLOCK Tactical Light (GTL 21 and Laser). Visible red laser placed within its compact housing. Able to function independently or in concert with the high intensity xenon white light at the touch of a centrally placed mode switch, the red laser / light module is easily yet securely mounted to GLOCK pistols with the rail mount system. 60 Lumens

GLOCK Tactical Light with Batteries (GTL 10). GLOCK polymer casing holds Xeron-technology electronics packing high luminous power available at the touch of the ergonomically placed "soft switch". 60 Lumens

GLOCK Tactical Light with Laser (GTL 22). Visible red laser placed within its compact housing. Able to function independently or in concert with the high intensity xenon white light. Red laser / light module mounted to GLOCK pistols with the rail mount system. Able to be zeroed with pinpoint accuracy and designed specifically for "duty use" conditions. Includes dimmer switch. 60 Lumens

Gunsmiths Bench Mat. Heavy duty, 11X17, rubber mat made of thick rubberized nylon. Black with silver print.

Hearing Protection (Peltor). Made especially for GLOCK, one-size fits all, foldable hearing protection. The Noise Reduction Ratio (NRR) is 26 decibels (dB).

Magazine Pouch. Made of highly durable polymer and has a contoured design that allows for magazine retention without the need for any straps. The pouch can handle all GLOCK pistol magazines excluding the G36.

GLOCK and Accessories Catalog. In addition to the line items listed above, the awarded supplier for Category One shall provide a catalog of additional Glock Handguns and Accessories for Authorized Users. The supplier shall provide a percent discount off the catalog of additional offerings to all Authorized Users. The catalog offerings will only include the manufacturer's product range relevant to this Invitation to Bid's scope and purpose, chosen for inclusion by the State of Tennessee. The products in the catalog and their prices may be updated at the beginning of each calendar quarter. State approval will be necessary for any proposed additions or modifications to the catalog.

- **Category Two: Daniel Defense and Accessories Catalog:**

The awarded supplier for Category Two shall provide a discount from catalog for all Daniel Defense Rifles and Accessories. Rifles may be custom built as needed as defined by the Authorized User's specific specifications and requirements. The long or short barrel version of the rifle shall be made available. Accessories may not be limited to Daniel Defense branded items. Some State of Tennessee Authorized Users historical accessories purchased include but are not limited to Samson Steel front and rear sights, MAGPUL real sling attachments, MAGPUL MBUS polymer front & rear slip sights, Midwest Industries Combat MLOK Rail guard, MOE Pistol Grip, AMBI Safety Selector Switch. The catalog offerings will only include the manufacturer's product range relevant to this Invitation to Bid's scope and purpose, chosen for inclusion by the State of Tennessee. The products in the catalog and their prices may be updated at the beginning of each calendar quarter. State approval will be necessary for any proposed additions or modifications to the catalog.

The below line item is an example that the State of Tennessee or Authorized Users has purchased in the past:

- **Daniel Defense, M4, Carbine, V7, 5.56:**

Mounting System	M-LOK
Caliber	5.56mm NATO

Muzzle Thread	½ x 28 TPI (Threads Per Inch)
Gas System	Mid-length
Barrel Length	16”
Barrel Profile	Government
Product Weight	6.2 LBS
Length	32 ¼” – 35 7/8”
Magazine	DD Magazine
Case	Daniel Defense Full Latch Impact Plastic Case

- **Category Three – Remington Shotguns and Accessories:**

The awarded supplier for Category Three shall provide a discount from catalog for all Remington Shotguns and Accessories. Shotguns may be custom built as needed as defined by the Authorized User’s specific specifications and requirements. The long or short barrel version of the shotgun shall be made available such as 14 ½, 16, and 18. Accessories may not be limited to Remington branded items. The catalog offerings will only include the manufacturer's product range relevant to this Invitation to Bid's scope and purpose, chosen for inclusion by the State of Tennessee. The products in the catalog and their prices may be updated at the beginning of each calendar quarter. State approval will be necessary for any proposed additions or modifications to the catalog.

The below line item is an example that the State of Tennessee or Authorized Users has purchased in the past:

- **Remington 24577 870 POL 12/18P IC GRWC XS4 SFIV-S SF EXT2 Shotgun**

Action	Pump Action
Caliber/Gauge	12 GA
Capacity	6
Barrel Length	14 ½, 16, 18
Sights	Ghost Ring
Choke Configuration	1 Improved Cylinder
Stock Description	Black Synthetic w/Pistol Grip

- **CUSTOM SLIDE ENGRAVING-FACTORY APPLIED:**

In the event that the purchase order includes a request for “custom slide engraving”, the agency shall include the wording that it wants engraved on the weapons slide (such as: Tennessee State Trooper) and if applicable a symbol engraved on the slide (such as: the THP Badge outline). For

custom slide engraving which shall be factory applied, the agency must order a minimum of 100 weapons.

- **TRADE-INS:**

The Department of General Services, Vehicle and Asset Management, must certify that the trade-in price offered is of fair market value prior to the contract release order being dispatched to the supplier or the transfer of weapons takes place. Agencies are to follow this procedure when trading in used weapons. (Reference Department of General Services, Division of State Personal Property Utilization - Rule # 0690-2-1- .12)

The trade-in price is subject to the mutually agreed upon price between the supplier and customer and as approved by the Department of General Services, Vehicle and Asset Management. If a dispute arises between the customer and the supplier over the appraised value of a firearm(s) to be traded in based on the guidelines above, authorized users of the contract may dispose of the firearm(s) by any other method authorized by state law.

Every firearm(s) traded in will receive a trade-in allowance. This allowance will be applied toward the purchase of new firearms and/or accessories.

- **GENERATION UPGRADE**

Upon new generation of Firearms being manufactured and the current generation being phased out, Contractor(s) and Authorized User shall reference the Substitution language or the Additional, Lines, Items, or Options in Terms and Conditions Section 8.5 for line items. For catalog offerings, the Contractor(s) shall submit updated catalogs in accordance with Specifications Sections listed above.