



Structured Beam Seating

Specifications

Two (2) and three (3) chair stainless steel beam seating and rotationally molded cube table.

Location:

Riverbend Maximum Security Facility
7475 Cockrill Bend Blvd.
Nashville Tennessee 37243

Site Contact for all facilities:

Serena Dantonio / Procurement Office 2
615-350-1111
Serean.Dantonio@tn.gov

1: Three (3) seat beam seating shall meet the following specifications

Standard Features

- Durable one piece rotationally molded design
- High impact “no break” polyethylene
- Steel to Steel attachment to base frame
- Molded-in Threaded steel inserts.
- Continuous seam welded frame structure.
 - a. 2” Diameter
 - b. 14 Gauge powder coated steel.
 - c. 11 Gauge seating supports.
- Seat Color, Black
- No Arms
- With Glides
- Overall Depth Minimum 23” to Maximum of 25”
- Overall Width Minimum 65” to Maximum of 77”
- Overall Height Minimum 31.4” to Maximum 36”

Suggested Brand/Model

Cortech – 30BKG

Norix – Boulder Series, C212-3

Or equivalent meeting specifications

2: Two (2) seat beam seating shall meet the following specifications

Standard Features

- Durable one piece rotationally molded design
- High impact “no break” polyethylene
- Steel to Steel attachment to base frame
- Molded-in Threaded steel inserts.
- Continuous seam welded frame structure.
 - d. 2” Diameter
 - e. 14 Gauge powder coated steel.
 - f. 11 Gauge seating supports.
- Seat Color, Black
- No Arms
- With Glides
- Overall Depth Minimum 23” to Maximum 28”
- Overall Width Minimum 50” to Maximum 55”
- Overall Height Minimum 34.5” to Maximum 36”

Suggested Brand/Model

Cortech – 20BKG

Norix – Boulder - Custom

Or equivalent meeting specifications

3. Cube / Side Table shall meet the following specifications

Standard Features

- One Piece rotationally molded cube with access door
- “No Break” Polyethylene
- Flame retardant
- Color, Black or Twilight
- Overall Square 24”
- Overall Height 15”

Suggested Brand/Model

Cortech – Endurance Cube
Norix – B Side - Twilight
Or equivalent meeting specifications