



SWC # 369- Household Linens and Rags Specifications

The Statewide contract(s) for household linens and rags are essential to the State and Authorized Users performing daily duties and providing services to the public. Contractors are expected to deliver quality products in a timely manner and regularly communicate with Authorized Users to ensure that needs are adequately met.

I. **Scope of Contract:**

The purpose of this contract is to supply the State and Authorized Users with household linens and rags.

Unit price bids are requested on products or services that equal or exceed the specifications listed. The absence of detailed specifications or descriptions shall be recognized as meaning that only the best commercial practices are to prevail, and that only first quality materials and workmanship are to be used. Respondents **must** submit descriptive literature and technical specifications (from the manufacturer) covering the product(s) offered, for bid evaluation. Reference to literature submitted previously will not satisfy this requirement. Respondent may provide a copy of the product specification from the manufacturer's website or a direct link to the exact product for which it is bidding.

The State may request samples of the products listed below for evaluation and testing. Samples provided shall be identical to the products identified in the response. If the State requests samples, respondents must provide the samples, at no cost to the State, to the Central Procurement Office within ten (10) calendar days of the request. Please refer to the Samples section 3.21. of the Terms and Conditions for more information.

All goods identified in the response must be new, of current manufacturer production, and must have been formally announced by the manufacturer or provider of services as being commercially available as of the date of response opening. Please refer to the Models Included in Response section 3.10. of the Terms and Conditions for more information.

All items must be delivered within approximately thirty (30) days after receipt of a purchase order.

*****LINES 1-11 MEASUREMENTS ARE ALL FINISHED SIZES*****

Line 1:

Bed Sheet, Flat 72" x 108", White or Off-White

- 180 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- 1" hem at top and bottom
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 2:

Bed Sheet, Fitted 36" x 84" x 6", White or Off-White

- 180 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- Sewn in elastic corners for sufficient stretching capability
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 3:

Pillow Case 42" x 36", White or Off-White

- 180 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- 3" hem
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 4:

Deluxe Bed Sheet 72" x 108", White or Off-White

- 200 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- Min. of 3.6 oz. per sq. yard
- Min 1" hem at top and bottom
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 5:

Deluxe Bed Sheet, Fitted 36" x 84" x 6", White or Off-White

- 200 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- Min. 3.6 oz. per sq. yard
- Sewn in elastic corners for sufficient stretching capability
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 6:

Deluxe Pillow Case 42" x 36", White or Off-White

- 200 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- Min 3.6 oz. per sq. yard
- Min. 3" hem
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 7:

Blanket 62" x 84", Flame Retardant, Grey

- Minimum 70% wool, remaining % synthetic fibers
- Loom woven, cut ends over edged
- Moth proofed
- Pre-shrunk
- Minimum weight 3.25 lbs per blanket
- Machine wash & dry
- Color: Grey
- UOM = Each (EA)
- Flame retardant (in accordance with cs-191-53)
- Flame retardant certification must be provided with bid

Line 8:

Blanket, 74" x 90", Flame Retardant, Blue

- 100% acrylic
- Fiber woven
- Non-allergenic
- Moth proofed
- Non-static
- Resists shedding, pilling, and matting
- Nylon binding on top and bottom
- Pre-shrunk
- Minimum weight 2.5 lbs per blanket
- Machine wash & dry
- Color: Blue
- UOM = Each (EA)
- Flame retardant (in accordance with cs-191-53)
- Flame retardant certification must be provided with bid

Line 9:

Blanket, Thermal 66" x 90", Flame Retardant, White or Off-White

- 100% High strength cotton
- Loom weave
- Non-allergenic
- Non-static
- Pre-shrunk
- Minimum weight 2.5 lbs per blanket
- Machine wash & dry
- Color: White or Off-White
- UOM = Each (EA)
- Flame retardant (in accordance with cs-191-53)
- Flame retardant certification must be provided with bid

Line 10:

Bedsread, 76" x 110", Flame Retardant, Green

- 100% polyester
- Unquilted
- Seamless one-piece construction
- All edges finished
- Stain resistant
- Machine wash & dry
- Color: Green
- UOM = Each (EA)
- Flame retardant (in accordance with NFPA 701)
- Flame retardant certification must be provided with bid

Line 11:

Bedsread, 76" x 110", Flame Retardant, Blue

- 100% polyester
- Unquilted
- Seamless one-piece construction
- All edges finished
- Stain resistant
- Machine wash & dry
- Color: Blue
- UOM = Each (EA)
- Flame retardant (in accordance with NFPA 701)
- Flame retardant certification must be provided with bid

Line 12:

Washcloth, Minimum Size of 12" x 12", White or Off-White

- 84/16 cotton/poly blend or 100% cotton terry washcloth
- Single loop
- Woven selvage or reinforced hem on all 4 sides
- Min: 12 stitches per inch
- Weight not less 0.75lbs per dozen
- First quality
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 13:

Bath Towel, Minimum Size of 20" x 40", White or Off-White

- 84/16 cotton/poly blend or 100% cotton terry towel
- Single loop
- Woven selvage or reinforced hem on all 4 sides
- Marking border at end not more than 2" wide
- Weight not less than 5.5lbs per dozen
- First quality
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 14:

Bath Towel, Minimum Size of 24" x 48", White or Off-White

- 84/16 cotton/poly blend or 100% cotton terry towel
- Single loop
- Woven selvage or reinforced hem on all 4 sides
- Marking border at end not more than 2" wide
- Weight not less than 8lbs per dozen
- First quality
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 15:

Bag, Mesh, Laundry 3.5 oz./sq. yd., White

- 100% polyester
- 24"x36" with draw cord.
- Mesh minimum of 3.5 oz. per sq. yd. with 12x12 holes per sq. in.
- .024" thick
- 180 lbs per sq. in. ball burst strength
- Must withstand collection, washing, and drying in same bag.
- Guaranteed to withstand washing and drying in commercial equipment a minimum of 170 times without showing any signs of wear
- Wash at temperatures of 160 degrees f.
- Color: White
- UOM = Dozen (DZ)

Line 16:

Shower Mat, 14" x 22.5", Rubber, Non-skid, White

- Rubber
- Non-skid
- Minimum thickness of .20" including suction discs
- Machine wash
- Color: White
- UOM = Each (EA)

Line 17:

Shower Curtain, 36" x 72", Heavy Vinyl, White

- At least 8-gauge heavy vinyl
- Heavy duty
- Mildew and Fungi resistant
- Flame retardant
- Smooth finish
- Rust proof metal grommets, or hookless curtain with chrome plated rings and heavy-duty snaps
- Machine wash
- Color: White
- UOM = Each (EA)

Line 18:

Shower Curtain, 36" x 72", Heavy Vinyl, Beige

- At least 8-gauge heavy vinyl
- Heavy duty
- Mildew and Fungi resistant
- Flame retardant
- Smooth finish
- Rust proof metal grommets, or hookless curtain with chrome plated rings and heavy-duty snaps
- Machine wash
- Color: Beige
- UOM = Each (EA)

Line 19:

Shower Curtain, 72" x 72", Heavy Vinyl, White

- At least 10-gauge heavy vinyl
- Heavy duty
- Mildew and Fungi resistant
- Flame retardant
- Textured finish
- No bottom hem
- Rust proof metal grommets, or hookless curtain with chrome plated rings and heavy-duty snaps
- Machine wash
- Color: White
- UOM = Each (EA)

Line 20:

Shower Curtain, 72" x 72", Heavy Vinyl, Beige

- At least 10-gauge heavy vinyl
- Heavy duty
- Mildew and Fungi resistant
- Flame retardant
- Textured finish
- No bottom hem
- Rust proof metal grommets, or hookless curtain with chrome plated rings and heavy-duty snaps
- Machine wash
- Color: Beige
- UOM = Each (EA)

Line 21:

Shower Curtain, 36" x 78", Frosty/Opaque

- At least 7-gauge vinyl
- Mildew and Fungi resistant
- Flame retardant
- Top hem: Velcro closure
- Brass grommet or snap closure
- Machine wash
- Color: Frosty/Opaque
- UOM = Each (EA)

Line 22:

Hookless Shower Curtain, 36" x 77", Translucent Clear or Translucent White

- 3-ply vinyl with synthetic scrim in center
- Clear see-through top and bottom
- Flame retardant
- Snap closure
- 4" overlap to fasten over rods
- Machine wash
- Color: Translucent Clear or Translucent White
- UOM = Each (EA)

Line 23:

Rags, Wiping, White, Off-White, or Light Grey

- 90% - 100% Cotton; only from textile mills
- White, Off-White, or Light Grey knit material ("T" shirt knit) only
- Size (pre-washed): Minimum 12" x 14" Maximum 24" x 24"
- Wiping rags shall be cut to size prior to machine washing
- Wiping rags shall be absorbent, free of any residue and machine washed without starch in a commercial laundry by the rag supplier
- Athletic T-Shirting, silk screening, logos or lettering on the wiping rags and "used" rags shall not be acceptable
- Packaging: 50 pound (LB) gross weight per corrugated carton

Line 24:

Rags, Wiping, Colored

- 90% - 100% Cotton; only from textile mills
- Colored knit material ("T" shirt knit) only
- Size (pre-washed): Minimum 12" x 14" Maximum 24" x 24"
- Wiping rags shall be cut to size prior to machine washing
- Wiping rags shall be absorbent, free of any residue and machine washed without starch in a commercial laundry by the rag supplier
- Athletic T-Shirting, silk screening, logos or lettering on the wiping rags and "used" rags shall not be acceptable
- Packaging: 50 pound (LB) gross weight per corrugated carton

Line 25:

Rags, Cleaning, White, Off-White, or Light Grey

- 50% Cotton/50% Polyester Blend; only from textile mills
- Fleece material (sweatshirt knit) only
- Size (pre-washed): Minimum 12" x 14" Maximum 24" x 24"
- Cleaning rags shall be cut to size prior to machine washing
- Cleaning rags shall be absorbent, free of any residue and machine washed without starch in a commercial laundry by the rag supplier
- Athletic T-Shirting, silk screening, logos or lettering on the cleaning rags and "used" rags shall not be acceptable
- Packaging: 50 pound (LB) gross weight per corrugated carton

Line 26:

Premium Washcloth, Minimum Size of 12" x 12", White or Off-White

- 100% cotton washcloth
- Single loop
- Woven selvage or reinforced hem on all 4 sides
- Min: 12 stitches per inch
- Weight not less than 0.75lbs per dozen
- First quality
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 27:

Premium Bath Towel, Minimum Size of 27" x 54", White or Off-White

- 100% cotton
- Single loop
- Woven selvage or reinforced hem on all 4 sides
- Marking border at end not more than 2" wide
- Weight not less than 15lbs per dozen
- First quality
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 28:

Premium Hand Towel, 16" x 30", White or Off-White

- 100% cotton
- Single loop
- Woven selvage or reinforced hem on all 4 sides
- Marking border at end not more than 2" wide
- Weight not less than 4.5lbs per dozen
- First quality
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 29:

Premium Pillow Case, 42" x 36", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- 3" hem
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 30:

Premium Bed Sheet Twin XL, Flat, 66" x 96-102", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- 1" hem at top and bottom
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 31:

Bed Sheet Twin XL, Fitted 39" x 80" x 10", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- Sewn in elastic corners for sufficient stretching capability
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 32:

Premium Blanket Thermal, 66" x 90", White or Off-White

- 100% High strength cotton
- Loom weave
- Non-allergenic
- Non-static
- Pre-shrunk
- Minimum weight 2.5 lbs per blanket
- Machine wash & dry
- Color: White or Off-White
- UOM = Each (EA)
- Flame retardant (in accordance with cs-191-53)
- Flame retardant certification must be provided with bid

Line 33:

Premium Bed Sheet Twin XL, Flat, 66" x 96-102", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- 1" hem at top and bottom
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 34:

Premium Bed Sheet Twin XL, Fitted, 39" x 80" x 10", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- Sewn in elastic corners for sufficient stretching capability
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 35:

Premium Bed Sheet Full, Flat, 81" x 96", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- 1" hem at top and bottom
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 36:

Premium Bed Sheet Full, Fitted, 54" x 75" x 13", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- Sewn in elastic corners for sufficient stretching capability
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 37:

Premium Bed Sheet Queen, Flat, 90" x 102", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- 1" hem at top and bottom
- First quality
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 38:

Premium Bed Sheet Queen, Fitted 60" x 80" x 14", White or Off-White

- 300 percale
- 50/50 cotton/poly or 60/40 cotton/poly
- 3.6 oz. per sq. yard
- Sewn in elastic corners for sufficient stretching capability
- Flame retardant
- Color: White or Off-White
- UOM = Dozen (DZ)

Line 39:

Premium Bed Comforter Twin XL, 81" x 110", Grey or Blue

- 300 percale
- 70/30 poly/cotton
- Min. of 4 oz. per sq. yard
- Min 1" hem
- First quality
- Flame retardant
- Color: Grey or Blue
- UOM = Dozen (DZ)
- Flame retardant (in accordance with NFPA 701)
- Flame retardant certification must be provided with bid

Line 40:

Premium Bed Comforter Full, 96" x 116", Grey or Blue

- 300 percale
- 70/30 poly/cotton
- Min. of 4 oz. per sq. yard
- Min 1" hem
- First quality
- Flame retardant
- Color: Grey or Blue
- UOM = Dozen (DZ)
- Flame retardant (in accordance with NFPA 701)
- Flame retardant certification must be provided with bid

Line 41:

Premium Bed Comforter Queen, 100" x 118", Grey or Blue

- 300 percale
- 70/30 poly/cotton
- Min. of 4 oz. per sq. yard
- Min 1" hem
- First quality
- Flame retardant
- Color: Grey or Blue
- UOM = Dozen (DZ)
- Flame retardant (in accordance with NFPA 701)
- Flame retardant certification must be provided with bid