

Tennessee Vital Statistics Summary Resident Data 2010



TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF HEALTH STATISTICS
FEBRUARY 2012

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2010: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,346,105	79,345	2,648	59,201	14,489	13,514	3,472	626	364	13,030
ANDERSON	75,129	832	30	926	206	223	49	6	3	101
BEDFORD	45,058	642	21	411	110	84	26	5	3	67
BENTON	16,489	155	8	230	58	61	17	3	2	12
BLED SOE	12,876	132	2	124	36	29	7	2	1	7
BLOUNT	123,010	1,189	40	1,278	233	291	75	8	5	159
BRADLEY	98,963	1,131	42	911	258	214	55	2	2	91
CAMPBELL	40,716	404	20	517	135	110	33	-	-	24
CANNON	13,801	140	4	152	40	33	9	1	1	9
CARROLL	28,522	322	13	380	123	71	21	1	-	44
CARTER	57,424	568	24	630	158	147	29	7	4	33
CHEATHAM	39,105	410	10	338	90	69	28	5	2	39
CHESTER	17,131	184	4	177	37	34	10	2	2	15
CLAIBORNE	32,213	328	14	353	104	74	32	2	1	34
CLAY	7,861	81	4	106	27	24	9	-	-	7
COCKE	35,662	361	16	401	125	92	27	1	-	49
COFFEE	52,796	661	29	593	143	115	27	6	2	58
CROCKETT	14,586	175	12	172	63	32	7	3	3	16
CUMBERLAND	56,053	580	40	684	177	177	31	8	1	39
DAVIDSON	626,681	9,557	234	4,954	1,122	1,114	336	73	43	2,251
DECATUR	11,757	105	3	171	49	35	10	1	1	8
DEKALB	18,723	232	9	234	60	53	14	1	-	10
DICKSON	49,666	660	15	477	117	107	36	8	4	68
DYER	38,335	469	23	408	126	89	19	5	2	65
FAYETTE	38,413	454	10	366	82	98	24	6	4	72
FENTRESS	17,959	182	8	225	65	51	20	2	1	6
FRANKLIN	41,052	378	11	452	101	90	22	1	-	31
GIBSON	49,683	597	15	676	181	147	35	3	2	66
GILES	29,485	290	11	328	76	74	19	-	-	32
GRAINGER	22,657	237	11	258	56	59	23	1	1	18
GREENE	68,831	616	21	819	214	181	44	2	2	55
GRUNDY	13,703	165	5	187	38	48	18	-	-	6
HAMBLEN	62,544	786	32	705	172	149	44	4	1	60
HAMILTON	336,463	4,107	105	3,102	858	669	136	40	19	328
HANCOCK	6,819	61	2	91	19	22	4	1	-	3
HARDEMAN	27,253	267	15	295	63	78	16	2	1	50
HARDIN	26,026	272	10	316	78	57	12	3	1	22
HAWKINS	56,833	542	21	619	149	173	39	4	1	30
HAYWOOD	18,787	240	15	193	59	44	9	4	3	50
HENDERSON	27,769	352	12	312	94	61	19	2	1	26
HENRY	32,330	334	7	453	127	117	20	6	2	34
HICKMAN	24,690	244	8	250	38	57	16	2	-	32
HOUSTON	8,426	105	1	97	25	20	9	-	-	7
HUMPHREYS	18,538	207	8	211	46	59	17	2	2	10
JACKSON	11,638	103	2	144	35	29	11	-	-	6
JEFFERSON	51,407	534	17	546	133	122	25	4	3	63
JOHNSON	18,244	166	9	192	41	42	7	1	1	6
KNOX	432,226	5,090	141	3,944	903	852	234	34	22	884

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2010: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	7,832	65	1	89	20	20	3	-	-	5
LAUDERDALE	27,815	310	18	266	66	65	13	6	4	48
LAWRENCE	41,869	547	17	474	108	104	35	6	2	29
LEWIS	12,161	105	9	133	45	36	9	-	-	6
LINCOLN	33,361	345	15	396	114	93	20	3	2	35
LOUDON	48,556	473	13	498	98	125	29	2	-	45
MCMINN	52,266	534	20	624	145	144	47	3	3	39
MCNAIRY	26,075	291	5	369	120	82	24	2	1	23
MACON	22,248	305	13	242	57	52	17	1	-	14
MADISON	98,294	1,243	46	915	247	226	40	7	4	243
MARION	28,237	286	14	317	85	66	19	3	2	13
MARSHALL	30,617	371	13	306	83	76	14	2	1	31
MAURY	80,956	1,133	42	726	149	167	33	7	4	135
MEIGS	11,753	117	5	171	49	37	8	2	2	7
MONROE	44,519	486	26	493	111	139	32	3	2	34
MONTGOMERY	172,331	3,204	62	1,051	224	245	75	30	20	453
MOORE	6,362	48	3	62	8	15	3	-	-	-
MORGAN	21,987	209	9	231	67	41	18	3	2	8
OBION	31,807	345	16	350	94	82	16	4	3	34
OVERTON	22,083	241	5	265	69	63	21	-	-	12
PERRY	7,915	91	2	90	18	20	11	-	-	3
PICKETT	5,077	52	1	49	13	11	1	1	-	1
POLK	16,825	170	6	202	58	57	11	3	3	4
PUTNAM	72,321	890	27	667	163	139	33	3	2	89
RHEA	31,809	380	12	349	101	78	35	-	-	34
ROANE	54,181	522	13	688	140	179	58	1	1	61
ROBERTSON	66,283	850	26	564	175	122	34	4	2	88
RUTHERFORD	262,604	3,766	84	1,546	322	371	83	25	18	580
SCOTT	22,228	251	9	220	56	59	16	2	1	17
SEQUATCHIE	14,112	156	8	143	31	37	10	1	-	6
SEVIER	89,889	1,062	47	899	253	212	60	8	3	120
SHELBY	927,644	13,781	647	7,461	1,762	1,722	414	142	91	4,692
SMITH	19,166	205	9	218	49	56	12	1	1	13
STEWART	13,324	141	1	159	54	33	14	-	-	13
SULLIVAN	156,823	1,613	67	1,914	429	466	80	15	7	84
SUMNER	160,645	1,875	48	1,256	320	249	79	17	8	228
TIPTON	61,081	775	22	494	115	118	40	6	4	87
TROUSDALE	7,870	89	2	99	31	15	9	1	-	8
UNICOI	18,313	163	7	249	76	47	13	2	1	6
UNION	19,109	218	12	167	37	41	18	2	1	12
VAN BUREN	5,548	63	7	59	17	17	3	1	-	3
WARREN	39,839	493	19	465	110	106	27	2	1	34
WASHINGTON	122,979	1,318	23	1,218	328	280	56	7	5	111
WAYNE	17,021	137	3	179	36	42	12	1	1	12
WEAKLEY	35,021	383	11	357	87	82	17	4	2	27
WHITE	25,841	272	12	320	89	57	19	2	-	17
WILLIAMSON	183,182	1,971	27	939	208	233	47	9	6	201
WILSON	113,993	1,353	30	844	202	210	54	8	5	159

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2010: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	12.5	62.3	8.0	9.0	9.3	7.9	4.6	164.2	10.0
ANDERSON	11.1	62.9	8.2	10.1	12.3	7.2	3.6	121.4	9.8
BEDFORD	14.2	73.2	8.2	9.8	9.1	7.8	4.7	104.4	8.5
BENTON	9.4	57.7	9.5	8.4	13.9	19.4	12.9	77.4	9.5
BLED SOE	10.3	66.0	3.1	6.1	9.6	15.2	7.6	53.0	3.1
BLOUNT	9.7	52.4	6.3	8.7	10.4	6.7	4.2	133.7	7.3
BRADLEY	11.4	56.2	8.4	9.2	9.2	1.8	1.8	80.5	9.2
CAMPBELL	9.9	54.6	9.8	6.4	12.7	-	-	59.4	11.3
CANNON	10.1	56.0	5.6	9.3	11.0	7.1	7.1	64.3	5.6
CARROLL	11.3	62.5	9.3	8.4	13.3	3.1	-	136.6	10.7
CARTER	9.9	53.4	9.1	9.2	11.0	12.3	7.0	58.1	9.5
CHEATHAM	10.5	54.7	4.4	8.5	8.6	12.2	4.9	95.1	7.9
CHESTER	10.7	50.2	4.2	7.1	10.3	10.9	10.9	81.5	4.2
CLAIBORNE	10.2	52.6	8.5	11.0	11.0	6.1	3.0	103.7	8.5
CLAY	10.3	63.9	10.7	4.9	13.5	-	-	86.4	13.4
COCKE	10.1	56.3	9.0	9.7	11.2	2.8	-	135.7	11.8
COFFEE	12.5	67.3	10.3	6.7	11.2	9.1	3.0	87.7	13.1
CROCKETT	12.0	64.8	14.5	6.3	11.8	17.1	17.1	91.4	15.7
CUMBERLAND	10.3	69.5	16.3	9.7	12.2	13.8	1.7	67.2	17.5
DAVIDSON	15.3	64.7	8.9	8.7	7.9	7.6	4.5	235.5	11.7
DECATUR	8.9	55.8	5.2	7.6	14.5	9.5	9.5	76.2	5.2
DEKALB	12.4	70.0	9.7	8.2	12.5	4.3	-	43.1	9.7
DICKSON	13.3	68.5	5.5	6.4	9.6	12.1	6.1	103.0	7.0
DYER	12.2	63.4	10.3	10.9	10.6	10.7	4.3	138.6	13.0
FAYETTE	11.8	69.1	5.4	5.7	9.5	13.2	8.8	158.6	8.7
FENTRESS	10.1	57.9	8.7	10.4	12.5	11.0	5.5	33.0	8.7
FRANKLIN	9.2	50.5	5.3	9.8	11.0	2.6	-	82.0	6.2
GIBSON	12.0	64.9	5.4	9.9	13.6	5.0	3.4	110.6	6.5
GILES	9.8	54.6	7.6	5.5	11.1	-	-	110.3	9.6
GRAINGER	10.5	58.2	9.9	10.1	11.4	4.2	4.2	75.9	9.9
GREENE	8.9	50.3	6.3	10.7	11.9	3.2	3.2	89.3	7.9
GRUNDY	12.0	68.8	7.1	9.1	13.6	-	-	36.4	7.1
HAMBLEN	12.6	67.7	10.4	8.9	11.3	5.1	1.3	76.3	12.4
HAMILTON	12.2	60.9	6.7	10.5	9.2	9.7	4.6	79.9	7.2
HANCOCK	8.9	50.9	5.8	8.2	13.3	16.4	-	49.2	5.8
HARDEMAN	9.8	61.5	11.2	6.7	10.8	7.5	3.7	187.3	13.5
HARDIN	10.5	61.0	7.6	8.1	12.1	11.0	3.7	80.9	8.4
HAWKINS	9.5	53.0	7.1	10.1	10.9	7.4	1.8	55.4	7.5
HAYWOOD	12.8	66.9	13.9	9.2	10.3	16.7	12.5	208.3	17.6
HENDERSON	12.7	67.1	7.9	8.8	11.2	5.7	2.8	73.9	9.9
HENRY	10.3	61.8	4.5	7.2	14.0	18.0	6.0	101.8	6.5
HICKMAN	9.9	56.5	6.3	7.8	10.1	8.2	-	131.1	7.9
HOUSTON	12.5	72.3	2.1	4.8	11.5	-	-	66.7	2.1
HUMPHREYS	11.2	64.2	8.1	11.6	11.4	9.7	9.7	48.3	9.2
JACKSON	8.9	53.4	3.3	6.8	12.4	-	-	58.3	5.0
JEFFERSON	10.4	55.0	6.6	6.4	10.6	7.5	5.6	118.0	8.5
JOHNSON	9.1	59.7	11.7	15.1	10.5	6.0	6.0	36.1	11.7
KNOX	11.8	55.5	7.0	8.8	9.1	6.7	4.3	173.7	8.6

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2010: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	8.3	66.3	4.3	9.2	11.4	-	-	76.9	4.3
LAUDERDALE	11.1	62.4	12.6	9.7	9.6	19.4	12.9	154.8	15.4
LAWRENCE	13.1	71.3	7.7	8.0	11.3	11.0	3.7	53.0	9.9
LEWIS	8.6	49.6	13.7	4.8	10.9	-	-	57.1	13.7
LINCOLN	10.3	59.4	8.8	9.6	11.9	8.7	5.8	101.4	9.4
LOUDON	9.7	61.3	5.8	7.2	10.3	4.2	-	95.1	6.6
MCMINN	10.2	56.0	7.4	7.1	11.9	5.6	5.6	73.0	8.5
MCNAIRY	11.2	63.3	3.6	8.6	14.2	6.9	3.4	79.0	4.3
MACON	13.7	71.8	10.1	7.9	10.9	3.3	-	45.9	12.4
MADISON	12.6	60.1	9.0	10.0	9.3	5.6	3.2	195.5	10.8
MARION	10.1	58.0	10.1	7.7	11.2	10.5	7.0	45.5	10.1
MARSHALL	12.1	62.8	7.6	8.9	10.0	5.4	2.7	83.6	8.8
MAURY	14.0	72.8	10.3	7.8	9.0	6.2	3.5	119.2	12.0
MEIGS	10.0	57.9	8.6	13.7	14.5	17.1	17.1	59.8	8.6
MONROE	10.9	61.3	11.8	8.2	11.1	6.2	4.1	70.0	13.1
MONTGOMERY	18.6	77.8	6.4	8.1	6.1	9.4	6.2	141.4	8.1
MOORE	7.5	44.0	8.4	4.2	9.7	-	-	62.5	8.4
MORGAN	9.5	58.7	8.1	9.1	10.5	14.4	9.6	38.3	8.1
OBION	10.8	59.9	9.1	11.0	11.0	11.6	8.7	98.6	9.7
OVERTON	10.9	62.5	4.4	12.0	12.0	-	-	49.8	6.1
PERRY	11.5	69.1	5.1	-	11.4	-	-	33.0	5.1
PICKETT	10.2	70.0	4.8	11.5	9.7	19.2	-	19.2	4.8
POLK	10.1	57.6	6.6	7.6	12.0	17.6	17.6	23.5	6.6
PUTNAM	12.3	59.3	8.0	8.2	9.2	3.4	2.2	100.0	8.9
RHEA	11.9	63.7	7.5	7.1	11.0	-	-	89.5	9.4
ROANE	9.6	58.0	4.9	8.4	12.7	1.9	1.9	116.9	6.5
ROBERTSON	12.8	65.7	7.0	8.4	8.5	4.7	2.4	103.5	8.9
RUTHERFORD	14.3	61.3	5.7	8.3	5.9	6.6	4.8	154.0	7.7
SCOTT	11.3	58.6	7.2	9.6	9.9	8.0	4.0	67.7	7.2
SEQUATCHIE	11.1	61.7	10.8	11.5	10.1	6.4	-	38.5	12.1
SEVIER	11.8	64.2	10.5	7.3	10.0	7.5	2.8	113.0	12.3
SHELBY	14.9	68.4	11.7	11.1	8.0	10.3	6.6	340.5	16.1
SMITH	10.7	57.2	8.6	6.3	11.4	4.9	4.9	63.4	8.6
STEWART	10.6	61.5	1.3	12.1	11.9	-	-	92.2	1.3
SULLIVAN	10.3	58.6	9.0	9.5	12.2	9.3	4.3	52.1	9.5
SUMNER	11.7	59.9	5.2	7.4	7.8	9.1	4.3	121.6	6.7
TIPTON	12.7	63.3	5.6	8.4	8.1	7.7	5.2	112.3	6.7
TROUSDALE	11.3	61.0	4.6	13.5	12.6	11.2	-	89.9	4.6
UNICOI	8.9	53.4	8.2	9.2	13.6	12.3	6.1	36.8	8.2
UNION	11.4	62.2	12.6	9.2	8.7	9.2	4.6	55.0	14.7
VAN BUREN	11.4	68.9	27.7	4.8	10.6	15.9	-	47.6	27.7
WARREN	12.4	67.8	9.3	8.5	11.7	4.1	2.0	69.0	9.3
WASHINGTON	10.7	52.1	4.2	8.8	9.9	5.3	3.8	84.2	4.6
WAYNE	8.0	51.9	4.0	8.8	10.5	7.3	7.3	87.6	4.0
WEAKLEY	10.9	51.6	6.9	10.4	10.2	10.4	5.2	70.5	7.5
WHITE	10.5	60.0	9.0	5.1	12.4	7.4	-	62.5	9.0
WILLIAMSON	10.8	56.8	2.2	6.7	5.1	4.6	3.0	102.0	3.1
WILSON	11.9	61.5	4.7	6.7	7.4	5.9	3.7	117.5	5.9

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2010: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	4,921,948	60,174	1,693	50,713	12,503	11,545	3,015	382	217	6,102
ANDERSON	69,065	785	29	896	200	217	45	6	3	94
BEDFORD	36,848	594	18	374	104	75	21	2	1	57
BENTON	15,737	148	6	227	57	61	17	2	1	11
BLED SOE	12,048	129	2	123	35	29	7	2	1	7
BLOUNT	114,993	1,139	37	1,250	229	280	74	7	5	143
BRADLEY	89,386	1,060	40	878	247	208	52	2	2	80
CAMPBELL	39,778	395	20	516	134	110	33	-	-	24
CANNON	13,325	140	4	152	40	33	9	1	1	8
CARROLL	24,755	292	11	339	113	59	19	1	-	35
CARTER	55,335	547	23	618	156	147	28	6	3	32
CHEATHAM	37,374	401	10	328	89	68	26	5	2	37
CHESTER	15,021	161	4	165	35	31	9	2	2	11
CLAIBORNE	31,224	261	10	351	103	74	32	2	1	33
CLAY	7,589	78	4	104	26	24	9	-	-	7
COCKE	33,911	350	15	392	124	89	24	1	-	48
COFFEE	48,561	618	27	574	136	114	25	6	2	52
CROCKETT	11,478	155	8	142	48	27	7	3	3	10
CUMBERLAND	54,266	570	40	681	176	177	31	8	1	37
DAVIDSON	385,039	6,247	112	3,687	847	826	257	33	22	863
DECATUR	11,139	102	2	166	48	33	10	1	1	6
DEKALB	17,352	226	9	233	60	53	14	1	-	9
DICKSON	45,611	627	14	448	113	101	34	6	3	57
DYER	31,432	378	16	363	110	84	16	1	-	31
FAYETTE	26,578	307	4	264	60	69	13	4	3	24
FENTRESS	17,623	182	8	225	65	51	20	2	1	6
FRANKLIN	37,260	342	9	430	99	89	21	1	-	27
GIBSON	38,988	453	10	551	152	116	26	3	2	37
GILES	25,480	254	9	287	65	69	19	-	-	28
GRAINGER	21,978	234	11	258	56	59	23	1	1	18
GREENE	65,358	593	21	805	211	177	44	2	2	51
GRUNDY	13,394	163	5	185	38	48	18	-	-	6
HAMBLEN	54,163	749	27	669	169	139	40	3	-	51
HAMILTON	248,716	2,993	69	2,547	707	552	122	23	9	219
HANCOCK	6,682	61	2	91	19	22	4	1	-	3
HARDEMAN	15,379	124	6	201	46	55	11	1	-	10
HARDIN	24,384	253	10	298	71	52	12	3	1	20
HAWKINS	54,817	529	20	607	145	173	37	4	1	28
HAYWOOD	8,617	108	3	101	32	19	5	-	-	12
HENDERSON	24,764	329	11	286	85	55	17	2	1	21
HENRY	28,827	277	2	414	118	109	18	4	1	26
HICKMAN	22,920	237	8	244	37	56	16	2	-	27
HOUSTON	8,015	100	1	93	23	19	9	-	-	7
HUMPHREYS	17,629	199	8	203	44	57	17	2	2	10
JACKSON	11,387	102	2	144	35	29	11	-	-	5
JEFFERSON	48,571	512	17	534	131	119	24	4	3	58
JOHNSON	17,544	140	9	189	40	42	7	1	1	6
KNOX	369,794	4,320	106	3,598	830	768	217	24	17	662

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2010: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	5,490	48	1	80	18	16	3	-	-	3
LAUDERDALE	17,236	192	7	209	58	55	11	2	2	19
LAWRENCE	40,050	509	17	461	105	102	35	6	2	26
LEWIS	11,656	103	9	131	44	36	8	-	-	6
LINCOLN	29,841	249	13	362	103	87	19	3	2	27
LOUDON	45,339	459	13	494	96	125	29	2	-	44
MCMINN	47,954	507	18	594	139	139	44	2	2	32
MCNAIRY	23,925	265	5	353	117	74	23	2	1	19
MACON	21,364	300	13	241	57	51	17	1	-	14
MADISON	58,226	664	12	646	182	155	24	3	2	79
MARION	26,501	273	14	308	83	63	19	2	2	12
MARSHALL	27,094	338	11	285	76	69	13	2	1	25
MAURY	66,677	991	35	628	128	149	31	5	4	87
MEIGS	11,341	115	5	170	49	37	8	2	2	5
MONROE	41,661	476	26	476	110	135	32	3	2	34
MONTGOMERY	122,336	2,409	36	847	185	203	60	15	10	254
MOORE	6,068	47	3	62	8	15	3	-	-	3
MORGAN	20,761	207	9	231	67	41	18	3	2	8
OBION	27,329	301	16	315	86	70	15	4	3	22
OVERTON	21,571	240	5	264	68	63	21	-	-	11
PERRY	7,584	88	2	88	18	20	11	-	-	3
PICKETT	4,993	52	1	48	13	11	1	1	-	1
POLK	16,397	169	6	200	58	56	11	3	3	4
PUTNAM	66,536	842	26	653	160	137	30	3	2	83
RHEA	29,695	363	10	343	98	77	34	-	-	33
ROANE	51,157	506	13	669	135	174	56	1	1	55
ROBERTSON	57,919	757	19	496	156	112	31	4	2	67
RUTHERFORD	205,417	3,133	74	1,360	284	318	75	20	14	357
SCOTT	21,853	247	9	220	56	59	16	2	1	17
SEQUATCHIE	13,543	154	7	142	31	37	10	1	-	6
SEVIER	84,217	1,023	46	889	249	212	59	8	3	111
SHELBY	376,270	5,046	104	3,718	898	827	226	28	18	772
SMITH	18,179	200	9	214	48	54	12	1	1	12
STEWART	12,605	126	1	159	54	33	14	-	-	10
SULLIVAN	149,208	1,538	66	1,875	419	458	78	13	7	79
SUMNER	142,844	1,703	43	1,177	298	234	74	13	5	174
TIPTON	47,501	597	11	407	93	101	31	6	4	38
TROUSDALE	6,852	85	2	87	25	15	7	1	-	8
UNICOI	17,553	158	7	246	76	47	12	2	1	6
UNION	18,678	215	11	167	37	41	18	2	1	12
VAN BUREN	5,441	63	7	59	17	17	3	1	-	3
WARREN	35,650	470	18	457	108	103	26	2	1	31
WASHINGTON	112,619	1,228	21	1,173	312	270	56	5	4	103
WAYNE	15,712	127	3	178	36	41	12	1	1	11
WEAKLEY	31,124	347	11	332	82	74	16	4	2	20
WHITE	24,739	267	12	312	86	56	19	2	-	15
WILLIAMSON	163,728	1,791	22	879	190	216	42	9	6	156
WILSON	101,379	1,222	25	777	179	196	52	7	4	131

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2010: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	12.2	63.7	7.2	7.7	10.3	6.3	3.6	101.4	8.3
ANDERSON	11.4	65.2	8.9	9.8	13.0	7.6	3.8	119.7	10.4
BEDFORD	16.1	84.3	9.0	9.3	10.1	3.4	1.7	96.0	9.0
BENTON	9.4	58.3	7.7	8.1	14.4	13.5	6.8	74.3	7.7
BLEDSE	10.7	66.7	3.2	6.2	10.2	15.5	7.8	54.3	3.2
BLOUNT	9.9	54.0	6.3	8.4	10.9	6.1	4.4	125.5	7.0
BRADLEY	11.9	58.7	9.1	9.2	9.8	1.9	1.9	75.5	9.8
CAMPBELL	9.9	54.5	10.0	6.6	13.0	-	-	60.8	11.5
CANNON	10.5	57.6	5.8	9.3	11.4	7.1	7.1	57.1	5.8
CARROLL	11.8	65.3	9.3	7.5	13.7	3.4	-	119.9	11.0
CARTER	9.9	53.6	9.2	8.8	11.2	11.0	5.5	58.5	9.6
CHEATHAM	10.7	55.8	4.7	8.7	8.8	12.5	5.0	92.3	7.9
CHESTER	10.7	50.2	5.1	6.8	11.0	12.4	12.4	68.3	5.1
CLAIBORNE	8.4	43.6	6.5	12.3	11.2	7.7	3.8	126.4	6.5
CLAY	10.3	64.0	11.6	5.1	13.7	-	-	89.7	14.5
COCKE	10.3	57.0	9.0	9.4	11.6	2.9	-	137.1	12.0
COFFEE	12.7	68.8	10.7	6.5	11.8	9.7	3.2	84.1	13.5
CROCKETT	13.5	74.0	12.8	5.8	12.4	19.4	19.4	64.5	14.4
CUMBERLAND	10.5	71.1	17.1	9.3	12.5	14.0	1.8	64.9	18.4
DAVIDSON	16.2	71.8	9.3	6.7	9.6	5.3	3.5	138.1	11.1
DECATUR	9.2	57.0	3.7	7.8	14.9	9.8	9.8	58.8	3.7
DEKALB	13.0	74.2	10.7	8.0	13.4	4.4	-	39.8	10.7
DICKSON	13.7	70.8	5.8	6.1	9.8	9.6	4.8	90.9	7.0
DYER	12.0	64.3	9.5	10.8	11.5	2.6	-	82.0	11.3
FAYETTE	11.6	71.7	3.7	4.2	9.9	13.0	9.8	78.2	4.6
FENTRESS	10.3	59.0	8.9	10.4	12.8	11.0	5.5	33.0	8.9
FRANKLIN	9.2	50.6	4.9	8.5	11.5	2.9	-	78.9	6.0
GIBSON	11.6	64.4	4.9	7.1	14.1	6.6	4.4	81.7	5.4
GILES	10.0	55.5	7.5	5.5	11.3	-	-	110.2	10.0
GRAINGER	10.6	59.3	10.3	10.3	11.7	4.3	4.3	76.9	10.3
GREENE	9.1	51.3	6.8	10.6	12.3	3.4	3.4	86.0	8.4
GRUNDY	12.2	69.5	7.2	9.2	13.8	-	-	36.8	7.2
HAMBLEN	13.8	76.3	10.4	8.8	12.4	4.0	-	68.1	12.7
HAMILTON	12.0	63.1	6.7	8.0	10.2	7.7	3.0	73.2	7.3
HANCOCK	9.1	52.0	5.9	8.2	13.6	16.4	-	49.2	5.9
HARDEMAN	8.1	54.8	9.1	6.5	13.1	8.1	-	80.6	9.1
HARDIN	10.4	60.4	8.4	7.9	12.2	11.9	4.0	79.1	9.2
HAWKINS	9.7	53.5	7.1	9.8	11.1	7.6	1.9	52.9	7.4
HAYWOOD	12.5	73.3	7.0	7.4	11.7	-	-	111.1	9.3
HENDERSON	13.3	70.0	8.2	8.8	11.5	6.1	3.0	63.8	9.0
HENRY	9.6	57.8	1.5	7.9	14.4	14.4	3.6	93.9	2.2
HICKMAN	10.3	57.6	6.7	7.6	10.6	8.4	-	113.9	8.4
HOUSTON	12.5	72.3	2.3	5.0	11.6	-	-	70.0	2.3
HUMPHREYS	11.3	64.8	8.6	10.6	11.5	10.1	10.1	50.3	9.6
JACKSON	9.0	54.2	3.4	6.9	12.6	-	-	49.0	5.1
JEFFERSON	10.5	56.0	7.0	6.4	11.0	7.8	5.9	113.3	9.1
JOHNSON	8.0	51.5	12.0	17.1	10.8	7.1	7.1	42.9	12.0
KNOX	11.7	56.3	6.5	8.1	9.7	5.6	3.9	153.2	7.7

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2010: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	8.7	66.9	6.6	12.5	14.6	-	-	62.5	6.6
LAUDERDALE	11.1	64.9	8.7	7.3	12.1	10.4	10.4	99.0	12.5
LAWRENCE	12.7	69.0	8.1	8.1	11.5	11.8	3.9	51.1	10.5
LEWIS	8.8	50.6	14.5	4.9	11.2	-	-	58.3	14.5
LINCOLN	8.3	48.5	8.6	6.4	12.1	12.0	8.0	108.4	9.3
LOUDON	10.1	65.2	6.4	7.0	10.9	4.4	-	95.9	7.4
MCMINN	10.6	58.1	7.4	7.1	12.4	3.9	3.9	63.1	7.8
MCNAIRY	11.1	63.0	4.0	9.4	14.8	7.5	3.8	71.7	4.8
MACON	14.0	73.5	10.5	8.0	11.3	3.3	-	46.7	12.9
MADISON	11.4	60.8	4.9	6.6	11.1	4.5	3.0	119.0	5.3
MARION	10.3	59.0	11.1	7.7	11.6	7.3	7.3	44.0	11.1
MARSHALL	12.5	64.8	7.5	8.3	10.5	5.9	3.0	74.0	8.9
MAURY	14.9	78.4	11.1	6.9	9.4	5.0	4.0	87.8	12.7
MEIGS	10.1	59.0	9.0	13.9	15.0	17.4	17.4	43.5	9.0
MONROE	11.4	64.1	13.0	7.8	11.4	6.3	4.2	71.4	14.5
MONTGOMERY	19.7	84.3	6.0	6.8	6.9	6.2	4.2	105.4	7.3
MOORE	7.7	44.9	8.7	4.3	10.2	-	-	63.8	8.7
MORGAN	10.0	59.9	8.5	9.2	11.1	14.5	9.7	38.6	8.5
OBION	11.0	62.0	10.9	9.0	11.5	13.3	10.0	73.1	11.6
OVERTON	11.1	63.6	4.5	12.1	12.2	-	-	45.8	6.3
PERRY	11.6	70.5	5.5	-	11.6	-	-	34.1	5.5
PICKETT	10.4	71.0	4.9	11.5	9.6	19.2	-	19.2	4.9
POLK	10.3	58.8	6.8	7.7	12.2	17.8	17.8	23.7	6.8
PUTNAM	12.7	61.2	8.6	8.1	9.8	3.6	2.4	98.6	9.6
RHEA	12.2	65.6	6.9	7.4	11.6	-	-	90.9	9.0
ROANE	9.9	59.6	5.3	8.5	13.1	2.0	2.0	108.7	7.0
ROBERTSON	13.1	67.8	6.0	7.4	8.6	5.3	2.6	88.5	6.9
RUTHERFORD	15.3	67.1	6.9	7.8	6.6	6.4	4.5	113.9	8.5
SCOTT	11.3	58.6	7.3	9.7	10.1	8.1	4.0	68.8	7.3
SEQUATCHIE	11.4	63.1	9.8	11.7	10.5	6.5	-	39.0	11.2
SEVIER	12.1	66.8	11.1	7.1	10.6	7.8	2.9	108.5	13.0
SHELBY	13.4	71.5	6.0	6.6	9.9	5.5	3.6	153.0	7.6
SMITH	11.0	58.7	9.2	6.5	11.8	5.0	5.0	60.0	9.2
STEWART	10.0	58.4	1.4	11.9	12.6	-	-	79.4	1.4
SULLIVAN	10.3	58.9	9.4	9.4	12.6	8.5	4.6	51.4	10
SUMNER	11.9	61.9	5.4	7.2	8.2	7.6	2.9	102.2	6.8
TIPTON	12.6	63.9	3.8	7	8.6	10.1	6.7	63.7	4.5
TROUSDALE	12.4	65.2	5.4	14.1	12.7	11.8	-	94.1	5.4
UNICOI	9	54.1	8.8	9.5	14	12.7	6.3	38.0	8.8
UNION	11.5	62.8	11.8	8.8	8.9	9.3	4.7	55.8	14
VAN BUREN	11.6	70.2	28.7	4.8	10.8	15.9	-	47.6	28.7
WARREN	13.2	72.2	10.2	8.7	12.8	4.3	2.1	66.0	10.2
WASHINGTON	10.9	53.5	4.4	8.4	10.4	4.1	3.3	83.9	4.8
WAYNE	8.1	49.5	4.2	8.7	11.3	7.9	7.9	86.6	4.2
WEAKLEY	11.1	54.5	8	10.1	10.7	11.5	5.8	57.6	8.7
WHITE	10.8	61.1	9.5	5.2	12.6	7.5	-	56.2	9.5
WILLIAMSON	10.9	58.4	2	6.7	5.4	5	3.4	87.1	2.9
WILSON	12.1	63.4	4.5	5.8	7.7	5.7	3.3	107.2	5.6

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2010: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,057,315	16,599	923	8,162	1,922	1,892	420	229	139	6,112
ANDERSON	2,847	32	1	26	6	4	4	-	-	6
BEDFORD	3,564	38	2	34	6	7	5	3	2	6
BENTON	321	3	1	3	1	-	-	1	1	-
BLED SOE	470	2	-	1	1	-	-	-	-	-
BLOUNT	3,380	34	3	27	4	10	1	1	-	13
BRADLEY	4,219	57	2	27	9	5	1	-	-	7
CAMPBELL	125	-	-	-	-	-	-	-	-	-
CANNON	168	-	-	-	-	-	-	-	-	-
CARROLL	2,879	27	2	40	10	12	2	-	-	9
CARTER	760	7	1	7	1	-	1	1	1	-
CHEATHAM	564	4	-	8	1	1	1	-	-	-
CHESTER	1,569	23	-	12	2	3	1	-	-	4
CLAIBORNE	282	1	-	2	1	-	-	-	-	-
CLAY	104	-	-	2	1	-	-	-	-	-
COCKE	669	8	-	8	1	3	2	-	-	-
COFFEE	1,845	32	1	16	6	1	1	-	-	3
CROCKETT	1,843	20	4	29	14	5	-	-	-	6
CUMBERLAND	161	-	-	1	-	-	-	-	-	1
DAVIDSON	173,730	2,883	116	1,214	266	275	72	38	20	1,134
DECATUR	338	1	-	5	1	2	-	-	-	1
DEKALB	250	2	-	1	-	-	-	-	-	-
DICKSON	2,056	26	1	24	4	6	1	1	1	7
DYER	5,477	88	7	45	16	5	3	4	2	31
FAYETTE	10,784	141	6	100	22	29	10	1	1	45
FENTRESS	31	-	-	-	-	-	-	-	-	-
FRANKLIN	2,109	22	2	21	2	1	1	-	-	1
GIBSON	9,340	141	5	125	29	31	9	-	-	27
GILES	3,012	22	1	41	11	5	-	-	-	3
GRAINGER	107	-	-	-	-	-	-	-	-	-
GREENE	1,373	12	-	13	3	3	-	-	-	2
GRUNDY	37	-	-	2	-	-	-	-	-	-
HAMBLEN	2,527	27	5	34	3	9	4	1	1	3
HAMILTON	67,900	991	35	539	150	113	14	16	10	97
HANCOCK	24	-	-	-	-	-	-	-	-	-
HARDEMAN	11,281	141	9	93	16	23	5	1	1	40
HARDIN	896	5	-	17	6	5	-	-	-	1
HAWKINS	740	5	-	11	4	-	2	-	-	2
HAYWOOD	9,465	131	12	91	26	25	4	4	3	37
HENDERSON	2,187	21	1	26	9	6	2	-	-	2
HENRY	2,599	40	5	39	9	8	2	2	1	7
HICKMAN	1,120	3	-	6	1	1	-	-	-	2
HOUSTON	193	4	-	4	2	1	-	-	-	-
HUMPHREYS	463	7	-	8	2	2	-	-	-	-
JACKSON	30	1	-	-	-	-	-	-	-	-
JEFFERSON	1,048	9	-	10	1	3	1	-	-	5
JOHNSON	378	-	-	1	-	-	-	-	-	-
KNOX	38,045	593	33	316	68	78	12	9	4	185

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2010: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
		-	-					-	-	
LAKE	2,171	16	-	9	2	4	-	-	-	2
LAUDERDALE	9,720	114	10	54	8	10	2	4	2	28
LAWRENCE	642	6	-	12	3	1	-	-	-	-
LEWIS	199	1	-	1	1	-	-	-	-	-
LINCOLN	2,269	19	-	32	11	5	1	-	-	8
LOUDON	533	5	-	4	2	-	-	-	-	-
MCMINN	2,066	21	2	28	6	5	3	-	-	4
MCNAIRY	1,550	14	-	16	3	8	1	-	-	3
MACON	93	2	-	1	-	1	-	-	-	-
MADISON	35,636	550	34	266	63	70	16	4	2	159
MARION	1,012	9	-	9	2	3	-	1	-	1
MARSHALL	2,003	30	2	21	7	7	1	-	-	6
MAURY	10,154	119	7	94	21	17	2	1	-	38
MEIGS	116	2	-	-	-	-	-	-	-	2
MONROE	926	8	-	15	1	4	-	-	-	-
MONTGOMERY	32,982	594	26	183	34	36	13	15	10	138
MOORE	145	1	-	-	-	-	-	-	-	-
MORGAN	806	-	-	-	-	-	-	-	-	-
OBION	3,367	34	-	35	8	12	1	-	-	12
OVERTON	87	-	-	1	1	-	-	-	-	-
PERRY	119	1	-	2	-	-	-	-	-	-
PICKETT	5	-	-	-	-	-	-	-	-	-
POLK	50	-	-	-	-	-	-	-	-	-
PUTNAM	1,455	19	-	11	2	2	2	-	-	3
RHEA	616	11	1	6	3	1	1	-	-	-
ROANE	1,440	12	-	18	4	5	2	-	-	3
ROBERTSON	4,934	77	7	65	19	10	2	-	-	18
RUTHERFORD	32,886	479	10	162	36	47	5	5	4	155
SCOTT	21	-	-	-	-	-	-	-	-	-
SEQUATCHIE	21	1	1	1	-	-	-	-	-	-
SEVIER	711	10	1	4	1	-	-	-	-	2
SHELBY	483,381	8,204	537	3,683	849	875	182	110	70	3,708
SMITH	410	2	-	4	1	2	-	-	-	1
STEWART	188	4	-	-	-	-	-	-	-	-
SULLIVAN	3,329	38	1	38	10	8	2	1	-	2
SUMNER	10,311	127	5	72	21	14	4	4	3	34
TIPTON	11,449	171	11	83	21	15	9	-	-	46
TROUSDALE	754	3	-	12	6	-	2	-	-	-
UNICOI	36	1	-	2	-	-	1	-	-	-
UNION	22	1	-	-	-	-	-	-	-	-
VAN BUREN	23	-	-	-	-	-	-	-	-	-
WARREN	1,142	16	1	8	2	3	1	-	-	1
WASHINGTON	4,814	64	2	38	14	8	-	1	-	6
WAYNE	978	1	-	1	-	1	-	-	-	-
WEAKLEY	2,736	27	-	24	5	8	1	-	-	7
WHITE	459	5	-	8	3	1	-	-	-	-
WILLIAMSON	7,941	89	5	54	18	16	3	-	-	20
WILSON	7,297	87	5	56	19	11	2	-	-	18

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2010: *BLACK*

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	15.7	67.2	13.3	13.9	7.7	13.8	8.4	368.2	17.9
ANDERSON	11.2	58.5	5.1	18.8	9.1	-	-	187.5	10.2
BEDFORD	10.7	56.5	9.2	21.1	9.5	78.9	52.6	157.9	13.8
BENTON	9.3	*	*	*	9.3	*	*	-	*
BLED SOE	4.3	*	*	*	2.1	*	*	-	*
BLOUNT	10.1	53.4	15.3	17.6	8.0	29.4	-	382.4	20.4
BRADLEY	13.5	61.9	7.9	10.5	6.4	-	-	122.8	11.9
CAMPBELL	-	*	*	*	-	*	*	-	*
CANNON	-	*	*	*	-	*	*	-	*
CARROLL	9.4	50.8	14.0	18.5	13.9	-	-	333.3	14.0
CARTER	9.2	47.0	*	*	9.2	*	*	-	*
CHEATHAM	7.1	*	*	*	14.2	*	*	-	*
CHESTER	14.7	65.7	-	8.7	7.6	-	-	173.9	-
CLAIBORNE	3.5	*	*	*	7.1	*	*	-	*
CLAY	-	*	*	*	19.2	*	*	-	*
COCKE	12.0	80.0	*	*	12.0	*	*	-	*
COFFEE	17.3	89.4	8.4	9.4	8.7	-	-	93.8	16.8
CROCKETT	10.9	59.0	39.6	10.0	15.7	-	-	300.0	39.6
CUMBERLAND	-	*	*	*	6.2	*	*	-	*
DAVIDSON	16.6	65.8	11.1	12.8	7.0	13.2	6.9	393.3	15.1
DECATUR	3.0	*	*	*	14.8	*	*	-	*
DEKALE	8.0	*	*	*	4.0	*	*	-	*
DICKSON	12.6	68.4	7.6	15.4	11.7	38.5	38.5	269.2	15.3
DYER	16.1	71.0	16.4	11.4	8.2	45.5	22.7	352.3	23.5
FAYETTE	13.1	67.9	9.0	8.5	9.3	7.1	7.1	319.1	15.1
FENTRESS	*	*	*	*	*	*	*	-	*
FRANKLIN	10.4	56.7	15.2	22.7	10.0	-	-	45.5	15.2
GIBSON	15.1	72.8	8.2	19.1	13.4	-	-	191.5	9.9
GILES	7.3	39.7	6.0	9.1	13.6	-	-	136.4	6.0
GRAINGER	-	*	*	*	-	*	*	-	*
GREENE	8.7	44.1	*	16.7	9.5	-	-	166.7	*
GRUNDY	*	*	*	*	*	*	*	-	*
HAMBLEN	10.7	54.8	40.0	7.4	13.5	37.0	37.0	111.1	40.0
HAMILTON	14.6	64.2	8.3	18.6	7.9	16.1	10.1	97.9	8.8
HANCOCK	*	*	*	*	*	*	*	-	*
HARDEMAN	12.5	72.2	14.3	7.1	8.2	7.1	7.1	283.7	19.1
HARDIN	5.6	32.7	*	*	19.0	*	*	*	*
HAWKINS	6.8	48.5	*	*	14.9	*	*	-	*
HAYWOOD	13.8	66.7	20.1	10.7	9.6	30.5	22.9	282.4	25.1
HENDERSON	9.6	49.5	8.4	9.5	11.9	-	-	95.2	16.8
HENRY	15.4	86.8	37.6	2.5	15.0	50.0	25.0	175.0	45.1
HICKMAN	2.7	*	*	*	5.4	*	*	*	*
HOUSTON	20.7	*	*	*	20.7	*	*	-	*
HUMPHREYS	15.1	*	*	*	17.3	*	*	-	*
JACKSON	*	*	*	*	*	*	*	-	*
JEFFERSON	8.6	53.9	*	*	9.5	*	*	*	*
JOHNSON	-	*	*	*	2.6	*	*	-	*
KNOX	15.6	65.2	14.1	14.2	8.3	15.2	6.7	312.0	18.8

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2010: BLACK

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	7.4	65.6	*	-	4.1	-	-	125.0	*
LAUDERDALE	11.7	60.9	17.8	14.0	5.6	35.1	17.5	245.6	19.5
LAWRENCE	9.3	57.7	*	*	18.7	*	*	-	*
LEWIS	5.0	*	*	*	5.0	*	*	-	*
LINCOLN	8.4	43.3	-	21.1	14.1	-	-	421.1	-
LOUDON	9.4	*	*	*	7.5	*	*	-	*
MCMINN	10.2	52.6	18.9	4.8	13.6	-	-	190.5	37.7
MCNAIRY	9.0	47.6	*	-	10.3	-	-	214.3	*
MACON	*	*	*	*	*	*	*	-	*
MADISON	15.4	62.3	14.4	14.2	7.5	7.3	3.6	289.1	17.4
MARION	8.9	52.9	*	*	8.9	*	*	*	*
MARSHALL	15.0	75.4	16.4	16.7	10.5	-	-	200.0	16.4
MAURY	11.7	56.6	11.0	16.0	9.3	8.4	-	319.3	14.1
MEIGS	17.2	*	*	*	-	*	*	*	*
MONROE	8.6	58.0	*	*	16.2	*	*	-	*
MONTGOMERY	18.0	71.4	11.2	12.6	5.5	25.3	16.8	232.3	13.3
MOORE	6.9	*	*	*	-	*	*	-	*
MORGAN	-	*	*	*	*	*	*	-	*
OBION	10.1	48.2	-	32.4	10.4	-	-	352.9	-
OVERTON	*	*	*	*	*	*	*	-	*
PERRY	8.4	*	*	*	16.8	*	*	-	*
PICKETT	*	*	*	*	*	*	*	-	*
POLK	*	*	*	*	*	*	*	-	*
PUTNAM	13.1	59.9	*	5.3	7.6	-	-	157.9	*
RHEA	17.9	99.1	*	-	9.7	-	-	-	*
ROANE	8.3	50.6	*	8.3	12.5	-	-	250.0	*
ROBERTSON	15.6	72.4	22.5	19.5	13.2	-	-	233.8	32.2
RUTHERFORD	14.6	53.7	4.5	12.1	4.9	10.4	8.4	323.6	8.5
SCOTT	*	*	*	*	*	*	*	-	*
SEQUATCHIE	*	*	*	*	*	*	*	-	*
SEVIER	14.1	80.0	*	10.0	5.6	-	-	200.0	*
SHELBY	17.0	71.2	15.7	14.0	7.6	13.4	8.5	452.0	22.0
SMITH	4.9	*	*	*	9.8	*	*	*	*
STEWART	21.3	*	*	*	-	*	*	-	*
SULLIVAN	11.4	62.0	6.2	18.4	11.4	26.3	-	52.6	6.2
SUMNER	12.3	56.9	6.9	11.8	7.0	31.5	23.6	267.7	9.6
TIPTON	14.9	69.2	13.0	13.5	7.2	-	-	269.0	15.4
TROUSDALE	4.0	26.3	*	*	15.9	*	*	-	*
UNICOI	*	*	*	*	*	*	*	-	*
UNION	*	*	*	*	*	*	*	-	*
VAN BUREN	*	*	*	*	*	*	*	-	*
WARREN	14.0	84.7	*	6.3	7.0	-	-	62.5	*
WASHINGTON	13.3	61.1	8.5	14.1	7.9	15.6	-	93.8	8.5
WAYNE	1.0	*	*	*	1.0	*	*	-	*
WEAKLEY	9.9	34.0	-	14.8	8.8	-	-	259.3	-
WHITE	10.9	*	*	*	17.4	*	*	-	*
WILLIAMSON	11.2	58.6	9.6	9.0	6.8	-	-	224.7	11.5
WILSON	11.9	56.3	10.0	17.2	7.7	-	-	206.9	12.0

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2010: ALL RACES

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,346,105	79,345	2,648	59,201	14,489	13,514	3,472	626	364	13,030
NORTHEAST	349,443	3,434	107	3,818	985	892	192	24	14	244
EAST TENNESSEE	743,807	7,892	309	8,180	1,926	1,916	539	47	24	805
SOUTHEAST	321,596	3,449	125	3,480	902	800	232	17	13	238
UPPER CUMBERLAND	338,158	3,839	160	3,830	971	868	227	23	7	260
MID-CUMBERLAND	1,095,967	14,631	314	7,581	1,814	1,733	485	109	67	1,854
SOUTH CENTRAL	382,291	4,614	173	3,948	928	883	225	32	15	443
NORTHWEST	254,605	2,845	106	3,115	879	701	155	29	16	303
SOUTHWEST	282,107	3,250	114	2,959	763	672	177	34	22	401
MEMPHIS/SHELBY	927,644	13,781	647	7,461	1,762	1,722	414	142	91	4,692
NASHVILLE/DAVIDSON	626,681	9,557	234	4,954	1,122	1,114	336	73	43	2,251
KNOXVILLE/KNOX	432,226	5,090	141	3,944	903	852	234	34	22	884
CHATTANOOGA/HAMILTON	336,463	4,107	105	3,102	858	669	136	40	19	328
JACKSON/MADISON	98,294	1,243	46	915	247	226	40	7	4	243
SULLIVAN	156,823	1,613	67	1,914	429	466	80	15	7	84

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2010: WHITE

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	4,921,948	60,174	1,693	50,713	12,503	11,545	3,015	382	217	6,102
NORTHEAST	329,908	3,256	103	3,729	959	878	188	21	12	229
EAST TENNESSEE	697,349	7,558	293	8,012	1,896	1,874	523	45	23	750
SOUTHEAST	297,519	3,275	116	3,373	877	783	224	15	12	212
UPPER CUMBERLAND	320,015	3,732	158	3,787	959	859	223	23	7	242
MID-CUMBERLAND	921,709	12,553	255	6,854	1,640	1,572	441	82	48	1,268
SOUTH CENTRAL	338,491	4,155	155	3,674	860	833	213	27	13	352
NORTHWEST	215,160	2,399	81	2,763	784	616	137	22	12	195
SOUTHWEST	214,544	2,438	63	2,450	645	544	142	23	15	180
MEMPHIS/SHELBY	376,270	5,046	104	3,718	898	827	226	28	18	772
NASHVILLE/DAVIDSON	385,039	6,247	112	3,687	847	826	257	33	22	863
KNOXVILLE/KNOX	369,794	4,320	106	3,598	830	768	217	24	17	662
CHATTANOOGA/HAMILTON	248,716	2,993	69	2,547	707	552	122	23	9	219
JACKSON/MADISON	58,226	664	12	646	182	155	24	3	2	79
SULLIVAN	149,208	1,538	66	1,875	419	458	78	13	7	79

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2010: BLACK

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,057,315	16,599	923	8,162	1,922	1,892	420	229	139	6,112
NORTHEAST	8,125	89	3	72	22	11	4	2	1	10
EAST TENNESSEE	15,444	147	10	148	24	38	14	2	1	32
SOUTHEAST	10,716	125	8	95	23	15	6	1	-	15
UPPER CUMBERLAND	4,418	47	1	37	10	9	3	-	-	6
MID-CUMBERLAND	100,569	1,501	59	648	162	144	33	25	18	390
SOUTH CENTRAL	26,050	273	13	260	67	45	10	4	2	66
NORTHWEST	30,733	396	24	349	94	85	18	7	4	101
SOUTHWEST	59,239	762	49	497	114	126	34	10	7	207
MEMPHIS/SHELBY	483,381	8,204	537	3,683	849	875	182	110	70	3,708
NASHVILLE/DAVIDSON	173,730	2,883	116	1,214	266	275	72	38	20	1,134
KNOXVILLE/KNOX	38,045	593	33	316	68	78	12	9	4	185
CHATTANOOGA/HAMILTON	67,900	991	35	539	150	113	14	16	10	97
JACKSON/MADISON	35,636	550	34	266	63	70	16	4	2	159
SULLIVAN	3,329	38	1	38	10	8	2	1	-	2

Other Terminations - Total number of fetal deaths and induced abortions.
A dash (-) indicates there were no events.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2010: **ALL RACES**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	12.5	62.3	8.0	9.0	9.3	7.9	4.6	164.2	10.0
NORTHEAST	9.8	52.5	6.6	9.7	10.9	7.0	4.1	71.1	7.1
EAST TENNESSEE	10.6	58.9	8.3	8.5	11.0	6.0	3.0	102.0	9.7
SOUTHEAST	10.7	57.5	7.6	8.6	10.8	4.9	3.8	69.0	8.4
UPPER CUMBERLAND	11.4	63.3	9.6	8.4	11.3	6.0	1.8	67.7	10.4
MID-CUMBERLAND	13.3	63.8	4.9	7.8	6.9	7.4	4.6	126.7	6.5
SOUTH CENTRAL	12.1	65.6	8.7	7.8	10.3	6.9	3.3	96.0	10.1
NORTHWEST	11.2	60.9	8.0	9.5	12.2	10.2	5.6	106.5	9.3
SOUTHWEST	11.5	63.0	7.4	8.0	10.5	10.5	6.8	123.4	9.1
MEMPHIS/SHELBY	14.9	68.4	11.7	11.1	8.0	10.3	6.6	340.5	16.1
NASHVILLE/DAVIDSON	15.3	64.7	8.9	8.7	7.9	7.6	4.5	235.5	11.7
KNOXVILLE/KNOX	11.8	55.5	7.0	8.8	9.1	6.7	4.3	173.7	8.6
CHATTANOOGA/HAMILTON	12.2	60.9	6.7	10.5	9.2	9.7	4.6	79.9	7.2
JACKSON/MADISON	12.6	60.1	9.0	10.0	9.3	5.6	3.2	195.5	10.8
SULLIVAN	10.3	58.6	9.0	9.5	12.2	9.3	4.3	52.1	9.5

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2010: **WHITE**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	12.2	63.7	7.2	7.7	10.3	6.3	3.6	101.4	8.3
NORTHEAST	9.9	53.0	6.8	9.5	11.3	6.4	3.7	70.3	7.4
EAST TENNESSEE	10.8	60.6	8.6	8.4	11.5	6.0	3.0	99.2	9.9
SOUTHEAST	11.0	59.3	7.8	8.6	11.3	4.6	3.7	64.7	8.5
UPPER CUMBERLAND	11.7	65.2	10.2	8.4	11.8	6.2	1.9	64.8	11.0
MID-CUMBERLAND	13.6	66.8	5.0	7.2	7.4	6.5	3.8	101.0	6.2
SOUTH CENTRAL	12.3	67.0	9.0	7.2	10.9	6.5	3.1	84.7	10.5
NORTHWEST	11.1	61.9	7.6	8.6	12.8	9.2	5.0	81.3	8.5
SOUTHWEST	11.4	63.5	5.7	7.3	11.4	9.4	6.2	73.8	6.7
MEMPHIS/SHELBY	13.4	71.5	6.0	6.6	9.9	5.5	3.6	153.0	7.6
NASHVILLE/DAVIDSON	16.2	71.8	9.3	6.7	9.6	5.3	3.5	138.1	11.1
KNOXVILLE/KNOX	11.7	56.3	6.5	8.1	9.7	5.6	3.9	153.2	7.7
CHATTANOOGA/HAMILTON	12.0	63.1	6.7	8.0	10.2	7.7	3.0	73.2	7.3
JACKSON/MADISON	11.4	60.8	4.9	6.6	11.1	4.5	3.0	119.0	5.3
SULLIVAN	10.3	58.9	9.4	9.4	12.6	8.5	4.6	51.4	10.0

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2010: BLACK

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	15.7	67.2	13.3	13.9	7.7	13.8	8.4	368.2	17.9
NORTHEAST	11.0	56.2	7.6	16.9	8.9	22.5	11.2	112.4	7.6
EAST TENNESSEE	9.5	54.8	11.8	15.6	9.6	13.6	6.8	217.7	14.2
SOUTHEAST	11.7	61.2	13.0	9.6	8.9	8.0	-	120.0	17.9
UPPER CUMBERLAND	10.6	60.2	4.3	6.4	8.4	-	-	127.7	4.3
MID-CUMBERLAND	14.9	61.8	8.6	12.9	6.4	16.7	12.0	259.8	11.8
SOUTH CENTRAL	10.5	57.2	8.8	15.4	10.0	14.7	7.3	241.8	11.6
NORTHWEST	12.9	62.7	13.0	15.4	11.4	17.7	10.1	255.1	15.7
SOUTHWEST	12.9	65.7	13.3	10.4	8.4	13.1	9.2	271.7	17.0
MEMPHIS/SHELBY	17.0	71.2	15.7	14.0	7.6	13.4	8.5	452.0	22.0
NASHVILLE/DAVIDSON	16.6	65.8	11.1	12.8	7.0	13.2	6.9	393.0	15.1
KNOXVILLE/KNOX	15.6	65.2	14.1	14.2	8.3	15.2	6.7	312.0	18.8
CHATTAHOOGA/HAMILTON	14.6	64.2	8.3	18.6	7.9	16.1	10.1	97.9	8.8
JACKSON/MADISON	15.4	62.3	14.4	14.2	7.5	7.3	3.6	289.1	17.4
SULLIVAN	11.4	62.0	6.2	18.4	11.4	26.3	-	52.6	6.2

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

The population estimates for Tennessee used to calculate the rates in this report were based on figures prepared from the 2000 Census in February 2008 by the Division of Health Statistics.



COUNTIES BY HEALTH DEPARTMENT REGIONS

EAST TENNESSEE

ANDERSON
BLOUNT
CAMPBELL
CLAIBORNE
COCKE
GRAINGER
HAMBLÉN
JEFFERSON
LOUDON
MONROE
MORGAN
ROANE
SCOTT
SEVIER
UNION

SOUTHEAST

BLEDSON
BRADLEY
FRANKLIN
GRUNDY
MCMINN
MARION
MEIGS
POLK
RHEA
SEQUATCHIE

SULLIVAN

SULLIVAN

NORTHEAST

CARTER
GREENE
HANCOCK
HAWKINS
JOHNSON
UNICOI
WASHINGTON

SOUTHWEST

CHESTER
DECATUR
FAYETTE
HARDEMAN
HARDIN
HAYWOOD
HENDERSON
LAUDERDALE
MCNAIRY
TIPTON

NORTHWEST

BENTON
CARROLL
CROCKETT
DYER
GIBSON
HENRY
LAKE
OBION
WEAKLEY

MID-CUMBERLAND

CHEATHAM
DICKSON
HOUSTON
HUMPHREYS
MONTGOMERY
ROBERTSON
RUTHERFORD
STEWART
SUMNER
TROUSDALE
WILLIAMSON
WILSON

SOUTH CENTRAL

BEDFORD
COFFEE
GILES
HICKMAN
LAWRENCE
LEWIS
LINCOLN
MARSHALL
MAURY
MOORE
PERRY
WAYNE

NASHVILLE/DAVIDSON

DAVIDSON

UPPER CUMBERLAND

CANNON
CLAY
CUMBERLAND
DEKALB
FENTRESS
JACKSON
MACON
OVERTON
PICKETT
PUTNAM
SMITH
VAN BUREN
WARREN
WHITE

MEMPHIS/SHELBY

SHELBY

JACKSON/MADISON

MADISON

KNOXVILLE/KNOX

KNOX

CHATTANOOGA/ HAMILTON

HAMILTON