

Estimated Quantities -- Letting May 12, 2017

Quantities shown are for information only and should not be used for bidding purposes. The official bid files should be obtained from www.bidx.com

Contract ID CNR938 - DECATUR

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,840.000	S.Y.
203-06	WATER	12.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (D)	1,581.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	847.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	18.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,172.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	3.123	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	1,534.000	S.Y.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	11,700.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	8.000	EACH
710-04	FILTER CLOTH UNDERDRAIN (WITH PIPE)	21,437.000	L.F.
710-05	LATERAL UNDERDRAIN	2,140.000	L.F.
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	6.000	EACH
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	27.000	EACH
710-06.14	LATERAL UNDERDRAIN ENDWALL (5:1)	17.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	6.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	518.500	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	134.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	85.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	7.900	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	7.900	L.M.

Contract ID CNR938 - DECATUR

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS

Contract ID CNR934 - DEKALB

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	100.000	TON
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	280.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	115.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	147.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	22.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.400	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.100	L.M.
717-01	MOBILIZATION	(1)	LS
602-10.42	STEEL BEAM (DESCRIPTION) (BRIDGE 21-A555-0.35)	81.000	L.F.
604-10.14	REMOVE EXISTING WEARING SURFACE	(1)	LS
604-10.42	CONCRETE REPAIRS	20.000	C.F.
604-10.54	CONCRETE REPAIRS	27.000	S.F.
604-10.58	EPOXY INJECTION (INJECTION)	4.000	GAL.
604-10.62	EPOXY INJECTION REPAIR (COMPLETE AND IN PLACE)	125.000	L.F.
604-10.67	CONCRETE REPAIRS (DESCRIPTION) (BEAM REPAIR)	29.000	L.F.
617-01	BRIDGE DECK SEALANT	469.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	156.000	S.Y.
621-05.02	TEMPORARY SHORING	(1)	LS

Contract ID CNR939 - JEFFERSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,395.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	84.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,775.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	10,384.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	1,840.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	18.000	L.M.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	525.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,228.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.21	SIGN POST DELINEATION ENHANCEMENT	96.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	70.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	76.000	LB.
713-11.21	P POST SLIP BASE	2.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	16.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	16.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	3.000	EACH
713-16.21	SIGNS (DESCRIPTION) (OM3)	8.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	790.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	69.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	634.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	154.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	390.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	100.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH

Contract ID CNR939 - JEFFERSON

Item No.	Description	Quantity	Units
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	38.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	45.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.700	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	100.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-26.08	FLASHING WARNING BEACON (DESCRIPTION)	2.000	EACH

Contract ID CNR936 - TIPTON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	652.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	443.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	496.000	C.Y.
203-06	WATER	20.000	M.G.
209-05	SEDIMENT REMOVAL	30.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	350.000	L.F.
209-08.07	ROCK CHECK DAM PER	3.000	EACH
209-09.01	SANDBAGS	200.000	BAG
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	873.000	TON
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (D)	1,600.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	25.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	300.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	142.000	TON
307-02.02	ASPHALT CEMENT (PG70-22)(BPMB-HM) GRADING A-S	4.000	TON
307-02.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	108.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	145.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	2.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	8.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	11.000	TON
405-03.01	PM REJUVENATING SCRUB SEAL	50,723.000	S.Y.
407-20.05	SAW CUTTING ASPHALT PAVEMENT	320.000	L.F.
411-02.10	ACS MIX(PG70-22) GRADING D	128.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,926.000	TON

Contract ID CNR936 - TIPTON

Item No.	Description	Quantity	Units
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	3.160	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	407.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	624.000	S.Y.
621-03.02	18" TEMPORARY DRAINAGE PIPE	36.000	L.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	912.000	S.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	5.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	7.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	200.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	980.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	46.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	32.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,848.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-09.04	REMOVABLE PAVEMENT MARKING (STOP LINE)	187.000	L.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	8.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R1-2, YIELD)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R5-1, DO NOT ENTER)	3.000	EACH
713-16.22	SIGNS (DESCRIPTION) (R5-1A, WRONG WAY)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (R6-1L, ONE WAY)	2.000	EACH
713-16.24	SIGNS (DESCRIPTION) (R6-1R, ONE WAY)	1.000	EACH
713-16.25	SIGNS (DESCRIPTION) (W2-1, INTERSECTION)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (W16-8P, CHARLES PLACE, SUPPLEMENTAL WARNING PLAQUE)	1.000	EACH
716-01.21	Snowplowable Pvmnt Mrkrs (Bi-Dir)(1 Color)	300.000	EACH
716-01.23	Snowplowable Pvmnt Mrkrs (Bi-Dir)(2 Color)	8.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	150.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	290.000	L.F.

Contract ID CNR936 - TIPTON

Item No.	Description	Quantity	Units
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	156.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	550.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	9.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	17.520	L.M.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	2,800.000	L.F.
716-05.08	PAINTED PAVEMENT MARKING (PARKING LINE)	232.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	0.440	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	8.080	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	9.760	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	172.000	S.Y.
740-11.04	TEMPORARY SEDIMENT TUBE 20IN (EROSION CONTROL)	200.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	29.000	UNIT
801-03	WATER (SEEDING & SODDING)	18.000	M.G.
803-01	SODDING (NEW SOD)	1,600.000	S.Y.

Contract ID CNR935 - WHITE

Item No.	Description	Quantity	Units
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	705.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	490.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	186.000	C.Y.
203-06	WATER	5.000	M.G.
209-05	SEDIMENT REMOVAL	10.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	290.000	L.F.
209-08.07	ROCK CHECK DAM PER	1.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	1.000	EACH
209-40.30	CATCH BASIN PROTECTION (TYPE A)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	430.000	TON
313-03	TREATED PERMEABLE BASE	790.000	S.Y.
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	2.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	5.000	TON
501-01.03	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 10"	790.000	S.Y.
604-01.01	CLASS A CONCRETE (ROADWAY)	9.000	C.Y.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	135.000	L.F.
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-12.01	CATCH BASINS, TYPE 12, 0' - 4' DEPTH	1.000	EACH
702-03	CONCRETE COMBINED CURB & GUTTER	3.000	C.Y.
709-05.08	MACHINED RIP-RAP (CLASS B)	5.000	TON
710-05	LATERAL UNDERDRAIN	450.000	L.F.
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	3.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	488.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH

Contract ID CNR935 - WHITE

Item No.	Description	Quantity	Units
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	2.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	386.000	LB.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	42.000	L.F.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	680.000	LB.
713-11.01	"U" SECTION STEEL POSTS	307.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	587.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	201.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	32.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	36.000	S.F.
713-14.22	STREET NAME SIGN (SUSPENDED 0.100IN THICK)	9.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	24.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R3-1, 36"x36")	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R3-2, 36"x36")	1.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	44.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	25.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	190.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	8.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	80.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	120.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	70.000	S.F.
716-05.09	PAINTED PAVEMENT MARKING(STRAIGHT-TURN ARROW)	1.000	EACH
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	1.400	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	410.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	6.000	EACH

Contract ID CNR935 - WHITE

Item No.	Description	Quantity	Units
730-03.20	INSTALL PULL BOX (TYPE A)	6.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	4.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	1.000	EACH
730-05.02	SERVICE CABLE (2 CONDUCTOR, # 8 AWG)	115.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	680.000	L.F.
730-08.30	INTERCONNECT CABLE (COPPER-TWISTED PAIR)	325.000	L.F.
730-09.01	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (25,750 LBS.MIN.BRK STRENGTH)	590.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	590.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	470.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	60.000	L.F.
730-12.07	CONDUIT 1" DIAMETER (RGS)	65.000	L.F.
730-12.08	CONDUIT 2" DIAMETER (RGS)	300.000	L.F.
730-13.05	VEHICLE DETECTOR (EXT. CALL - DELAY CALL)	7.000	EACH
730-14.01	SHIELDED DETECTOR CABLE	1,850.000	L.F.
730-14.02	SAW SLOT	1,135.000	L.F.
730-14.03	LOOP WIRE	3,390.000	L.F.
730-15.11	MODIFY CABINET (DESCRIPTION) (INSTALL/INTEGRATE I/C EQUIPMENT)	1.000	EACH
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	1.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	2.000	EACH
730-18.01	MASTER CONTROLLER	1.000	EACH
730-19.01	TIME BASE COORDINATION UNIT	1.000	EACH
730-23.01	STEEL STRAIN POLE (SIGNAL SUPPORT)	4.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	200.000	S.Y.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	9.000	UNIT
801-03	WATER (SEEDING & SODDING)	10.000	M.G.
803-01	SODDING (NEW SOD)	880.000	S.Y.

Contract ID CNR153 - ANDERSON , BLOUNT , ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	10.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	2,500.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	50.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	10,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	23.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	60.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	150.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	100.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	5.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	10.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	24.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	19.000	S.F.
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	6.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.

Contract ID CNR153 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
713-20.30	SIGN ADJUSTMENTS	8.000	EACH
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	225.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	225.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	113.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (SQUARE TUBE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (PERFORATED/KNOCKOUT)	4.000	EACH

Contract ID CNR156 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	3.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	15.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	2,880.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	2,400.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	45.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	10,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	38.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	27.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	180.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	100.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,500.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	8.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	5.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	45.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	45.000	S.F.
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	4.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.

Contract ID CNR156 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
713-20.30	SIGN ADJUSTMENTS	8.000	EACH
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	300.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	375.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	135.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (SQUARE TUBE)	11.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (PERFORATED/KNOCKOUT)	5.000	EACH

Contract ID CNR193 - BEDFORD , RUTHERFORD, ETC.

Item No.	Description	Quantity	Units
717-10.01	INVOLUNTARY WORK SUSPENSION (DESCRIPTION) (BY THE DAY)	5.000	DAY
719-02	REMOVAL AND DISPOSAL OF LITTER	208.000	L.M.
806-01	MOWING	4,141.000	ACRE

Contract ID CNR190 - BENTON

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	400.000	S.Y.
203-06	WATER	12.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,594.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	184.000	TON
307-01.10	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING C-W	6,681.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	25.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	8.000	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	5,367.000	S.Y.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	600.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	24.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	24.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	992.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	330.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	200.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	140.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	12.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	19.475	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	7.475	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	10.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR158 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	12.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	1,500.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	75.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	12,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	60.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	60.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	38.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	50.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	225.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	75.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	5.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	6.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	30.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	19.000	S.F.
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	5.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.

Contract ID CNR158 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
713-20.30	SIGN ADJUSTMENTS	6.000	EACH
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	300.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	225.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	150.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (SQUARE TUBE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (PERFORATED/KNOCKOUT)	4.000	EACH

Contract ID CNR195 - BLEDSOE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	280.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	60.900	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	5,960.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	11.900	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,816.000	TON
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	28.000	EACH
706-01	GUARDRAIL REMOVED	1,400.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	56.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	56.000	EACH
712-06	SIGNS (CONSTRUCTION)	747.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	528.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	262.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	8.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	18.900	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	18.900	L.M.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	115.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR154 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	15.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	3,000.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	75.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	12,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	30.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	38.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	150.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	200.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	3.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	8.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	15.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	30.000	S.F.
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	5.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	100.000	L.F.

Contract ID CNR154 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
713-20.30	SIGN ADJUSTMENTS	4.000	EACH
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	225.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	150.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	90.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (SQUARE TUBE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (PERFORATED/KNOCKOUT)	4.000	EACH

Contract ID CNR164 - BLOUNT

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	27.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	1,791.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	4.000	L.M.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	4.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	4.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	440.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	160.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	66.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	261.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	2,856.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	6.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	60.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	3.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	10.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR148 - BLOUNT

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	87.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	616.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	5,515.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	16.000	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	618.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	509.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	375.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	31.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR196 - BRADLEY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	214.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	37.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,512.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	4,567.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	2.800	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,040.000	TON
705-04.24	GUARDRAIL END TERMINAL DELINEATION SHEETING	36.000	S.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	575.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
706-01	GUARDRAIL REMOVED	725.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	206.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	26.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,144.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	405.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	46.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	247.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	15.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	11.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	11.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	2,065.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	565.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR196 - BRADLEY

Item No.	Description	Quantity	Units
730-14.02	SAW SLOT	3,780.000	L.F.
730-14.03	LOOP WIRE	15,120.000	L.F.

Contract ID CNR029 - CAMPBELL

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	34,449.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	6,399.000	C.Y.
203-05	UNDERCUTTING	3,023.000	C.Y.
203-06	WATER	77.062	M.G.
204-08	FOUNDATION FILL MATERIAL	9.000	C.Y.
209-02.07	18" TEMPORARY SLOPE DRAIN	350.000	L.F.
209-05	SEDIMENT REMOVAL	893.792	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	28,758.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	19,270.000	L.F.
209-08.07	ROCK CHECK DAM PER	125.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	28.000	EACH
209-09.03	SEDIMENT FILTER BAG (15' X 15')	10.000	EACH
209-40.42	CATCH BASIN FILTER ASSEMBLY(TYPE 2)	5.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	32,566.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	275.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	90.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	5,046.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	3,466.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	48.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	16.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	2,705.000	TON
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	47.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	8,257.000	LB.
607-03.30	18" PIPE CULVERT	91.000	L.F.

Contract ID CNR029 - CAMPBELL

Item No.	Description	Quantity	Units
607-05.30	24" PIPE CULVERT	50.000	L.F.
607-06.30	30" PIPE CULVERT	44.000	L.F.
607-08.30	42" PIPE CULVERT	34.000	L.F.
607-09.30	48" PIPE CULVERT	25.000	L.F.
607-12.30	66" PIPE CULVERT	21.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	261.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	59.000	L.F.
607-39.05	36" PIPE CULVERT (SIDE DRAIN)	47.000	L.F.
611-02.12	JUNCTION BOX, TYPE 3	1.000	EACH
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	36.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	933.000	LB.
611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	3.000	EACH
611-07.58	24IN ENDWALL (CROSS DRAIN) 4:1	2.000	EACH
611-07.61	30IN ENDWALL (CROSS DRAIN) 4:1	2.000	EACH
611-07.66	42IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-42.02	CATCH BASINS, TYPE 42, > 4' - 8' DEPTH	1.000	EACH
702-01.01	EXTRUDED MOUNTABLE CURB	150.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	738.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	731.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	2.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	2.000	EACH
705-08.50	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-2	26.000	EACH
707-03.01	STOCK FENCE	410.000	L.F.
707-03.02	END, BRACED LINE, CORNER POST ASSEMBLY(STOCK FENCE)	4.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	23,362.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	434.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	21,509.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	313.000	TON
712-01	TRAFFIC CONTROL	(1)	LS

Contract ID CNR029 - CAMPBELL

Item No.	Description	Quantity	Units
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	11,000.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	400.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	14.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	125.000	EACH
712-06	SIGNS (CONSTRUCTION)	348.000	S.F.
712-06.01	VERTICAL PANELS	1,100.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	175.000	L.F.
713-16.20	SIGNS (DESCRIPTION) (R-1)	4.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R2-1)	8.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	50.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	5.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	8.000	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	1,842.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	12,000.000	S.Y.
740-11.04	TEMPORARY SEDIMENT TUBE 20IN (DESCRIPTION)	52,440.000	L.F.
801-01	SEEDING (WITH MULCH)	610.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	610.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	490.000	UNIT
801-03	WATER (SEEDING & SODDING)	49.000	M.G.
802-02.30	CUTTINGS: SALIX NIGRA (18IN-24IN LENGTH)	103.000	EACH
802-02.32	CUTTINGS: CORNUS AMOMUM (18IN-24IN)	103.000	EACH
802-02.33	CUTTINGS: SAMBUCUS CANADENSIS (18IN-24IN)	104.000	EACH
802-13.01	ALNUS SERRULATA (HAZEL ALDER 2-5FT CNTNR GRWN)	38.000	EACH
802-13.03	CEPHALANTHUS OCCIDENTALIS (BUTTONBUSH 2-5FT CNTNR GRWN)	38.000	EACH
802-13.04	CORNUS AMOMUM (SILKY DOGWOOD 2-5FT CNTNR GRWN)	38.000	EACH
802-13.09	LINDERA BENZOIN (SPICEBUSH 2-5FT CNTNR GRWN)	40.000	EACH

Contract ID CNR029 - CAMPBELL

Item No.	Description	Quantity	Units
802-13.10	SAMBUCUS CANADENSIS (ELDERBERRY 2-5FT CNTNR GRWN)	39.000	EACH
805-12.02	EROSION CONTROL BLANKET (TYPE II)	54,200.000	S.Y.
790-03.02	POLE 40FT CLASS 3 WOOD	5.000	EACH
790-04.02	POLE 45FT CLASS 2 WOOD	14.000	EACH
790-05.02	POLE 50FT CLASS 2 WOOD	11.000	EACH
790-06.02	POLE 55FT CLASS 2 WOOD	7.000	EACH
790-21.09	1PH PRIMARY TAP 15KV	2.000	EACH
790-25.08	3PH CROSSARM SGL LRG COND 15KV	16.000	EACH
790-25.10	3PH CROSSARM DBL PRIM SUPPORT 15KV (SEE PLANS)	3.000	EACH
790-25.12	3PH CROSSARM DBL 10FT PRIM SUP 15KV	5.000	EACH
790-25.15	3PH VERTICAL 15KV	4.000	EACH
790-25.17	3PH VERTICAL DEADEND LARGE ANGLE 15KV	3.000	EACH
790-25.19	3PH VERTICAL DEADEND 15KV	1.000	EACH
790-25.21	3PH CROSSARM DEADEND SGL 15KV	1.000	EACH
790-25.24	3PH CROSSARM DDE LRG COND 15KV	1.000	EACH
790-30.02	SECONDARY ASSEMBLIES LRG ANGLE	2.000	EACH
790-30.03	SECONDARY ASSEMBLIES DEADEND	13.000	EACH
790-30.06	SECONDARY CONDUCTOR 6 AL DUPLEX	1,187.000	L.F.
790-32.01	DOWN GUY - THROUGH BOLT TYPE	27.000	EACH
790-32.07	OH GUY - THROUGH BOLT TYPE	7.000	EACH
790-32.17	DOWN GUY - FOUR GUYS LG COND	4.000	EACH
790-33.04	SCREW TYPE ANCHOR 10,000LB-12,000LB	19.000	EACH
790-36.11	TRANSFER EXISTING 1PH TRANSFORMER/RECLOSER	13.000	EACH
790-36.13	TRANSFER STREET LIGHT	12.000	EACH
790-40.01	OH COND 4 7/1 ACSR SWANATE	2,008.000	L.F.
790-40.03	OH COND 1/0 6/1 ACSR RAVEN	6,024.000	L.F.
790-68.01	POLE GROUND ROD TYPE	34.000	EACH
790-68.03	POLE GROUND WRAP TYPE	5.000	EACH

Contract ID CNR029 - CAMPBELL

Item No.	Description	Quantity	Units
790-68.10	MISCELLANEOUS ASSEMBLIES	4.000	EACH
790-98.01	REMOVE WIRE	9,301.000	L.F.
790-98.02	REMOVE POLES	24.000	EACH
790-98.03	REMOVE FRAMING/ASSOCIATED APPARATUS	107.000	EACH
790-98.20	TREE AND BRUSH REMOVAL OFF ROW	(1)	LS

Contract ID CNR197 - CLAY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,378.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	30.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	5.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	4,515.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	1.800	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	54,006.000	S.Y.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	163.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
706-01	GUARDRAIL REMOVED	263.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	54.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	54.000	EACH
712-06	SIGNS (CONSTRUCTION)	351.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	175.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	150.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	145.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	78.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	175.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	5.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	7.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	288.000	L.F.

Contract ID CNR197 - CLAY

Item No.	Description	Quantity	Units
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	11.300	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	11.300	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR146 - COCKE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	100.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	84.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	545.000	TON
411-03.07	ACS MIX(PG64-22) THIN LIFT ASPHALT	689.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	4,666.000	TON
705-02.25	SINGLE GUARDRAIL (TYPE 2) LONG POST (9 FT-12 FT)	1,600.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	11.000	EACH
705-04.10	EARTH PAD FOR GUARD RAIL END TREATMENT	1.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	2,725.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	350.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	11.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	1.000	EACH
706-01	GUARDRAIL REMOVED	75.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	900.000	S.F.
713-02.20	ROADSIDE OBSTACLE DELINEATION	35.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	210.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	100.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	306.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	1,058.000	LB.
713-11.21	P POST SLIP BASE	3.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	147.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	189.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	18.000	EACH
713-16.20	SIGNS (DESCRIPTION) (W1-8)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (OM-3)	8.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	819.000	EACH

Contract ID CNR146 - COCKE

Item No.	Description	Quantity	Units
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	11.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	169.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	300.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	7.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	9.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	32.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	13.000	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	250.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR138 - COCKE & JEFFERSON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	35.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,275.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	404.000	S.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	108.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	6.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	13.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR199 - COFFEE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	650.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	56.780	TON
405-01.01	BITUMINOUS MATERIAL (BSC)	234.910	TON
405-01.02	MINERAL AGGREGATE (BSC)	2,056.810	TON
411-01.10	ACS MIX(PG64-22) GRADING D	970.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	6,030.380	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	15.600	L.M.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-02.03	SINGLE GUARDRAIL (TYPE 2) LONG POST	1,469.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	450.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	14.000	EACH
706-01	GUARDRAIL REMOVED	2,669.000	L.F.
706-05	GUARDRAIL ADJUSTMENT	288.000	L.F.
706-06.03	RADIUS RAIL	13.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	38.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	38.000	EACH
712-06	SIGNS (CONSTRUCTION)	657.000	S.F.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	20.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	700.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	400.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	365.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	4.000	EACH
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	120.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	35.510	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR199 - COFFEE

Contract ID CNR198 - COFFEE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	160.000	TON
403-02.01	TRACKLESS TACK COAT	96.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	14,696.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	13,815.000	TON
611-03.04	GRAY IRON CASTINGS (CATCHBASIN)	640.000	LB.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	5,200.000	S.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	775.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	8.000	EACH
706-01	GUARDRAIL REMOVED	1,175.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	116.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	66.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,013.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.30	FLEXIBLE TUBULAR DELINEATOR	45.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	504.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	479.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	980.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	480.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	104.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,801.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	42.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	100.000	L.F.
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	10.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	16.000	EACH

Contract ID CNR198 - COFFEE

Item No.	Description	Quantity	Units
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	22.000	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	48.000	S.F.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	22.000	L.M.
716-12.04	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN DOTTED LINE)	100.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	12,500.000	L.F.
730-14.03	LOOP WIRE	21,500.000	L.F.

Contract ID CNR183 - CROCKETT

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	348.000	S.Y.
203-06	WATER	2.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	236.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	160.000	TON
311-03.04	HOT IN PLACE RECYCLING OF ASPHALT PAVEMENT (2.00IN)	128,889.000	S.Y.
311-03.10	Asphalt Rejuvenating Agent	70,889.000	GAL.
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	69.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,277.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	7,326.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	9.320	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	7.051	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	10,246.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	2,176.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	780.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	40.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	266.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	16.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	22.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	22.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	274.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR183 - CROCKETT

Contract ID CNR209 - CUMBERLAND

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	125.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	59.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	9,587.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	15.000	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	131,020.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	756.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	340.000	L.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.20	SIGNS (DESCRIPTION) (SCHOOL BUS STOP AHEAD SYMBOL)	8.000	EACH
713-16.21	SIGNS (DESCRIPTION) (CHEVRON (LEFT & RIGHT)	58.000	EACH
713-16.22	SIGNS (DESCRIPTION) (REVERSE CURVE (LEFT OR RIGHT)	3.000	EACH
713-16.23	SIGNS (DESCRIPTION) (CURVE (LEFT OR RT)	6.000	EACH
713-16.24	SIGNS (DESCRIPTION) (WINDING CURVE (LEFT OR RIGHT)	5.000	EACH
713-16.25	SIGNS (DESCRIPTION) (ADVISORY SPEED PLATE (45 MPH)	2.000	EACH
713-16.26	SIGNS (DESCRIPTION) (ADVISORY SPEED PLATE (40 MPH)	2.000	EACH
713-16.27	SIGNS (DESCRIPTION) (SPEED LIMIT (55 MPH)	1.000	EACH
713-16.28	SIGNS (DESCRIPTION) (SPEED LIMIT (50 MPH)	1.000	EACH
713-16.29	SIGNS (DESCRIPTION) (CROSSROAD WARNING)	1.000	EACH
713-16.30	SIGNS (DESCRIPTION) (CURVE WITH SIDEROAD (RIGHT OR LEFT)	2.000	EACH
713-16.31	SIGNS (DESCRIPTION) (STOP SIGN)	10.000	EACH
713-16.32	SIGNS (DESCRIPTION) (TRUCK ON INCLINE)	1.000	EACH
713-16.33	SIGNS (DESCRIPTION) (ADVISORY SPEED PLATE (25 MPH)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	986.000	EACH

Contract ID CNR209 - CUMBERLAND

Item No.	Description	Quantity	Units
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	420.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	326.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	36.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR157 - DAVIDSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	700.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	300.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	6,494.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	152.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	10,989.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	8.500	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	13,192.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	8.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	8.000	EACH
706-01	GUARDRAIL REMOVED	600.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	400.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,283.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	1,250.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,250.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	400.000	S.Y.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	8,000.000	L.F.
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	3.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	8.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	25.400	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.700	L.M.

Contract ID CNR157 - DAVIDSON

Item No.	Description	Quantity	Units
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	8,000.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	3,000.000	L.F.
716-12.09	ENHANCED FLAT LINE THERMO (12IN LINE)	3,000.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR167 - DAVIDSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	141.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	46.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	7,269.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,200.000	TON
611-01.21	REWORK MANHOLE	24.000	EACH
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	41.000	EACH
611-09.02	REWORK CATCHBASIN	14.000	EACH
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	3.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
706-01	GUARDRAIL REMOVED	225.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,717.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	1,147.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	1,168.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	307.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	250.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	100.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,800.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	120.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	1,875.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	10.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	3.000	EACH

Contract ID CNR167 - DAVIDSON

Item No.	Description	Quantity	Units
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	4.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (SCHOOL XING)	2.000	EACH
716-03.10	PLASTIC WORD PAVEMENT MARKING () (BIKE XING)	3.000	EACH
716-03.11	PLASTIC WORD PAVEMENT MARKING () (LOOK FOR BIKES)	4.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	15.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	800.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	40.000	S.F.
716-04.13	PLASTIC PAVEMENT MARKING (BIKELANE SYMBOL & ARROW)	80.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	6.000	EACH
716-04.15	PLASTIC PAVEMENT MARKING-BIKE SYMBOL/ARROW SHARED	35.000	EACH
716-04.21	GREEN TEXTURED BIKE LANE	3,300.000	S.Y.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.000	L.M.
716-08.01	REMOVAL OF PAVEMENT MARKING (LINE)	50,000.000	L.F.
716-08.03	REMOVAL OF PAVEMENT MARKING (CROSS-WALK)	1,000.000	L.F.
716-08.05	REMOVAL OF PAVEMENT MARKING (STOP LINE)	900.000	L.F.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	23.500	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	3.100	L.M.
716-12.04	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN DOTTED LINE)	4,900.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	3,000.000	L.F.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	250.000	L.F.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	600.000	L.F.

Contract ID CNR167 - DAVIDSON

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS

Contract ID CNR179 - DAVIDSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	500.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	37.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	5,428.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (4IN WIDTH)	2.700	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,376.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,280.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	280.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	280.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	600.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	252.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	28.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	5.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	750.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	18.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	10.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	4.000	L.M.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	2,000.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	8,900.000	L.F.
730-14.03	LOOP WIRE	19,600.000	L.F.

Contract ID CNR179 - DAVIDSON

Contract ID CNR161 - DAVIDSON

Item No.	Description	Quantity	Units
712-01.56	MAINTENANCE OF TRAFFIC () (THOMPSON LANE UNDERPASS)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.05	TUNNEL CLEANING (THOMPSON LANE TUNNELS)	12.000	EACH

Contract ID CNR166 - DAVIDSON & WILLIAMSON

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	111.000	S.Y.
604-01.01	CLASS A CONCRETE (ROADWAY)	21.800	C.Y.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	16.000	LB.
604-04.20	PAINTING CONCRETE SURFACES	160.000	S.F.
702-01	CONCRETE CURB	10.000	C.Y.
702-01.01	EXTRUDED MOUNTABLE CURB	54.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	2.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	10,650.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	100.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	4.000	EACH
706-01	GUARDRAIL REMOVED	100.000	L.F.
711-04.21	CONCRETE BARRIER DELINEATION ENHANCEMENT	2,185.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	6.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	500.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	366.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	250.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	2,797.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	4,842.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	234.000	LB.
713-11.21	P POST SLIP BASE	8.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	535.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	1,298.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	195.000	EACH
713-30.09	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION)	5.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	149.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	105.000	EACH

Contract ID CNR166 - DAVIDSON & WILLIAMSON

Item No.	Description	Quantity	Units
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	49.000	EACH
716-01.40	REMOVE AND REPLACE LENS ON SNOWPLOWABLE REFLECTIVE MARKER	427.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	84.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	498.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	22.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	400.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	139.000	L.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	3.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	2.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () ()	8.000	EACH
716-03.10	PLASTIC WORD PAVEMENT MARKING () ()	8.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	54.000	S.F.
716-08.05	REMOVAL OF PAVEMENT MARKING (STOP LINE)	14.000	L.F.
716-10.50	PREFORMED PLASTIC PAVEMENT MARKING (INTERSTATE SHIELD)	16.000	EACH
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	4.851	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.564	L.M.
716-12.04	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN DOTTED LINE)	182.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	25.200	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	420.000	L.F.

Contract ID CNR166 - DAVIDSON & WILLIAMSON

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS
730-01	TRAFFIC SIGNALS	(1)	LS
730-02.41	SIGNAL HEAD MODIFICATION (DESCRIPTION) (BACKPLATE W/ REFLECTIVE BORDER)	16.000	EACH

Contract ID CNR175 - DYER

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	306.000	S.Y.
203-06	WATER	48.000	M.G.
208-01.02	SHOULDER PREPARATION	14.180	L.M.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	6,329.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	142.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	1,880.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	237.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	6,663.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	10,162.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	19,432.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	26.176	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	14.180	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	506,102.000	S.Y.
502-08.03	SEALING SHOULDER JOINTS	31,284.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	372.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	30.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	9.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	9.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	850.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	4,592.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	1.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R-15-1 Grade Crossing Crossbuck)	1.000	EACH

Contract ID CNR175 - DYER

Item No.	Description	Quantity	Units
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	518.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	1,121.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,121.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,066.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	660.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	2.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	8.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	26.487	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	29.565	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	43.125	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	2,002.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	14.180	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR188 - FAYETTE

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	523.000	S.Y.
203-06	WATER	18.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (SEE PLANS)	2,334.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	241.000	TON
307-01.10	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING C-W	6,363.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	31.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	11.980	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	126.000	TON
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	4.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	4.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,368.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	500.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	127.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.458	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	40.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	11.272	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	14.960	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR144 - FENTRESS

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	530.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	57.800	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	37.900	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	0.510	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	2.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.100	TON
403-02	ASPHALT CEMENT FOR TACK COAT (TC)	0.100	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	11.600	TON
411-01.10	ACS MIX(PG64-22) GRADING D	22.200	TON
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	5.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	14,640.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	675.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	5.000	EACH
706-01	GUARDRAIL REMOVED	925.000	L.F.
706-10.26	ROUNDED END ELEMENT	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	23.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	415.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	1,290.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	696.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	6,334.000	LB.
713-11.21	P POST SLIP BASE	33.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	894.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	1,134.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	103.000	EACH
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	388.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	47.000	EACH

Contract ID CNR144 - FENTRESS

Item No.	Description	Quantity	Units
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	8.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	805.000	S.Y.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	8.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	60.000	S.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	55.000	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	1,874.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR213 - FENTRESS

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	900.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	10.000	TON
403-02.01	TRACKLESS TACK COAT	23.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,859.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	2.200	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	70,037.000	S.Y.
611-04.40	ADJUSTMENT OF EXISTING BRIDGE DRAIN	1.000	EACH
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	26.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	600.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	977.000	S.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	3.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	264.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	50.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	200.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	230.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	614.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	9.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	16.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	16.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	400.000	L.F.
730-14.03	LOOP WIRE	2,500.000	L.F.

Contract ID CNR214 - FRANKLIN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	405.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	14.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	2,150.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	5.500	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	1,636.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	480.000	S.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	1,500.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
706-01	GUARDRAIL REMOVED	1,684.000	L.F.
706-05	GUARDRAIL ADJUSTMENT	175.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	6.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	6.000	EACH
712-06	SIGNS (CONSTRUCTION)	414.000	S.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	115.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	164.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	5.800	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	6.000	S.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	5.800	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR219 - FRANKLIN

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	3,269.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	10,571.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	45,457.000	TON
203-03	BORROW EXCAVATION (UNCLASSIFIED)	5,455.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	1,200.000	C.Y.
203-05	UNDERCUTTING	14,760.000	C.Y.
203-06	WATER	160.000	M.G.
209-02.04	10" TEMPORARY SLOPE DRAIN	50.000	L.F.
209-05	SEDIMENT REMOVAL	300.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	4,550.000	L.F.
209-08.07	ROCK CHECK DAM PER	33.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	20.000	EACH
209-09.01	SANDBAGS	40.000	BAG
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	354.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	17,465.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	274.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	3,888.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	2,588.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	33.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	135.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	14.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	1,594.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	4,840.000	S.Y.
607-03.30	18" PIPE CULVERT	71.000	L.F.
607-05.30	24" PIPE CULVERT	43.000	L.F.

Contract ID CNR219 - FRANKLIN

Item No.	Description	Quantity	Units
607-06.30	30" PIPE CULVERT	156.000	L.F.
607-08.30	42" PIPE CULVERT	119.000	L.F.
607-09.30	48" PIPE CULVERT	114.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	73.000	L.F.
611-02.10	JUNCTION BOX, TYPE 1	2.000	EACH
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	31.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	2,679.000	LB.
611-07.03	STRUCTURAL STEEL (PIPE ENDWALLS)	1,228.000	LB.
621-03.02	18" TEMPORARY DRAINAGE PIPE	675.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	450.000	L.F.
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	4.000	EACH
707-01.11	CHAIN LINK FENCE (6 FOOT)	50.000	L.F.
707-01.22	TEMP GATE - CHAIN LINK FENCE-6FT (DESCRIPTION)	1.000	EACH
707-06.05	REMOVAL OF FENCE (DESCRIPTION) (CHAIN LINK)	(1)	LS
709-05.05	MACHINED RIP-RAP (CLASS A-3)	282.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	1,786.000	TON
710-13.03	FILTER CLOTH	1,100.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	100.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	30.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	20.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	16.000	EACH
712-06	SIGNS (CONSTRUCTION)	482.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	220.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	6.000	EACH
712-09.01	REMOVABLE PAVEMENT MARKING LINE	1,300.000	L.F.
712-09.03	REMOVABLE PAVEMENT MARKING(CHANNELIZING STRIPING)	9.000	S.Y.
712-09.04	REMOVABLE PAVEMENT MARKING (STOP LINE)	44.000	L.F.
712-09.05	REMOVABLE PAVEMENT MARKING (ARROW)	2.000	EACH

Contract ID CNR219 - FRANKLIN

Item No.	Description	Quantity	Units
713-14.21	STREET NAME SIGN (RIGID 0.100IN THICK	51.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	6.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R1-1 w/ 1-P8 SUPPORT)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R2-1 w/ 1-P8 SUPPORT)	4.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W14-1 w/ 1-P8 SUPPORT)	2.000	EACH
713-16.23	SIGNS (DESCRIPTION) (W3-3 w/ 1-P8 SUPPORT)	1.000	EACH
713-16.24	SIGNS (DESCRIPTION) (R3-7 w/ 1-P8 SUPPORT)	2.000	EACH
713-16.25	SIGNS (DESCRIPTION) (R3-8 w/ 1-P8 SUPPORT)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (OM4-1 w/ 1-P8 SUPPORT)	2.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	89.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	210.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	10.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	5.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (ONLY)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	2.000	L.M.
716-08.04	REMOVAL OF PAVEMENT MARKING (CHANNELIZATION STRIPING)	9.000	S.Y.
716-08.05	REMOVAL OF PAVEMENT MARKING (STOP LINE)	44.000	L.F.
716-08.06	REMOVAL OF PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-08.11	REMOVAL OF WORD PAVEMENT MARKING (DESCRIPTION) (ONLY)	5.000	EACH
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	2.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	4.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	5.000	EACH

Contract ID CNR219 - FRANKLIN

Item No.	Description	Quantity	Units
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	2.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 WITH BACKPLATE)	1.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (140 A1 WITH BACKPLATE)	2.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	6.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	3.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	1.000	EACH
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	116.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	1,230.000	L.F.
730-09.01	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (20610 LBS.MIN.BRK STRENGTH)	534.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	534.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	589.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	28.000	L.F.
730-12.13	CONDUIT 2" DIAMETER (JACK AND BORE)	137.000	L.F.
730-13.03	VEHICLE DETECTOR (4 - CHANNEL, RACK MOUNT)	2.000	EACH
730-14.01	SHIELDED DETECTOR CABLE	2,272.000	L.F.
730-14.02	SAW SLOT	1,412.000	L.F.
730-14.03	LOOP WIRE	3,729.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	1.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	1.000	EACH
730-23.01	STEEL STRAIN POLE (SIGNAL SUPPORT)	4.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	1,417.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	41,100.000	S.Y.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN	3,780.000	L.F.
801-01	SEEDING (WITH MULCH)	18.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	4.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	18.000	UNIT
801-03	WATER (SEEDING & SODDING)	61.000	M.G.
803-01	SODDING (NEW SOD)	5,694.000	S.Y.

Contract ID CNR219 - FRANKLIN

Item No.	Description	Quantity	Units
806-02.03	PROJECT MOWING	1.000	CYCL

Contract ID CNR178 - GILES

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	550.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	57.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,560.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,541.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	5.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,518.000	TON
602-10.28	PEDESTRIAN SIDEWALK REPAIRS	(1)	LS
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	4.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	4.000	EACH
706-01	GUARDRAIL REMOVED	300.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,095.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	874.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	267.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	230.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	230.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	75.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	216.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	5.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	5.800	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	360.000	S.F.

Contract ID CNR178 - GILES

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.400	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	10.600	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	7,200.000	L.F.
730-14.03	LOOP WIRE	15,800.000	L.F.

Contract ID CNR140 - GRAINGER

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	74.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	301.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	4,791.000	TON
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	19.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	19.000	EACH
706-01	GUARDRAIL REMOVED	950.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	474.000	S.F.
713-16.22	SIGNS (DESCRIPTION) (W11-3)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	497.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	20.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	12.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	8.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	31.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR150 - GREENE

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	19.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	700.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	2,075.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	1.700	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	1.900	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	42,225.000	S.Y.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	3.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	6,250.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	100.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
706-01	GUARDRAIL REMOVED	150.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	468.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.21	SIGN POST DELINEATION ENHANCEMENT	522.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	826.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	2,147.000	LB.
713-11.21	P POST SLIP BASE	2.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	132.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	520.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	31.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	127.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	127.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	259.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH

Contract ID CNR150 - GREENE

Item No.	Description	Quantity	Units
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	128.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	4.200	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	4.250	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	1,000.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.500	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	2,025.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR141 - GREENE & WASHINGTON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	256.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	2,643.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	16,062.000	TON
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	10.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	450.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	10.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	2,947.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	120.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	850.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	247.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	949.000	LB.
713-11.21	P POST SLIP BASE	1.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	25.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	236.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	21.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	2.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R1-1)	3.000	EACH
713-16.21	SIGNS (DESCRIPTION) (W10-2)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (10-3)	4.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W10-3)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (10-4)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	2,008.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	65.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,093.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	809.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH

Contract ID CNR141 - GREENE & WASHINGTON

Item No.	Description	Quantity	Units
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	275.000	L.F.
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	13,010.000	L.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	4.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-03.04	PLASTIC WORD PAVEMENT MARKING (SCHOOL)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	100.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	64.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	37.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	46.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	32.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	27.000	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	275.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR223 - HAMILTON

Item No.	Description	Quantity	Units
104-03.71	ADDITIONAL WORK (DESCRIPTION) (CLEANING OF PORTAL FACADES @ MCCALLIE TUNNELS)	7,850.000	S.F.
712-01.52	MAINTENANCE OF TRAFFIC () (MCCALLIE TUNNELS)	12.000	EACH
712-01.53	MAINTENANCE OF TRAFFIC () (BACHMAN TUNNELS)	12.000	EACH
712-01.54	MAINTENANCE OF TRAFFIC () (STRINGERS RIDGE TUNNEL)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.01	TUNNEL CLEANING (MCCALLIE TUNNELS)	12.000	EACH
760-01.02	TUNNEL CLEANING (BACHMAN TUNNELS)	12.000	EACH
760-01.03	TUNNEL CLEANING (STRINGER RIDGE TUNNEL)	12.000	EACH

Contract ID CNR184 - HARDIN

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	374.000	S.Y.
203-06	WATER	6.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	781.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	345.000	TON
311-03.04	HOT IN PLACE RECYCLING OF ASPHALT PAVEMENT (2.00IN)	54,759.000	S.Y.
311-03.10	Asphalt Rejuvenating Agent	21,903.000	GAL.
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	28.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	542.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	1,592.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	2,412.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	3.678	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	2.976	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	158.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	704.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	390.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	280.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	100.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	100.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	9.407	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.407	L.M.

Contract ID CNR184 - HARDIN

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS

Contract ID CNR142 - HAWKINS

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	123.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,099.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	7,764.000	TON
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	39.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	39.000	EACH
706-01	GUARDRAIL REMOVED	925.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	724.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	725.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	12,124.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	12.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	11.000	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	3.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	44.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR204 - HENDERSON

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	80.000	S.Y.
203-06	WATER	5.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (DESCRIPTION)	676.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	37.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	27.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,087.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	1.367	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	4.641	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	3,681.000	TON
604-10.44	EXPANSION JOINT REPAIRS	272.000	L.F.
604-10.53	CONCRETE REPAIRS	25.000	S.Y.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	28.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	1,400.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	28.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	896.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	340.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	340.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	140.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	32.240	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	7.620	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	6.020	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	2.480	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR200 - JACKSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,128.270	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	363.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	39.300	TON
411-01.10	ACS MIX(PG64-22) GRADING D	5,979.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	7.800	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,701.500	TON
705-06.01	W BEAM GR (TYPE 2) MASH TL3	50.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	100.000	L.F.
706-05	GUARDRAIL ADJUSTMENT	4,208.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	10.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	10.000	EACH
712-06	SIGNS (CONSTRUCTION)	675.000	S.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	321.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	290.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	19.400	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.740	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	9.740	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR192 - JOHNSON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	550.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	7.000	C.Y.
203-30.01	ROADWAY APPROACHES	(1)	LS
209-05	SEDIMENT REMOVAL	23.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	346.000	L.F.
209-08.07	ROCK CHECK DAM PER	1.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	1.000	EACH
209-09.03	SEDIMENT FILTER BAG (15' X 15')	1.000	EACH
209-40.41	CATCH BASIN FILTER ASSEMBLY(TYPE 1)	1.000	EACH
209-65.04	TEMPORARY IN STREAM DIVERSION	125.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	430.000	TON
303-01.03	GRANULAR BACKFILL (RETAINING WALLS)	220.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	7.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	119.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	77.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	1.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	4.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	51.000	TON
604-07.01	RETAINING WALL (DESCRIPTION) (LOCATION NO. 1)	1,038.000	S.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	31.000	L.F.
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	1.000	EACH
621-05.02	TEMPORARY SHORING	(1)	LS
705-01.04	METAL BEAM GUARD FENCE	108.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	325.000	L.F.

Contract ID CNR192 - JOHNSON

Item No.	Description	Quantity	Units
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	1.000	EACH
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	5.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	3.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	50.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	12.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	150.000	TON
710-13.03	FILTER CLOTH	40.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	200.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	20.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	342.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	40.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	130.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	18.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	179.000	S.Y.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN	275.000	L.F.
805-12.02	EROSION CONTROL BLANKET (TYPE II)	50.000	S.Y.
202-04.50	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (SLAB BRIDGE, STA. 13+50.00)	(1)	LS
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	216.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	46,219.000	LB.

Contract ID CNR147 - KNOX

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	56.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	7,298.000	TON
411-02.11	ACS MIX(PG70-22) GRADING E RWDY	1,210.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,483.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	1,880.000	S.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	286.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	143.000	EACH
712-06	SIGNS (CONSTRUCTION)	718.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.20	SIGNS (DESCRIPTION) (OM-3)	2.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	633.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	76.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	540.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	16.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	16.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	106.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	15,000.000	L.F.
730-14.03	LOOP WIRE	30,000.000	L.F.

Contract ID CNR160 - KNOX

Item No.	Description	Quantity	Units
712-01.56	MAINTENANCE OF TRAFFIC () (SMARTFIX I-40 RAMP)	12.000	EACH
712-01.60	MAINTENANCE OF TRAFFIC (HENLEY STREET TUNNELS)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.04	TUNNEL CLEANING (HENLEY STREET TUNNELS)	12.000	EACH
760-01.07	TUNNEL CLEANING (SMARTFIX I-40 RAMP)	12.000	EACH

Contract ID CNR173 - MACON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	384.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	250.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	300.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	83.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	12,607.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	4.700	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	12,488.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,366.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	575.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	575.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	400.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	60.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	288.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	21.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	8.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.000	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	64.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	23.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	4,200.000	L.F.
730-14.03	LOOP WIRE	9,300.000	L.F.

Contract ID CNR185 - MADISON

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	116.000	S.Y.
203-06	WATER	15.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,950.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	54.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	152.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	5,875.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	17,265.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	13.680	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	10.190	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	349,590.000	S.Y.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	6.000	EACH
705-04.23	GUARDRAIL DELINEATION ENHANCEMENT (BI-DIRECTIONAL)	5,620.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	6.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	2,752.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	1,300.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	805.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	170.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	110.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	11.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	35.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	35.000	L.M.

Contract ID CNR185 - MADISON

Item No.	Description	Quantity	Units
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	4,300.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	402.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR212 - MARION

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	50.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	27.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,176.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	6.500	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,137.000	TON
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
706-01	GUARDRAIL REMOVED	100.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	4.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	594.000	S.F.
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	468.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	50.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	160.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	3.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	600.000	L.F.
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	60.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	19.400	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	5.500	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	500.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	8.700	L.M.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	500.000	L.F.

Contract ID CNR212 - MARION

Item No.	Description	Quantity	Units
716-13.08	SPRAY THERMO PVMT MRKNG (40 mil) (8IN BARRIER LINE)	360.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR180 - MARSHALL

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	20.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	12.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	1,881.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	4.900	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	1,720.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	624.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	210.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	42.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	127.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	18.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.200	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.400	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	447.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR152 - MARSHALL & MAURY

Item No.	Description	Quantity	Units
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	151.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	20.600	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	1,823.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	4.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	1,759.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-06	SIGNS (CONSTRUCTION)	970.000	S.F.
716-01.21	Snowplowable Pvmr Mrks (Bi-Dir)(1 Color)	186.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	12.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	60.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	11.100	L.M.
716-08.01	REMOVAL OF PAVEMENT MARKING (LINE)	2,070.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMR MRKNG (6IN LINE)	4.700	L.M.
716-13.02	SPRAY THERMO PVMR MRKNG (60 mil) (6IN LINE)	5.600	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR162 - MAURY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	200.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	802.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	55.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,255.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	9.600	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,807.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
706-01	GUARDRAIL REMOVED	200.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	2.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,232.000	S.F.
716-01.10	SNOWPLOWABLE REFLECTIVE MARKER	396.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	100.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	10.600	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	12.000	L.M.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	290.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR201 - MCMINN

Item No.	Description	Quantity	Units
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	54.100	C.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	5,463.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	329.000	TON
411-03.07	ACS MIX(PG64-22) THIN LIFT ASPHALT	5,187.000	TON
411-03.09	ACS MIX(PG76-22) THIN LIFT ASPHALT	11,021.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	20,315.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	39.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	30,184.000	TON
710-04	FILTER CLOTH UNDERDRAIN (WITH PIPE)	15,060.000	L.F.
710-05	LATERAL UNDERDRAIN	1,590.000	L.F.
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	61.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	300.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	100.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,925.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	2,160.000	HOUR
713-02.14	FLEXIBLE DELINEATOR (WHITE)	1,296.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	1,298.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,298.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	9,918.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	50.000	L.F.
716-04.06	PLASTIC PAVEMENT MARKING (WRONG WAY ARROW)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	3,910.000	S.F.

Contract ID CNR201 - MCMINN

Item No.	Description	Quantity	Units
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	58.900	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	58.900	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	7,934.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	110.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-12.02	CONDUIT 2" DIAMETER (PVC)	20.000	L.F.
730-14.02	SAW SLOT	152.000	L.F.
730-14.03	LOOP WIRE	544.000	L.F.

Contract ID CNR186 - MCNAIRY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	313.000	S.Y.
203-06	WATER	13.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,729.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	144.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	100.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	20.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	15,356.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	11.460	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	8.770	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	227,308.000	S.Y.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	9.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	3,050.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	9.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	2.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	2.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,464.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	1,050.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	850.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	460.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	680.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	29.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	4.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	27.000	L.M.

Contract ID CNR186 - MCNAIRY

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	27.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR151 - MONROE

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	39.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,489.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,388.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	0.800	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	4.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,823.000	TON
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	7.000	EACH
706-01	GUARDRAIL REMOVED	350.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	142.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	71.000	EACH
712-06	SIGNS (CONSTRUCTION)	827.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	285.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	165.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	51.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	250.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	325.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	45.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	228.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	24.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	475.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR151 - MONROE

Item No.	Description	Quantity	Units
730-14.02	SAW SLOT	6,000.000	L.F.
730-14.03	LOOP WIRE	12,000.000	L.F.

Contract ID CNR216 - MONROE

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	24.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	241.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	3,400.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	4.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	3,585.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	16.000	S.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	9.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	2,200.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	9.000	EACH
706-01	GUARDRAIL REMOVED	2,025.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	230.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	115.000	EACH
712-06	SIGNS (CONSTRUCTION)	654.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	243.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	53.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	60.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	18.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	308.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	12.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	375.000	L.F.
730-14.03	LOOP WIRE	750.000	L.F.

Contract ID CNR163 - MONROE

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	48.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	2,192.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	5,104.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	2.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	6,917.000	TON
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	30.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	15.000	EACH
712-06	SIGNS (CONSTRUCTION)	364.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	26.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	962.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	83.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	112.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	35.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	42.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	42.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	4,640.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
202-01.13	REMOVAL OF PIPE (SIZE ,STA.) (48"X 60"CMP, STA. 20+93.59)	140.000	L.F.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	604.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	170,262.000	C.Y.
203-01.11	PRESPLITTING OF ROCK EXCAVATION	2,127.778	S.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	8,014.000	TON
203-04	PLACING AND SPREADING TOPSOIL	241.806	C.Y.
203-06	WATER	9,755.767	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	14,718.000	C.Y.
204-06.01	FLOWABLE FILL (GENERAL)	136.000	C.Y.
204-08	FOUNDATION FILL MATERIAL	162.000	C.Y.
209-02.06	15" TEMPORARY SLOPE DRAIN	1,048.000	L.F.
209-02.07	18" TEMPORARY SLOPE DRAIN	674.000	L.F.
209-03.21	FILTER SOCK (12 INCH)	250.000	L.F.
209-05	SEDIMENT REMOVAL	928.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	25,093.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	9,178.000	L.F.
209-08.07	ROCK CHECK DAM PER	25.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	26.000	EACH
209-09.01	SANDBAGS	500.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-09.43	CURB INLET PROTECTION (TYPE 4)	62.000	EACH
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	1,000.000	S.Y.
209-40.30	CATCH BASIN PROTECTION (TYPE A)	11.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	110.000	EACH

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
209-65.03	TEMPORARY DIVERSION CHANNEL	51.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	84,713.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	1,480.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	526.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	1,687.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	2,331.000	TON
307-01.21	ASP. CONC. MIX(PG70-22) (BPMB-HM) GR. A-S	15,601.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	19,859.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	13,483.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	236.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	910.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	76.000	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	1,070.000	L.F.
411-01.10	ACS MIX(PG64-22) GRADING D	1,294.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	9,008.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	14,315.000	S.Y.
604-01.01	CLASS A CONCRETE (ROADWAY)	118.000	C.Y.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	24,823.000	LB.
604-07.01	RETAINING WALL (DESCRIPTION) (WALL NO.1)	1,955.000	S.F.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	14,466.000	L.F.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	3,355.000	L.F.
607-05.05	24" CONCRETE PIPE CULVERT(CLASS IV)JACKED- IN-PLACE	90.000	L.F.
607-05.30	24" PIPE CULVERT	190.000	L.F.
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	774.000	L.F.
607-06.30	30" PIPE CULVERT	116.000	L.F.
607-07.30	36" PIPE CULVERT	226.000	L.F.
607-08.30	42" PIPE CULVERT	136.000	L.F.

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
607-09.03	48" CONCRETE PIPE CULVERT (CLASS IV)	138.000	L.F.
607-09.30	48" PIPE CULVERT	170.000	L.F.
607-11.30	60" PIPE CULVERT	160.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	156.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	104.000	L.F.
607-39.04	30" PIPE CULVERT (SIDE DRAIN)	136.000	L.F.
607-39.05	36" PIPE CULVERT (SIDE DRAIN)	53.000	L.F.
607-39.06	42" PIPE CULVERT (SIDE DRAIN)	64.000	L.F.
607-39.07	48" PIPE CULVERT (SIDE DRAIN)	88.000	L.F.
611-02.11	JUNCTION BOX, TYPE 2	2.000	EACH
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	57.530	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	1,154.000	LB.
611-07.03	STRUCTURAL STEEL (PIPE ENDWALLS)	643.000	LB.
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
611-07.56	18IN ENDWALL (CROSS DRAIN) 6:1	1.000	EACH
611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	4.000	EACH
611-07.58	24IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
611-07.59	24IN ENDWALL (CROSS DRAIN) 6:1	2.000	EACH
611-07.60	30IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-07.61	30IN ENDWALL (CROSS DRAIN) 4:1	2.000	EACH
611-07.62	30IN ENDWALL (CROSS DRAIN) 6:1	1.000	EACH
611-07.64	36IN ENDWALL (CROSS DRAIN) 4:1	2.000	EACH
611-07.68	42IN ENDWALL (CROSS DRAIN) 6:1	1.000	EACH
611-12.02	CATCH BASINS, TYPE 12, > 4' - 8' DEPTH	90.000	EACH
611-12.03	CATCH BASINS, TYPE 12, > 8' - 12' DEPTH	12.000	EACH
611-12.04	CATCH BASINS, TYPE 12, > 12' - 16' DEPTH	3.000	EACH
611-14.02	CATCH BASINS, TYPE 14, > 4' - 8' DEPTH	13.000	EACH
611-14.03	CATCH BASINS, TYPE 14, > 8' - 12' DEPTH	3.000	EACH
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	1.000	EACH

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
621-03.02	18" TEMPORARY DRAINAGE PIPE	180.000	L.F.
621-03.04	30" TEMPORARY DRAINAGE PIPE	100.000	L.F.
701-01.01	CONCRETE SIDEWALK (4 ")	98,445.000	S.F.
701-02	CONCRETE DRIVEWAY	9,806.000	S.F.
701-02.03	CONCRETE CURB RAMP	2,137.000	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	106.000	C.Y.
702-01	CONCRETE CURB	32.000	C.Y.
702-01.01	EXTRUDED MOUNTABLE CURB	658.000	L.F.
702-03	CONCRETE COMBINED CURB & GUTTER	2,183.000	C.Y.
703-01	CEMENT CONCRETE DITCH PAVING	258.000	C.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	6.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	3,093.750	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	5.000	EACH
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	6.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	8.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	6.000	EACH
706-01	GUARDRAIL REMOVED	2,741.000	L.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	3,339.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	21.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	783.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	5,768.000	TON
709-05.07	MACHINED RIP-RAP (CLASS A-2)	1,463.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	976.405	TON
709-05.09	MACHINED RIP-RAP (CLASS C)	883.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	30,050.000	L.F.
710-05	LATERAL UNDERDRAIN	150.000	L.F.
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	6.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	2,940.000	L.F.

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	402.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	75.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	32.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	20.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,668.000	S.F.
712-06.01	VERTICAL PANELS	112.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	160.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	1,074.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	787.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	186.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	328.000	S.F.
713-14.21	STREET NAME SIGN (RIGID 0.100IN THICK)	125.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	7.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	10.000	EACH
713-16.20	SIGNS (DESCRIPTION) (STREET NAME)	12.000	EACH
713-16.50	REMOVE AND REPLACE SIGN (DESCRIPTION) (BRICK ENTRANCE SIGN)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	400.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	190.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	272.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	436.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	558.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	46.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	1,110.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	1,006.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	3.000	EACH

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	6.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.000	L.M.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	3,000.000	L.F.
716-05.06	PAINTED PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	10.000	L.M.
716-08.04	REMOVAL OF PAVEMENT MARKING (CHANNELIZATION STRIPING)	150.000	S.Y.
716-08.05	REMOVAL OF PAVEMENT MARKING (STOP LINE)	60.000	L.F.
716-08.06	REMOVAL OF PAVEMENT MARKING (TURN LANE ARROW)	9.000	EACH
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	2.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	3.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	3.000	EACH
730-02.08	SIGNAL HEAD ASSEMBLY (130 POLE MOUNTED)	1.000	EACH
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	16.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	8.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 WITH BACKPLATE)	4.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (140 A1 WITH BACKPLATE)	2.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	6.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	18.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	3.000	EACH
730-08.01	SIGNAL CABLE - 3 CONDUCTOR	250.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	2,086.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	4,128.000	L.F.

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
730-12.01	CONDUIT 1" DIAMETER (PVC)	2,003.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	220.000	L.F.
730-12.03	CONDUIT 3" DIAMETER (PVC)	182.000	L.F.
730-12.08	CONDUIT 2" DIAMETER (RGS)	898.000	L.F.
730-12.09	CONDUIT 3" DIAMETER (RGS)	384.000	L.F.
730-13.02	VEHICLE DETECTOR (VIDEO)	12.000	EACH
730-13.03	VEHICLE DETECTOR (4 - CHANNEL, RACK MOUNT)	3.000	EACH
730-14.01	SHIELDED DETECTOR CABLE	2,831.000	L.F.
730-14.02	SAW SLOT	500.000	L.F.
730-14.03	LOOP WIRE	1,654.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	3.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	3.000	EACH
730-23.30	PEDESTAL POLE (DESCRIPTION) (PEDESTRIAN SIGNAL SUPPORT)	10.000	EACH
730-23.36	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (2 ARMS @ 65' & 61')	1.000	EACH
730-23.37	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 78')	1.000	EACH
730-23.38	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 37')	1.000	EACH
730-23.39	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (2 ARMS @ 69')	1.000	EACH
730-23.96	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 67')	1.000	EACH
730-23.97	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 42')	1.000	EACH
730-23.98	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 53')	2.000	EACH
730-23.99	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 36')	2.000	EACH
730-26.11	COUNTDOWN PED SGNL HEAD W/AUDIBLE PUSH BUTTON & 15IN SIGN	20.000	EACH
730-35.06	BATTERY BACK-UP AND POWER CONDITIONER	3.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	6.000	EACH

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
740-06.01	GEOMEMBRANE	133.000	S.Y.
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	2,200.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	11,389.667	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN	1,000.000	L.F.
801-01	SEEDING (WITH MULCH)	54.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	322.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	3.000	UNIT
801-02.01	CROWN VETCH MIXTURE (WITHOUT MULCH)	7.000	UNIT
801-03	WATER (SEEDING & SODDING)	1,354.000	M.G.
803-01	SODDING (NEW SOD)	128,134.000	S.Y.
805-12.01	EROSION CONTROL BLANKET (TYPE I)	2,250.000	S.Y.
805-12.03	EROSION CONTROL BLANKET (TYPE III)	693.000	S.Y.
806-02.03	PROJECT MOWING	6.000	CYCL
791-01.02	2IN STEEL GAS MAIN	5,800.000	L.F.
791-01.04	4IN STEEL GAS MAIN	1,190.000	L.F.
791-01.06	8IN STEEL GAS MAIN	50.000	L.F.
791-01.08	12IN STEEL GAS MAIN	9,850.000	L.F.
791-01.40	RELOCATE SERVICE	4.000	EACH
791-03.02	2IN HDPE GAS MAIN	2,055.000	L.F.
791-04.11	HDD 2IN PE PIPE - ROCK	55.000	L.F.
791-04.29	HDD 2IN STEEL PIPE - ROCK	125.000	L.F.
791-04.34	HDD 12IN STEEL PIPE - ROCK	350.000	L.F.
791-06.10	CONNECT TO 2IN EX. STL MAIN	9.000	EACH
791-06.11	CONNECT TO 4IN EX. STL MAIN	2.000	EACH
791-06.13	CONNECT TO 8IN EX. STL MAIN	1.000	EACH
791-06.14	CONNECT TO 12IN EX. STL MAIN	3.000	EACH
791-06.51	2IN PE HOT TAP CONNECTION	2.000	EACH
791-07.01	2IN PE GAS VALVE ASSEMBLY	7.000	EACH
791-07.09	2IN STEEL GAS VALVE ASSEMBLY	14.000	EACH
791-07.10	4IN STEEL GAS VALVE ASSEMBLY	2.000	EACH

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
791-07.12	8IN STEEL GAS VALVE ASSEMBLY	1.000	EACH
791-07.13	12IN STEEL GAS VALVE ASSEMBLY	2.000	EACH
791-08.07	3/4IN PE SERVICE PIPE	30.000	L.F.
791-09.04	REGULATOR STATION	2.000	EACH
791-09.05	RESTORE ASPHALT	110.000	S.Y.
791-09.06	RESTORE CONCRETE	60.000	S.Y.
791-09.07	RESTORE GRAVEL	60.000	S.Y.
791-09.08	REMOVE REGULATOR STATION	2.000	EACH
791-10.04	RETIRE IN PLACE 2IN SERV CUT & PLUG	7.000	EACH
791-10.05	RETIRE IN PLACE 4IN SERV CUT & PLUG	1.000	EACH
791-10.07	RETIRE IN PLACE 8IN SERV CUT & PLUG	1.000	EACH
791-10.08	RETIRE IN PLACE 12IN SERV CUT & PLUG	2.000	EACH
795-01.03	6IN DIP RESTRAINED JOINT WATER LINE	1,746.000	L.F.
795-01.05	8IN DIP RESTRAINED JOINT WATER LINE	226.000	L.F.
795-01.13	16IN DIP RESTRAINED JOINT WATER LINE	10,496.000	L.F.
795-05.01	HDD 2IN HDPE CARRIER PIPE-UNCON	75.000	L.F.
795-05.02	HDD 4IN HDPE CASING PIPE-UNCON	75.000	L.F.
795-05.15	HDD 2IN HDPE CARRIER PIPE-ROCK	225.000	L.F.
795-05.16	HDD 4IN HDPE CASING PIPE-ROCK	225.000	L.F.
795-05.64	BORE/JACK 14IN STEEL CASING PIPE-UNCON.	45.000	L.F.
795-05.66	BORE/JACK 18IN STEEL CASING PIPE-UNCON.	11.000	L.F.
795-05.69	BORE/JACK 30IN STEEL CASING PIPE-UNCON.	93.000	L.F.
795-05.78	BORE/JACK 14IN STEEL CASING PIPE-ROCK.	137.000	L.F.
795-05.80	BORE/JACK 18IN STEEL CASING PIPE-ROCK.	35.000	L.F.
795-05.83	BORE/JACK 30IN STEEL CASING PIPE-ROCK.	285.000	L.F.
795-06.04	CONNECT TO 6IN WATER LINE	13.000	EACH
795-06.05	CONNECT TO 8IN WATER LINE	1.000	EACH
795-06.09	CONNECT TO 16IN WATER LINE	3.000	EACH
795-06.12	CONNECT TO 24IN WATER LINE	1.000	EACH
795-06.30	CUT/CAP EXISTING LINES (ALL SIZES)	43.000	EACH

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
795-07.03	6IN X 6IN TAPPING SLEEVE AND VALVE	13.000	EACH
795-07.06	8IN X 8IN TAPPING SLEEVE AND VALVE	1.000	EACH
795-07.18	16IN X 8IN TAPPING SLEEVE AND VALVE	1.000	EACH
795-07.21	16IN X 16IN TAPPING SLEEVE AND VALVE	2.000	EACH
795-07.61	__IN X __IN TAPPING SLEEVE AND VALVE (SEE PLANS)	1.000	EACH
795-08.04	6IN GATE VALVE ASSEMBLY	4.000	EACH
795-08.14	16IN GATE VALVE ASSEMBLY	10.000	EACH
795-09.01	3/4IN WATER SERVICE METER ASSEMBLY	6.000	EACH
795-09.02	1IN WATER SERVICE METER ASSEMBLY	6.000	EACH
795-09.04	2IN WATER SERVICE METER ASSEMBLY	6.000	EACH
795-09.09	RELOCATE/RECONNECT SERVICE ASSEMBLY	6.000	EACH
795-09.10	SAMPLE TAP	30.000	EACH
795-09.12	2IN COPPER SERVICE PIPE	40.000	L.F.
795-09.19	3/4IN PVC SERVICE PIPE	40.000	L.F.
795-09.20	1IN PVC SERVICE PIPE	40.000	L.F.
795-09.22	2IN PVC SERVICE PIPE	40.000	L.F.
795-09.28	3/4IN COPPER SERVICE PIPE	40.000	L.F.
795-09.29	1IN COPPER SERVICE PIPE	40.000	L.F.
795-09.60	3/4IN PEXa SERVICE PIPE	40.000	L.F.
795-09.62	1IN PEXa SERVICE PIPE	40.000	L.F.
795-10.05	2IN AUTO AIR RELEASE VALVE ASSEMBLY	8.000	EACH
795-10.20	2IN PRV ASSEMBLY	4.000	EACH
795-10.31	2IN BLOW-OFF ASSEMBLY	4.000	EACH
795-11.01	BLOW-OFF ASSEMBLY	4.000	EACH
795-11.02	FIRE HYDRANT ASSEMBLY	6.000	EACH
795-12.01	REMOVE FIRE HYDRANT	6.000	EACH
795-12.02	REMOVAL OF EXISTING LINE	(1)	LS
795-13.01	DI FITTINGS	22,551.000	LB.
795-14.05	CONCRETE ENCASEMENT	30.000	L.F.

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
795-14.08	RESTORE ASPHALT	100.000	S.Y.
795-14.09	RESTORE CONCRETE	275.000	S.Y.
795-14.10	RESTORE GRAVEL	40.000	S.Y.
795-15.04	18IN STEEL CASING PIPE OPEN CUT METHOD	151.000	L.F.
795-15.10	30IN STEEL CASING PIPE OPEN CUT METHOD	343.000	L.F.
795-21.11	RETIRE IN PLACE EXISTING WATER LINE	12,335.000	L.F.
797-05.01	8IN DIP GRAVITY SEWER 0FT-6FT DEPTH	20.000	L.F.
797-05.02	8IN DIP GRAVITY SEWER 6FT-12FT DEPTH	185.000	L.F.
797-05.03	8IN DIP GRAVITY SEWER 12FT-18FT DEPTH	70.000	L.F.
797-05.04	8IN DIP GRAVITY SEWER >18FT DEPTH	65.000	L.F.
797-05.09	12IN DIP GRAVITY SEWER 0FT-6FT DEPTH	30.000	L.F.
797-05.10	12IN DIP GRAVITY SEWER 6FT-12FT DEPTH	30.000	L.F.
797-05.11	12IN DIP GRAVITY SEWER 12FT-18FT DEPTH	70.000	L.F.
797-05.12	12IN DIP GRAVITY SEWER >18FT DEPTH	140.000	L.F.
797-05.17	18IN DIP GRAVITY SEWER 0FT-6FT DEPTH	10.000	L.F.
797-05.18	18IN DIP GRAVITY SEWER 6FT-12FT DEPTH	130.000	L.F.
797-05.19	18IN DIP GRAVITY SEWER 12FT-18FT DEPTH	90.000	L.F.
797-05.20	18IN DIP GRAVITY SEWER >18FT DEPTH	10.000	L.F.
797-05.51	8IN PVC GRAVITY SEWER 0FT-6FT DEPTH	290.000	L.F.
797-05.52	8IN PVC GRAVITY SEWER 6FT-12FT DEPTH	630.000	L.F.
797-05.53	8IN PVC GRAVITY SEWER 12FT-18FT DEPTH	510.000	L.F.
797-05.54	8IN PVC GRAVITY SEWER >18FT DEPTH	10.000	L.F.
797-05.59	12IN PVC GRAVITY SEWER 0FT-6FT DEPTH	45.000	L.F.
797-05.60	12IN PVC GRAVITY SEWER 6FT-12FT DEPTH	950.000	L.F.
797-05.61	12IN PVC GRAVITY SEWER 12FT-18FT DEPTH	1,940.000	L.F.
797-05.62	12IN PVC GRAVITY SEWER >18FT DEPTH	35.000	L.F.
797-05.67	18IN PVC GRAVITY SEWER 0FT-6FT DEPTH	140.000	L.F.
797-05.68	18IN PVC GRAVITY SEWER 6FT-12FT DEPTH	615.000	L.F.
797-05.69	18IN PVC GRAVITY SEWER 12FT-18FT DEPTH	50.000	L.F.
797-05.70	18IN PVC GRAVITY SEWER >18FT DEPTH	10.000	L.F.

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
797-06.65	BORE/JACK 18IN STEEL CASING PIPE-UNCON.	25.000	L.F.
797-06.67	BORE/JACK 24IN STEEL CASING PIPE-UNCON.	25.000	L.F.
797-06.68	BORE/JACK 30IN STEEL CASING PIPE-UNCON.	10.000	L.F.
797-06.78	BORE/JACK 18IN STEEL CASING PIPE-ROCK.	70.000	L.F.
797-06.80	BORE/JACK 24IN STEEL CASING PIPE-ROCK.	75.000	L.F.
797-06.81	BORE/JACK 30IN STEEL CASING PIPE-ROCK.	27.000	L.F.
797-06.91	OPEN CUT 18IN STEEL CASING PIPE	240.000	L.F.
797-06.93	OPEN CUT 24IN STEEL CASING PIPE	315.000	L.F.
797-06.94	OPEN CUT 30IN STEEL CASING PIPE	140.000	L.F.
797-07.01	48IN MANHOLE 0FT-4FT DEPTH	1.000	EACH
797-07.02	48IN MANHOLE 4FT-6FT DEPTH	5.000	EACH
797-07.03	48IN MANHOLE 6FT-8FT DEPTH	3.000	EACH
797-07.04	48IN MANHOLE 8FT-10FT DEPTH	1.000	EACH
797-07.05	48IN MANHOLE 10FT-12FT DEPTH	8.000	EACH
797-07.06	48IN MANHOLE 12FT-14FT DEPTH	13.000	EACH
797-07.07	48IN MANHOLE 14FT-16FT DEPTH	7.000	EACH
797-07.08	48IN MANHOLE 16FT-20FT DEPTH	3.000	EACH
797-07.09	48IN MANHOLE 20FT-24FT DEPTH	1.000	EACH
797-07.10	48IN MANHOLE 24FT-28FT DEPTH	1.000	EACH
797-07.11	48IN MANHOLE >28FT DEPTH	1.000	EACH
797-07.56	MANHOLE DROP CONNECTION ASSEMBLY	4.000	EACH
797-08.04	4IN PVC PIPE FOR SERVICE LATERAL	325.000	L.F.
797-08.05	6IN PVC PIPE FOR SERVICE LATERAL	250.000	L.F.
797-08.06	8IN PVC PIPE FOR SERVICE LATERAL	40.000	L.F.
797-08.07	4IN CLEAN OUT ASSEMBLY	4.000	EACH
797-08.08	6IN CLEAN OUT ASSEMBLY	12.000	EACH
797-08.09	8IN CLEAN OUT ASSEMBLY	2.000	EACH
797-09.40	CUT AND CAP (ALL LINES)	10.000	EACH
797-10.02	CONNECT 8IN SEWER TO EXIST. MANHOLE	1.000	EACH
797-10.03	CONNECT 10-18IN SEWER TO EXIST. MANHOLE	1.000	EACH

Contract ID CNR220 - MONTGOMERY

Item No.	Description	Quantity	Units
797-10.05	CONNECT 4IN LATERAL TO SEWER LINE	3.000	EACH
797-10.06	CONNECT 6IN LATERAL TO SEWER LINE	12.000	EACH
797-10.07	CONNECT 8IN LATERAL TO SEWER LINE	2.000	EACH
797-10.09	CONNECT EX. 8IN SEWER TO NEW MANHOLE	8.000	EACH
797-10.10	CONNECT EX.10-18IN SEWER TO NEW MANHOLE	2.000	EACH
797-11.15	48IN MH ADJUSTMENT INCREASE HEIGHT	10.000	V.F.
797-11.20	48IN MH ADJUSTMENT DECREASE HEIGHT	10.000	V.F.
797-11.25	RETIREIN PLACE 48IN MANHOLE	23.000	EACH
797-11.31	RETIREIN PLACE EXISTING SEWER 8IN-14IN	100.000	L.F.
797-11.32	RETIREIN PLACE EXISTING SEWER 15IN-24IN	50.000	L.F.
797-11.35	REMOVE EXISTING SEWER 8IN-14IN	100.000	L.F.
797-11.36	REMOVE EXISTING SEWER 15IN-24IN	50.000	L.F.
797-11.38	BY-PASS PUMPING	(1)	LS
797-11.40	RESTORE ASPHALT	1,000.000	S.Y.
797-11.41	RESTORE CONCRETE	250.000	S.Y.
797-11.42	RESTORE GRAVEL	50.000	S.Y.

Contract ID CNR182 - MONTGOMERY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	500.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	2,000.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	89.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	10,945.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	1.400	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	12,525.000	TON
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	93.000	EACH
611-01.23	ADJUSTMENT OF WATER VALVE	50.000	EACH
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	20.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	90.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	3,135.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	844.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	533.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	30.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	820.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	44.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	400.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	1,100.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	4.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	10.000	EACH

Contract ID CNR182 - MONTGOMERY

Item No.	Description	Quantity	Units
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	5.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.800	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	100.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	9.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	12,500.000	L.F.
730-14.03	LOOP WIRE	27,800.000	L.F.

Contract ID CNR222 - OBION

Item No.	Description	Quantity	Units
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	555.000	S.Y.
203-06	WATER	17.000	M.G.
208-01.02	SHOULDER PREPARATION	14.000	L.M.
209-99.91	EROSION CONTROL	(1)	LS
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	2,228.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	255.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,889.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	65.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	9,015.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	8.780	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	101,914.000	S.Y.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	20.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	20.000	L.F.
607-39.05	36" PIPE CULVERT (SIDE DRAIN)	72.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	7.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	335.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	25.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	7.000	EACH
706-01	GUARDRAIL REMOVED	100.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	2.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	2.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,712.000	S.F.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	52.000	EACH

Contract ID CNR222 - OBION

Item No.	Description	Quantity	Units
713-02.21	SIGN POST DELINEATION ENHANCEMENT	732.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	1,834.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	4,589.000	LB.
713-11.21	P POST SLIP BASE	2.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	568.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	909.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	91.000	EACH
716-01.11	RAISED PVMT MARKERS (BI-DIRECTIONAL) (1 COLOR LENS)	381.000	EACH
716-01.21	Snwplwble Pvmr Mrkrs (Bi-Dir)(1 Color)	524.000	EACH
716-01.23	Snwplwble Pvmr Mrkrs (Bi-Dir)(2 Color)	26.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	20.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	76.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,493.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	434.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	219.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	55.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	680.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	50.000	S.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	32.110	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMR MRKNG (6IN LINE)	11.950	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMR MRKNG (8IN BARRIER LINE)	746.000	L.F.
716-12.04	ENHANCED FLATLINE THERMO PVMR MRKNG (4IN DOTTED LINE)	70.000	L.F.
716-13.02	SPRAY THERMO PVMR MRKNG (60 mil) (6IN LINE)	14.160	L.M.

Contract ID CNR222 - OBION

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	2.000	EACH
730-26.08	FLASHING WARNING BEACON (DESCRIPTION)	2.000	EACH

Contract ID CNR181 - OBION

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,274.000	S.Y.
203-06	WATER	11.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,311.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	587.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	50.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,711.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	95,347.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	10,374.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	2,520.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-11.01	"U" SECTION STEEL POSTS	38.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	6.250	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	245.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	130.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	592.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	10.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	838.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	9.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	225.000	L.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	3.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	2.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	1.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	6.000	EACH

Contract ID CNR181 - OBION

Item No.	Description	Quantity	Units
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	4.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	72.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	18.510	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	16.960	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR191 - OBION

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	50.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	458.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	202.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	30.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	4.000	EACH
714-08.31	REMOVAL OF FOUNDATION(ONLY) FOR LIGHT STANDARD	1.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	98.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	169.000	L.F.
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	4.000	EACH
716-08.01	REMOVAL OF PAVEMENT MARKING (LINE)	526.000	L.F.
716-08.03	REMOVAL OF PAVEMENT MARKING (CROSS-WALK)	88.000	L.F.
716-08.05	REMOVAL OF PAVEMENT MARKING (STOP LINE)	92.000	L.F.
716-08.06	REMOVAL OF PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-08.07	REMOVAL OF PAVEMENT MARKING (STRAIGHT-TURN ARROW)	4.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.117	L.M.
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	1.000	EACH
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	8.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	4.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	1.000	EACH

Contract ID CNR191 - OBION

Item No.	Description	Quantity	Units
730-05.02	SERVICE CABLE (2 CONDUCTOR, # 8 AWG)	90.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	320.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	770.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	40.000	L.F.
730-12.03	CONDUIT 3" DIAMETER (PVC)	20.000	L.F.
730-12.07	CONDUIT 1" DIAMETER (RGS)	10.000	L.F.
730-12.13	CONDUIT 2" DIAMETER (JACK AND BORE)	155.000	L.F.
730-12.14	CONDUIT 3" DIAMETER (JACK AND BORE)	60.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	600.000	L.F.
730-14.02	SAW SLOT	1,314.000	L.F.
730-14.03	LOOP WIRE	2,672.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	1.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	1.000	EACH
730-23.30	PEDESTAL POLE (DESCRIPTION) (8')	1.000	EACH
730-23.80	CANTILEVER SIGNAL SUPPORT (1 ARM @ 40')	2.000	EACH
730-23.96	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (2 @ 58' & 38')	1.000	EACH
730-26.05	COUNTDOWN PEDESTRIAN SIGNAL	8.000	EACH
730-26.09	PEDESTRIAN PUSHBUTTON WITH 15IN SIGN	8.000	EACH

Contract ID CNR168 - PERRY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,000.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	805.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	130.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	250.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	33.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	6,712.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	9.800	L.M.
709-05.06	MACHINED RIP-RAP (CLASS A-1)	847.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	824.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	402.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	402.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	11.700	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	12.200	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR202 - PUTNAM

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	941.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	200.000	TON
307-01.10	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING C-W	3,494.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	22.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (4IN WIDTH)	4.800	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	3,481.000	TON
705-06.01	W BEAM GR (TYPE 2) MASH TL3	200.000	L.F.
706-01	GUARDRAIL REMOVED	200.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	14.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	14.000	EACH
712-06	SIGNS (CONSTRUCTION)	491.000	S.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	200.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	148.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.100	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.100	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	6.100	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR203 - PUTNAM

Item No.	Description	Quantity	Units
202-08.10	REMOVAL OF CURB (DESCRIPTION) (DESCRIPTION)	800.000	L.F.
209-70.01	VACUUM TRUCK/SWEEPER FOR ROADWAY DEBRIS	175.000	HOURL
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	300.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	160.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	8,823.000	TON
403-02.01	TRACKLESS TACK COAT	60.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	5,172.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	14,157.000	TON
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	9.000	EACH
611-03.04	GRAY IRON CASTINGS (CATCHBASIN)	49,500.000	LB.
611-09.02	REWORK CATCHBASIN	65.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	6,479.000	S.F.
702-01.02	CONCRETE CURB	800.000	L.F.
702-03	CONCRETE COMBINED CURB & GUTTER	71.300	C.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	725.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	215.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	380.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,137.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	49.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	916.000	L.F.
716-03.09	PLASTIC WORD PAVEMENT MARKING () (ONLY)	4.000	EACH

Contract ID CNR203 - PUTNAM

Item No.	Description	Quantity	Units
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	9.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	10.800	L.M.
716-05.21	PAINTED PAVEMENT MARKING(4"DOTTED LINE)	394.000	L.F.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	16.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	10.800	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	394.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	8,500.000	L.F.
730-14.03	LOOP WIRE	25,500.000	L.F.

Contract ID CNR205 - RHEA

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,009.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	60.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	9,242.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	13.640	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,468.000	TON
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	2.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	2,938.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	4.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	16.000	EACH
706-01	GUARDRAIL REMOVED	2,075.000	L.F.
706-05	GUARDRAIL ADJUSTMENT	2,225.000	L.F.
706-06.06	RADIUS RAIL LONG POST (9-12 FT)	125.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	59.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	34.000	EACH
712-06	SIGNS (CONSTRUCTION)	680.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	675.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	190.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	234.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING ("NO PARKING" Word)	3.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	140.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	22.780	L.M.

Contract ID CNR205 - RHEA

Item No.	Description	Quantity	Units
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	310.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR217 - ROBERTSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,064.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	49.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	7,437.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	10.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,367.000	TON
705-02.03	SINGLE GUARDRAIL (TYPE 2) LONG POST	75.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	6.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	1,250.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	6.000	EACH
706-01	GUARDRAIL REMOVED	1,350.000	L.F.
706-06.03	RADIUS RAIL	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	792.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	445.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	8.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	60.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	24.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	20.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	25.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.200	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	600.000	L.F.

Contract ID CNR217 - ROBERTSON

Item No.	Description	Quantity	Units
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	12.500	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	1,600.000	L.F.
730-14.03	LOOP WIRE	3,500.000	L.F.

Contract ID CNR172 - ROBERTSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,554.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	38.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	5,903.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	8.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,689.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	572.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	338.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	27.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	160.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	70.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	3.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	20.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.500	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	100.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	80.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	10.500	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR145 - RUTHERFORD

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-08.10	REMOVAL OF CURB (DESCRIPTION) (DESCRIPTION)	858.000	L.F.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	830.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	11,208.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	3,250.000	L.F.
209-08.07	ROCK CHECK DAM PER	1.000	EACH
209-40.30	CATCH BASIN PROTECTION (TYPE A)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,279.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	2.000	TON
307-01.21	ASP. CONC. MIX(PG70-22) (BPMB-HM) GR. A-S	126.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	161.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	106.000	TON
313-03	TREATED PERMEABLE BASE	3,456.000	S.Y.
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	4.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	4.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	26.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	62.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	574.000	TON
501-01.03	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 10"	3,456.000	S.Y.
604-10.51	SCARIFYING	2,848.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	2.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	2.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	484.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	26.000	TON

Contract ID CNR145 - RUTHERFORD

Item No.	Description	Quantity	Units
709-05.06	MACHINED RIP-RAP (CLASS A-1)	55.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	420.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	20.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	10.000	EACH
712-06	SIGNS (CONSTRUCTION)	816.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.14	FLEXIBLE DELINEATOR (WHITE)	10.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	10.000	EACH
713-11.01	"U" SECTION STEEL POSTS	100.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	100.000	LB.
713-11.21	P POST SLIP BASE	6.000	EACH
713-11.22	U POST SLIP BASE	6.000	EACH
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	49.000	S.F.
713-14.21	STREET NAME SIGN (RIGID 0.100IN THICK	8.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	2.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	25.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	355.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	136.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	7.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	2.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	1.200	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	414.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR145 - RUTHERFORD

Item No.	Description	Quantity	Units
730-01	TRAFFIC SIGNALS	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	1.000	EACH
730-01.04	MODIFICATION OF EXISTING TRAFFIC SIGNAL EQUIPMENT	(1)	LS
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	2.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (DESCRIPTION)	1.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (DESCRIPTION)	2.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	4.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	1.000	EACH
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	322.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	297.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	432.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	70.000	L.F.
730-12.08	CONDUIT 2" DIAMETER (RGS)	94.000	L.F.
730-13.03	VEHICLE DETECTOR (4 - CHANNEL, RACK MOUNT)	2.000	EACH
730-14.01	SHIELDED DETECTOR CABLE	1,481.000	L.F.
730-14.02	SAW SLOT	1,165.000	L.F.
730-14.03	LOOP WIRE	2,901.000	L.F.
730-14.11	PREFORMED DETECTION LOOP(DESCRIPTION) (DESCRIPTION)	4.000	EACH
730-15.11	MODIFY CABINET (DESCRIPTION) (DESCRIPTION)	1.000	EACH
730-23.36	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (DESCRIPTION)	1.000	EACH
730-23.37	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (DESCRIPTION)	1.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	92.000	S.Y.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	3.000	UNIT
801-03	WATER (SEEDING & SODDING)	556.000	M.G.
803-01	SODDING (NEW SOD)	7,351.000	S.Y.

Contract ID CNR169 - RUTHERFORD

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,083.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	56.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	8,562.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	12.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,481.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	2.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	50.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
706-01	GUARDRAIL REMOVED	112.500	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,344.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	507.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	30.700	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	7.300	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	15.400	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR165 - SEVIER

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	150.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	88.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	800.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	5,565.000	TON
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	3.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	100.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	1.000	EACH
706-01	GUARDRAIL REMOVED	200.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	676.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (OM-3)	12.000	EACH
713-16.21	SIGNS (DESCRIPTION) (W1-8)	2.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W2-2)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	542.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	33.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR137 - SEVIER

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	37.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	233.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,351.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	4.500	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	442.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.12	RAISED PVMT MARKERS (MONO-DIRECTIONAL) (1 COLOR LENS)	21.000	EACH
716-01.13	RAISED PVMT MARKERS (BI-DIRECTIONAL) (2 COLOR LENS)	194.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	2.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	3.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR189 - SHELBY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	2,000.000	S.Y.
203-06	WATER	21.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (D)	2,692.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	920.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	78.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	11,867.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	3.340	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	178,799.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	4,104.000	S.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	3.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,456.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	785.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	785.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	2,415.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	250.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,510.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	50.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	100.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	1,150.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	20.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	200.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	100.000	S.F.

Contract ID CNR189 - SHELBY

Item No.	Description	Quantity	Units
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	22.250	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	1,230.000	L.F.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	1.050	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.900	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	7.300	L.M.
717-01	MOBILIZATION	(1)	LS
730-13.02	VEHICLE DETECTOR (VIDEO)	12.000	EACH

Contract ID CNR187 - SHELBY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	4,000.000	S.Y.
203-06	WATER	21.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	2,707.000	TON
307-03.01	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING A	1,840.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	84.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	12,479.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	188,349.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	8,436.000	S.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	4.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,632.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	358.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	894.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	568.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	2,750.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	360.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,310.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	68.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	1,680.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	94.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	22.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	160.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	22.090	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	1,170.000	L.F.

Contract ID CNR187 - SHELBY

Item No.	Description	Quantity	Units
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	7.440	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	5.495	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	7.140	L.M.
717-01	MOBILIZATION	(1)	LS
730-13.02	VEHICLE DETECTOR (VIDEO)	20.000	EACH

Contract ID CNR170 - STEWART

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	3,620.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	80.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	12,160.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	19.500	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	12,045.000	TON
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	6.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	2.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,448.000	S.F.
716-01.21	Snowplowable Pvmr Mrks (Bi-Dir)(1 Color)	803.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	404.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	15.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	24.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	40.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	45.800	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMR MRKNG (6IN LINE)	21.500	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMR MRKNG (8IN BARRIER LINE)	70.000	L.F.
716-13.01	SPRAY THERMO PVMR MRKNG (60 mil) (4IN LINE)	24.300	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR170 - STEWART

Contract ID CNR159 - SUMNER

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,490.000	TON
307-01.11	ASPHALT CEMENT (PG64-22) (BPMLC-HM) GRADING CS	500.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	250.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	250.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	158.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	18.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	14,217.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	9,713.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	7.900	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	15.300	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	3.800	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	23,698.000	TON
611-09.02	REWORK CATCHBASIN	9.000	EACH
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	15.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	800.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	4.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	15.000	EACH
706-01	GUARDRAIL REMOVED	2,065.000	L.F.
706-06.03	RADIUS RAIL	25.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	200.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	16.000	EACH
712-06	SIGNS (CONSTRUCTION)	3,907.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-16.21	SIGNS (DESCRIPTION) (BIKE ROUTE, D11-1)	7.000	EACH

Contract ID CNR159 - SUMNER

Item No.	Description	Quantity	Units
713-16.22	SIGNS (DESCRIPTION) (DIRECTIONAL ARROW LT., M6-1)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (DIRECTIONAL ARROW RT., M6-1)	1.000	EACH
713-16.24	SIGNS (DESCRIPTION) (DIRECTIONAL ARROW STRAIGHT, M6-3)	3.000	EACH
713-16.25	SIGNS (DESCRIPTION) (YIELD, R1-2)	2.000	EACH
713-16.26	SIGNS (DESCRIPTION) (BIKE LANE, R3-17)	34.000	EACH
713-16.27	SIGNS (DESCRIPTION) (AHEAD PLAQUE, R3-17aP)	3.000	EACH
713-16.28	SIGNS (DESCRIPTION) (BEGINS PLAQUE, R3-17bP)	3.000	EACH
713-16.29	SIGNS (DESCRIPTION) (ENDS PLAQUE, R3-17bP)	4.000	EACH
713-16.30	SIGNS (DESCRIPTION) (BEGIN RIGHT TURN LANE, YEILD TO BIKE, R4-4)	2.000	EACH
713-16.31	SIGNS (DESCRIPTION) (BIKES MAY USE FULL LANE, R4-11)	2.000	EACH
713-16.32	SIGNS (DESCRIPTION) (TURNING VEHICLES YIELD TO BIKES RT., R10-15 MOD.)	9.000	EACH
713-16.33	SIGNS (DESCRIPTION) (TURNING VEHICLES YIELD TO BIKES LT., R10-15 MOD.)	7.000	EACH
713-16.34	SIGNS (DESCRIPTION) (TURNING VEHICLES YIELD TO BIKES RT./LT., R10-15 MOD.)	1.000	EACH
713-16.35	SIGNS (DESCRIPTION) (NOTICE PLAQUE, W16-18P)	2.000	EACH
713-16.36	SIGNS (DESCRIPTION) (PEDESTRIANS PROHIBITED, CUSTOM)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	795.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	175.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	650.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,000.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	48.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	197.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	532.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	58.000	EACH

Contract ID CNR159 - SUMNER

Item No.	Description	Quantity	Units
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	100.000	L.F.
716-03.09	PLASTIC WORD PAVEMENT MARKING () (STOP - BIKE LANE)	4.000	EACH
716-03.10	PLASTIC WORD PAVEMENT MARKING () (STOP AHEAD - BIKE LANE)	4.000	EACH
716-04.02	PLASTIC PAVEMENT MARKING(DOUBLE TURNING ARROW)	1.000	EACH
716-04.13	PLASTIC PAVEMENT MARKING (BIKELANE SYMBOL & ARROW)	58.000	EACH
716-04.15	PLASTIC PAVEMENT MARKING-BIKE SYMBOL/ARROW SHARED	8.000	EACH
716-04.21	GREEN TEXTURED BIKE LANE	400.000	S.Y.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	57.700	L.M.
716-08.06	REMOVAL OF PAVEMENT MARKING (TURN LANE ARROW)	20.000	EACH
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	7.000	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	32.000	S.F.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	8.900	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	53.700	L.M.
716-12.04	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN DOTTED LINE)	547.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	785.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	4.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	11,100.000	L.F.
730-14.03	LOOP WIRE	24,350.000	L.F.

Contract ID CNR174 - SUMNER

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,348.000	TON
307-01.11	ASPHALT CEMENT (PG64-22) (BPMLC-HM) GRADING CS	500.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	250.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	82.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	25.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	6,205.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	4,032.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	10.600	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	10.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	9,861.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	9.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	9.000	EACH
706-01	GUARDRAIL REMOVED	648.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-06	SIGNS (CONSTRUCTION)	910.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	936.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	936.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	36.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	48.200	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	35.300	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	12.900	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR174 - SUMNER

Contract ID CNR194 - UNICOI & WASHINGTON

Item No.	Description	Quantity	Units
406-04.03	HIGH FRICTION SURFACE TREATMENT (SINGLE LIFT)	11,950.000	S.Y.
411-01.10	ACS MIX(PG64-22) GRADING D	10.000	TON
705-02.03	SINGLE GUARDRAIL (TYPE 2) LONG POST	2,800.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	13.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	12,655.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	30.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	13.000	EACH
706-01	GUARDRAIL REMOVED	100.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	34.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	228.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	1,344.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	800.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	559.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	5,546.000	LB.
713-11.21	P POST SLIP BASE	15.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	934.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	666.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	125.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	787.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	10.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	41.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	423.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	85.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	350.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	7.000	S.F.

Contract ID CNR194 - UNICOI & WASHINGTON

Item No.	Description	Quantity	Units
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	50.300	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	525.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-26.08	FLASHING WARNING BEACON (DESCRIPTION)	2.000	EACH

Contract ID CNR206 - VAN BUREN

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	49.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,536.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	6.700	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,515.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	441.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	276.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	276.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	48.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	11.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	10.870	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR207 - WARREN

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	28.530	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,365.050	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	6.300	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	61,617.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	48.000	EACH
712-06	SIGNS (CONSTRUCTION)	576.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	276.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	205.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	14.400	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	14.380	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR208 - WARREN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,420.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	35.390	TON
411-01.10	ACS MIX(PG64-22) GRADING D	5,415.490	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	8.900	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	76,187.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	48.000	EACH
712-06	SIGNS (CONSTRUCTION)	621.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	440.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	172.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	20.300	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	12.100	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	8.160	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR177 - WAYNE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	817.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	37.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,430.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	9.300	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	2.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	100.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
706-01	GUARDRAIL REMOVED	150.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	876.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	385.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.800	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	11.600	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNR211 - WEAKLEY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	550.000	S.Y.
203-06	WATER	18.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	2,376.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	253.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	149.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	3,090.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	21,198.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	15.200	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	340,197.000	S.Y.
701-01.01	CONCRETE SIDEWALK (4 ")	1,550.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	4,104.000	S.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	14.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	14.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	2.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	2.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,464.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	516.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	516.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	430.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	1,000.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	650.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	520.000	L.F.

Contract ID CNR211 - WEAKLEY

Item No.	Description	Quantity	Units
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	62.000	EACH
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	4.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	50.275	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	35.275	L.M.
717-01	MOBILIZATION	(1)	LS
730-03.20	INSTALL PULL BOX (TYPE A)	1.000	EACH
730-10.02	MESSENGER CABLE - 1/4" DIAMETER	100.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	30.000	L.F.
730-12.07	CONDUIT 1" DIAMETER (RGS)	30.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	200.000	L.F.
730-14.02	SAW SLOT	1,364.000	L.F.
730-14.03	LOOP WIRE	3,072.000	L.F.
604-10.44	EXPANSION JOINT REPAIRS	208.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	15.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	15,686.000	S.Y.

Contract ID CNR210 - WHITE

Item No.	Description	Quantity	Units
202-08.10	REMOVAL OF CURB (DESCRIPTION) (DESCRIPTION)	413.000	L.F.
202-08.15	REMOVAL OF CURB AND GUTTER (DESCRIPTION) (DESCRIPTION)	50.000	L.F.
209-70.01	VACUUM TRUCK/SWEEPER FOR ROADWAY DEBRIS	175.000	HOUR
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	819.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,000.000	TON
403-02.01	TRACKLESS TACK COAT	76.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	11,385.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	19,235.000	TON
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	22.000	EACH
611-03.04	GRAY IRON CASTINGS (CATCHBASIN)	3,250.000	LB.
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	64.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	2,870.000	S.F.
702-01.02	CONCRETE CURB	763.000	L.F.
702-03	CONCRETE COMBINED CURB & GUTTER	33.600	C.Y.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-01.04	METAL BEAM GUARD FENCE	160.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	4.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	675.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	3.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	6.000	EACH
706-01	GUARDRAIL REMOVED	1,168.000	L.F.
706-06.03	RADIUS RAIL	75.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	134.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	114.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,328.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH

Contract ID CNR210 - WHITE

Item No.	Description	Quantity	Units
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	3.000	EACH
713-16.20	SIGNS (DESCRIPTION) (OM-3L, (12x36)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (OM-3R, (12x36 (REMOVE AND REPLACE SIGN)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	819.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	448.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	58.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	650.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	805.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,495.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	34.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	290.000	L.F.
716-03.09	PLASTIC WORD PAVEMENT MARKING () (ONLY)	4.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	9.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	139.000	S.F.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	22.200	L.M.
716-05.08	PAINTED PAVEMENT MARKING (PARKING LINE)	750.000	L.F.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	136.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.500	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	15.700	L.M.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	488.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	5,970.000	L.F.
730-14.03	LOOP WIRE	18,490.000	L.F.

Contract ID CNR210 - WHITE

Item No.	Description	Quantity	Units
771-30.32	CONCRETE CURB AND GUTTER	50.000	L.F.

Contract ID CNR171 - WILSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	527.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	57.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	16.800	TON
411-03.10	ACS MIX(PG76-22) GRADING D	8,714.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	8.000	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	6.400	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,613.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,288.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	705.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	600.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	60.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	118.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	25.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	18.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	18.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	2,200.000	L.F.
730-14.03	LOOP WIRE	4,800.000	L.F.

Contract ID CNR155 - WILSON

Item No.	Description	Quantity	Units
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	500.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	250.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	39.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	5,983.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,926.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,247.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	378.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	378.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	900.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	390.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	475.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	52.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	200.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	75.000	L.F.
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	800.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	11.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (NO LEFT TURN)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	5.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	5.000	EACH
716-04.15	PLASTIC PAVEMENT MARKING-BIKE SYMBOL/ARROW SHARED	28.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	10.200	L.M.

Contract ID CNR155 - WILSON

Item No.	Description	Quantity	Units
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	192.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.300	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	400.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	4.200	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	14,800.000	L.F.
730-14.03	LOOP WIRE	32,500.000	L.F.

