

# Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
01S239700091	ANDERSON	SR170	1.17	BYRAMS FORK CREEK	Weight Posted	1/3/2019	1940	36.163067	-84.017300	Steel	Stringer/Multi-beam or Girder	33.1
02E002900291	BEDFORD	SR269	10.61	GARRISON FORK CREEK	Weight Posted	10/24/2018	1940	35.520000	-86.318333	Steel	Stringer/Multi-beam or Girder	55.7
02S428900031	BEDFORD	SR269	18.96	CARR BRANCH	Open, Posting Ordered	10/12/2018	1941	35.441667	-86.263333	Steel	Stringer/Multi-beam or Girder	61.2
05S249700031	BLOUNT	SR336	8.21	SIX MILE CREEK	Open	10/17/2019	1948	35.624450	-84.025233	Concrete Continuous	Culvert (includes frame culverts)	92.2
05SR03300031	BLOUNT	SR033	10.45	SR 115 (US 129 NB)	Open	10/29/2019	1959	35.740067	-83.989267	Steel	Stringer/Multi-beam or Girder	31.7
05SR03500011	BLOUNT	SR035	0.13	SR 115 (US 129 NB)	Open	10/28/2019	1959	35.788850	-83.992117	Steel	Stringer/Multi-beam or Girder	52.9
07I007500191	CAMPBELL	01280	16.36	I75	Open	8/20/2019	1965	36.416750	-84.282400	Steel Continuous	Stringer/Multi-beam or Girder	54.8
07SR00900131	CAMPBELL	SR009	24.15	BIG CREEK	Open	4/15/2019	1921	36.382083	-84.121200	Concrete	Culvert (includes frame culverts)	56.7
08SR00100111	CANNON	SR001	6.15	EAST FORK STONES RIVER	Open	1/28/2019	1924	35.828167	-86.077150	Concrete	Tee-Beam	32.5
09S814600051	CARROLL	SR114	12.83	MAPLE CREEK	Weight Posted	8/14/2019	1961	35.922917	-88.298611	Concrete	Channel Beam	41.4
09SR02240011	CARROLL	SR022	0.34	BRIER CREEK	Open	8/12/2019	1968	35.987778	-88.420556	Prestressed Concrete	Stringer/Multi-beam or Girder	93.9
09SR02240051	CARROLL	SR022	3.10	CSX RAILROAD	Open	8/14/2019	1969	36.000278	-88.444722	Prestressed Concrete	Stringer/Multi-beam or Girder	75.0
10SR06700311	CARTER	SR067	2.40	POWDER BRANCH	Open	6/25/2019	1986	36.317911	-82.277500	Concrete Continuous	Culvert (includes frame culverts)	48.3
11I004000031	CHEATHAM	0A383	0.13	FVIEW-KSPG RD/ I40	Open	9/6/2018	1960	36.067033	-87.127817	Steel Continuous	Stringer/Multi-beam or Girder	49.3
11I004000071	CHEATHAM	I0040	4.08	HARPETH RIVER	Open	9/11/2018	1960	36.085250	-87.088700	Prestressed Concrete	Stringer/Multi-beam or Girder	49.1
11I004000081	CHEATHAM	I0040	4.08	HARPETH RIVER	Open	9/11/2018	1960	36.085300	-87.088683	Prestressed Concrete	Stringer/Multi-beam or Girder	51.3
12S806100011	CHESTER	SR200	2.18	S. FK. FORKED DEER RIVER	Open	6/26/2019	1986	35.467583	-88.613417	Prestressed Concrete	Stringer/Multi-beam or Girder	63.0
13SR03300091	CLAIBORNE	SR033	20.56	SOUTH FORK SYCAMORE CREEK	Weight Posted	6/4/2018	1967	36.473867	-83.410700	Concrete	Channel Beam	47.6
15I004000151	COCKE	I0040	7.17	GOLF COURSE RD (A526)	Open	5/7/2018	1970	35.926917	-83.191650	Prestressed Concrete	Stringer/Multi-beam or Girder	76.8
15I004000351	COCKE	I0040	17.45	NFA 1242	Open	5/14/2018	1970	35.816650	-83.143250	Concrete Continuous	Tee-Beam	92.0
15I004000371	COCKE	I0040	21.00	GREEN CORNER RD (1321)	Open	5/15/2018	1970	35.783800	-83.110633	Concrete Continuous	Tee-Beam	62.0
15SR00900071	COCKE	SR009	6.82	PIGEON RIVER	Open	8/5/2019	1936	35.961233	-83.174283	Concrete	Tee-Beam	61.4
15SR00900211	COCKE	SR009	21.43	BRANCH	Weight Posted	8/13/2019	1924	35.922467	-82.961083	Concrete Continuous	Culvert (includes frame culverts)	43.3
15SR16000091	COCKE	SR160	11.87	NOLICHUCKY RIVER	Weight Posted	8/5/2019	1948	36.126767	-83.175533	Steel Continuous	Stringer/Multi-beam or Girder	39.5
16S426000011	COFFEE	SR127	6.21	BRADLEY CREEK	Open	11/18/2019	1940	35.416217	-85.969300	Concrete Continuous	Culvert (includes frame culverts)	59.7
16S426000051	COFFEE	SR127	9.76	BRADLEY CREEK	Weight Posted	11/18/2019	1940	35.456200	-85.931211	Steel	Stringer/Multi-beam or Girder	23.1
16SR00200151	COFFEE	SR002	14.28	CFW RAILROAD	Weight Posted	10/22/2019	1928	35.480250	-86.085800	Concrete	Tee-Beam	50.8

# Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
16SR12700031	COFFEE	SR127	4.66	BRADLEY CREEK	Weight Posted	11/18/2019	1956	35.395583	-85.978000	Concrete	Tee-Beam	25.0
16SR26900011	COFFEE	SR269	2.93	MARBURY DR (FAU 4329)	Weight Posted	11/19/2019	1993	35.384850	-86.229967	Prestressed Concrete	Box Beam or Girders - Single	18.8
17SR15200051	CROCKETT	SR152	10.31	BEAR CREEK	Weight Posted	6/6/2018	1940	35.832361	-89.001750	Concrete	Channel Beam	38.3
180A15300031	CUMBERLAND	0A153	15.07	DADDY'S CREEK (CWMA)	Weight Posted	2/3/2020	1950	36.055500	-84.788667	Steel	Stringer/Multi-beam or Girder	15.9
18I004000011	CUMBERLAND	I0040	0.24	SR 24	Open	10/29/2019	1963	36.093167	-85.235167	Prestressed Concrete	Stringer/Multi-beam or Girder	50.3
18I004000021	CUMBERLAND	I0040	0.24	SR 24	Open	10/29/2019	1963	36.093167	-85.234833	Prestressed Concrete	Stringer/Multi-beam or Girder	83.0
18I004000351	CUMBERLAND	I0040	24.15	SR 1	Open	10/16/2019	1966	35.910000	-84.890000	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	49.3
18SR00100111	CUMBERLAND	SR001	29.36	FALL CREEK	Open	2/3/2020	1926	35.881850	-84.809833	Concrete	Tee-Beam	38.4
18SR02800071	CUMBERLAND	SR028	10.69	BYRDS CREEK	Weight Posted	3/15/2018	1961	35.912036	-84.992136	Concrete Continuous	Tee-Beam	32.9
18SR02800091	CUMBERLAND	SR028	11.09	THREE MILE CREEK	Weight Posted	3/15/2018	1962	35.916936	-84.995633	Concrete Continuous	Tee-Beam	36.0
18SR02800171	CUMBERLAND	SR028	30.50	CLEAR CREEK	Weight Posted	3/22/2018	1952	36.170089	-85.028061	Concrete	Tee-Beam	40.5
190325200011	DAVIDSON	03253	1.02	TRINITY LN./ELLINGTON PK	Weight Posted	3/1/2019	1967	36.204433	-86.749950	Steel Continuous	Stringer/Multi-beam or Girder	55.9
19F002100051	DAVIDSON	SR171	5.88	STONES RIVER	Weight Posted	5/31/2019	1970	36.081917	-86.567083	Steel Continuous	Stringer/Multi-beam or Girder	33.5
19FA00600151	DAVIDSON	SR006	12.17	SR 6 RL / DOUGLAS AVENUE	Weight Posted	2/25/2019	1969	36.191667	-86.753333	Steel Continuous	Stringer/Multi-beam or Girder	6.0
19FA00600161	DAVIDSON	SR006	12.17	SR 6 LL / DOUGLAS AVENUE	Weight Posted	2/25/2019	1969	36.191667	-86.753333	Steel Continuous	Stringer/Multi-beam or Girder	57.7
19I002400391	DAVIDSON	I0024	23.17	MILL CREEK	Open	10/3/2019	1958	36.050000	-86.670000	Prestressed Concrete	Box Beam or Girders - Single or Spread	43.2
19I002400671	DAVIDSON	I0040	21.58	I40 STR 5B / I24	Open	12/17/2019	1960	36.139833	-86.727906	Steel	Stringer/Multi-beam or Girder	67.0
19I002400711	DAVIDSON	I0024	8.51	I24 RL / OLD HICKORY BLV	Open	9/12/2019	1972	36.276667	-86.800000	Steel Continuous	Stringer/Multi-beam or Girder	70.0
19I002400721	DAVIDSON	I0024	8.51	I24 LL / OLD HICKORY BLV	Open	9/12/2019	1972	36.276667	-86.800000	Steel Continuous	Stringer/Multi-beam or Girder	70.0
19I002401031	DAVIDSON	I0024	13.16	I24 RAMP STR 40 / I24-EB	Open	9/20/2019	1961	36.190000	-86.775000	Steel	Stringer/Multi-beam or Girder	49.0
19I004000271	DAVIDSON	I0040	11.56	I40 / WESTBORO ROAD	Open	10/28/2019	1962	36.149133	-86.873533	Prestressed Concrete	Stringer/Multi-beam or Girder	81.0
19I044000391	DAVIDSON	SR011	10.34	NOLENSVILLE RD / I440	Open	2/27/2018	1984	36.122683	-86.750950	Concrete Continuous	Box Beam or Girders - Single or Spread	57.3
19S632600011	DAVIDSON	SR155	5.25	BRILEY PKWY / AIRPORT D	Open	4/11/2019	1959	36.129567	-86.695100	Prestressed Concrete	Stringer/Multi-beam or Girder	61.9
19SR00100151	DAVIDSON	SR001	12.95	SUGAR TREE CREEK	Weight Posted	2/13/2019	1923	36.122833	-86.850250	Concrete Continuous	Culvert (includes frame culverts)	33.8

# Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
19SR00100171	DAVIDSON	SR001	13.81	BRANCH	Open	2/13/2019	1923	36.130183	-86.837517	Concrete	Culvert (includes frame culverts)	57.0
19SR00100311	DAVIDSON	SR001	21.99	MILL CREEK	Open	2/15/2019	1940	36.129033	-86.714317	Concrete Continuous	Box Beam or Girders - Multiple	69.1
19SR00600251	DAVIDSON	SR006	21.08	BRANCH	Open	3/4/2019	1955	36.297250	-86.698667	Concrete Continuous	Culvert (includes frame culverts)	30.0
19SR00600271	DAVIDSON	SR006	22.84	MANSKER CREEK	Open	3/4/2019	1937	36.309350	-86.672533	Concrete	Tee-Beam	48.9
19SR01100231	DAVIDSON	SR011	18.05	BRANCH	Open	3/5/2019	1928	36.249950	-86.757033	Concrete Continuous	Culvert (includes frame culverts)	31.9
19SR01100271	DAVIDSON	SR011	18.87	NORTH FORK EWING CREEK	Weight Posted	3/5/2019	1928	36.261850	-86.757367	Concrete	Tee-Beam	47.2
19SR02400131	DAVIDSON	SR024	15.93	L&N RAILROAD	Weight Posted	3/12/2019	1924	36.153717	-86.722183	Concrete	Culvert (includes frame culverts)	38.0
19SR02400191	DAVIDSON	SR024	19.28	CSX RAILROAD	Open	3/12/2019	1928	36.169083	-86.669250	Concrete Continuous	Tee-Beam	45.2
19SR04500011	DAVIDSON	SR045	9.26	CUMBERLAND RIVER	Open	3/13/2019	1967	36.262583	-86.676183	Steel	Truss - Thru	44.8
19SR04500021	DAVIDSON	SR045	9.26	CUMBERLAND RIVER	Open	3/15/2019	1928	36.312650	-86.676617	Steel	Truss - Thru	59.5
19SR06500071	DAVIDSON	SR065	16.01	S. FORK SYCAMORE CREEK	Weight Posted	3/11/2019	1947	36.389667	-86.898783	Concrete	Tee-Beam	40.7
19SR10000011	DAVIDSON	SR100	1.06	SOUTH HARPETH RIVER	Open	4/25/2019	1929	36.018333	-87.030000	Steel	Truss - Thru	47.2
19SR10000131	DAVIDSON	SR100	7.36	HARPETH RIVER	Open	4/25/2019	1929	36.053933	-86.929650	Steel	Truss - Thru	49.6
19SR11200011	DAVIDSON	SR112	0.55	WHITES CREEK	Weight Posted	4/9/2019	1934	36.203333	-86.840000	Concrete	Tee-Beam	45.9
19SR17100011	DAVIDSON	SR171	1.06	CSX RAILROAD	Open	4/22/2019	1967	36.028250	-86.614133	Concrete	Tee-Beam	38.0
20SR06900011	DECATUR	SR069	4.90	STEWMAN'S CREEK	Weight Posted	4/2/2018	1950	35.393031	-88.134619	Steel	Truss - Thru	44.0
220034300031	DICKSON	SR046	15.59	BRANCH	Weight Posted	6/12/2018	1940	36.124350	-87.493183	Concrete	Tee-Beam	41.9
221004000011	DICKSON	SR048	0.21	SR 48 / I40	Open	6/25/2018	1963	35.988633	-87.487950	Steel Continuous	Stringer/Multi-beam or Girder	63.6
221004000051	DICKSON	I0040	5.13	I40-RL / EAST PINEY RD.	Open	6/1/2018	1963	36.006950	-87.404517	Concrete	Tee-Beam	53.8
22S614300131	DICKSON	SR046	19.06	YELLOW CREEK	Open	6/14/2018	1956	36.164783	-87.521767	Concrete Continuous	Culvert (includes frame culverts)	49.9
23SR02000091	DYER	SR104	6.89	OBION RIVER	Open, Posting Ordered	12/11/2019	1948	36.049139	-89.557889	Steel	Truss - Thru	46.4
23SR02000351	DYER	SR020	4.80	N FORK FORKED DEER RIVER	Open, Posting	12/5/2019	1994	35.998528	-89.342167	Prestressed Concrete	Stringer/Multi-beam or Girder	51.1
24S810900031	FAYETTE	SR196	7.11	OVERFLOW	Open	9/11/2018	1982	35.086556	-89.597389	Concrete	Channel Beam	40.3
24S810900251	FAYETTE	SR196	23.90	LITTLE CYPRESS CREEK	Weight Posted	9/12/2018	1952	35.310917	-89.616583	Steel Continuous	Stringer/Multi-beam or Girder	46.3
24SR01500011	FAYETTE	SR015	0.40	BRANCH	Open	8/28/2018	1992	35.212861	-89.631833	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	56.9
25SR02800031	FENTRESS	SR028	29.40	WOLF RIVER	Weight Posted	7/18/2018	1940	36.542300	-84.961867	Steel	Truss - Thru	27.0

Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
25SR02800051	FENTRESS	SR028	33.43	CANEY CREEK	Open	7/12/2018	1990	36.563333	-85.011667	Concrete Continuous	Culvert (includes frame culverts)	65.1
25SR08500031	FENTRESS	SR085	5.67	EAST FORK OBEY RIVER	Open	7/17/2018	1989	36.272400	-85.044633	Prestressed Concrete Continuous	Box Beam or Girders - Single or Spread	71.3
25SR15400031	FENTRESS	SR154	2.20	SR 28	Open	7/11/2018	1991	36.454133	-84.928017	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	48.7
27SR05400071	GIBSON	SR054	5.51	DAVIS CREEK	Open	7/10/2019	1992	35.916111	-89.008028	Prestressed Concrete Continuous	Box Beam or Girders - Single or Spread	56.7
28S620000111	GILES	SR166	26.06	FACTORY CREEK	Weight Posted	1/9/2020	1959	35.365000	-87.148333	Concrete	Tee-Beam	48.2
28SR01100131	GILES	SR011	23.38	PIGEON ROOST CREEK	Weight Posted	11/25/2019	1938	35.240000	-86.971667	Concrete	Tee-Beam	28.9
28SR12900051	GILES	SR129	3.05	TRIGG BRANCH	Open, Posting	1/6/2020	1920	35.378333	-86.981667	Steel	Stringer/Multi-beam or Girder	17.3
29SR13100011	GRAINGER	SR131	7.73	WILLIAMS CREEK	Weight Posted	4/17/2018	1973	36.298050	-83.583983	Concrete	Channel Beam	33.5
30FA03430031	GREENE	SR034	17.25	FAU 3867 & SOUTHERN RWY	Open	2/11/2020	1965	36.177817	-82.805167	Prestressed Concrete	Stringer/Multi-beam or Girder	72.9
30FA03430041	GREENE	SR034	17.25	FAU 1391 & SOUTHERN RWY	Open	2/11/2020	1965	36.177933	-82.805000	Prestressed Concrete	Stringer/Multi-beam or Girder	72.9
30SR03400081	GREENE	SR034	5.69	LICK CREEK	Open	3/5/2018	1980	36.197600	-82.996933	Prestressed Concrete	Box Beam or Girders - Single	68.6
30SR07000211	GREENE	SR070	26.17	BRANCH	Open	1/2/2020	2002	36.264200	-82.918567	Steel	Culvert (includes frame culverts)	61.0
30SR10700071	GREENE	SR107	12.65	NOLICHUCKY RIVER	Open	3/5/2018	1951	36.156900	-82.726200	Steel Continuous	Stringer/Multi-beam or Girder	40.0
32I008100191	HAMBLLEN	I0081	4.72	FLAT CREEK	Open	3/15/2018	1970	36.169500	-83.215650	Concrete Continuous	Culvert (includes frame culverts)	69.7
33I002400071	HAMILTON	I0024	4.22	BROWN'S FERRY (FAU 3622)	Open	8/15/2018	1964	35.027383	-85.363867	Steel	Stringer/Multi-beam or Girder	51.9
33I002400471	HAMILTON	OB323	0.41	OLD RINGGOLD RD / I-24	Open	10/11/2018	1963	35.016767	-85.269200	Steel Continuous	Stringer/Multi-beam or Girder	58.8
33I002400591	HAMILTON	03578	0.80	I-24	Open	10/10/2018	1964	35.006283	-85.231700	Prestressed Concrete	Box Beam or Girders - Multiple	60.4
33I002400751	HAMILTON	I0024	13.58	BRANCH	Open	10/2/2018	1960	35.003483	-85.227033	Concrete Continuous	Culvert (includes frame culverts)	43.5
33I002400821	HAMILTON	I0024	7.61	I24 WB / A660 & CSX RR	Open	9/5/2018	1990	35.032200	-85.317350	Prestressed Concrete Continuous	Box Beam or Girders - Single or Spread	82.8
33I012400141	HAMILTON	I0124	1.34	W. 9TH ST. (FAU 3551)	Open	8/22/2018	1958	35.046383	-85.314167	Prestressed Concrete	Box Beam or Girders - Multiple	44.5
33SR00800071	HAMILTON	SR008	9.68	TN RIVER & FAU 5395	Weight Posted	6/25/2019	1917	35.056550	-85.309600	Steel	Movable - Bascule	31.5
33SR02900931	HAMILTON	SR029	20.58	BIG SODDY CREEK	Open	2/13/2019	1991	35.296967	-85.151100	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	57.0
33SR03800031	HAMILTON	SR038	2.26	BLACK CREEK	Open	11/5/2018	1933	35.011200	-85.388767	Concrete Continuous	Culvert (includes frame culverts)	39.0
33SR05800191	HAMILTON	SR319	0.00	SR 58 EB / SR 153	Open	4/15/2019	1963	35.090383	-85.218383	Concrete Continuous	Tee-Beam	42.9
33SR05800201	HAMILTON	SR319	0.00	SR 58 WB / SR 153	Open	4/15/2019	1963	35.090450	-85.218550	Concrete Continuous	Tee-Beam	42.9
34SR03300071	HANCOCK	SR033	11.77	GREASY ROCK CREEK	Weight Posted	6/6/2018	1936	36.528200	-83.219367	Prestressed Concrete	Box Beam or Girders - Multiple	30.5

Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
35S824700011	HARDEMAN	SR125	27.98	GAYLOR CREEK	Weight Posted	7/11/2018	1956	35.324639	-88.838472	Concrete	Channel Beam	48.3
35SR13800191	HARDEMAN	SR138	8.17	BRANCH	Open	7/17/2018	1985	35.409944	-89.018667	Concrete Continuous	Culvert (includes frame culverts)	62.7
36SR06900351	HARDIN	SR069	10.06	DOE CREEK	Weight Posted	4/30/2018	1944	35.387222	-88.197417	Steel	Truss - Thru	25.5
370136200051	HAWKINS	SR346	3.90	SURGOINSVILLE CREEK	Weight Posted	8/14/2018	1923	36.471050	-82.851517	Concrete	Slab	58.3
37S236700011	HAWKINS	SR347	3.22	BIG CREEK	Weight Posted	9/6/2018	1941	36.417933	-82.952133	Steel	Stringer/Multi-beam or Girder	25.9
37S246300011	HAWKINS	SR347	10.14	NORTH FORK CREEK	Open	9/12/2018	1958	36.389733	-82.848483	Concrete	Tee-Beam	67.6
37SR00100371	HAWKINS	SR001	41.30	NORTH FORK HOLSTON RIVER	Open	8/6/2018	1962	36.554033	-82.615850	Concrete Continuous	Tee-Beam	40.5
37SR00100381	HAWKINS	SR001	41.30	NORTH FORK HOLSTON RIVER	Open	8/6/2018	1962	36.553983	-82.615967	Concrete Continuous	Tee-Beam	54.7
37SR03100071	HAWKINS	SR031	4.17	POOR VALLEY CREEK	Weight Posted	8/9/2018	1958	36.392017	-83.215950	Concrete	Tee-Beam	16.8
37SR07000091	HAWKINS	SR070	6.19	SOUTHERN RAILWAY	Open	8/13/2018	1967	36.351983	-83.010800	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	39.0
37SR07000131	HAWKINS	SR070	8.91	CANEY CREEK	Weight Posted	9/13/2018	1971	36.447867	-82.988200	Steel	Culvert (includes frame)	41.2
37SR07000231	HAWKINS	SR070	21.41	MILL CREEK	Weight Posted	9/13/2018	1981	36.543667	-83.022000	Prestressed Concrete	Box Beam or Girders - Multiple	63.5
38SR00100011	HAYWOOD	SR001	2.13	MUDDY CREEK	Weight Posted	9/9/2019	1926	35.450528	-89.438806	Concrete	Tee-Beam	22.3
38SR00100031	HAYWOOD	SR001	2.89	BRANCH	Open, Posting Ordered	9/9/2019	1926	35.455139	-89.426722	Concrete	Tee-Beam	27.4
38SR00100391	HAYWOOD	SR001	24.25	MUD CREEK	Weight Posted	9/11/2019	1925	35.588944	-89.140417	Concrete	Slab	31.5
38SR05400151	HAYWOOD	SR054	22.12	OVERFLOW	Open	9/16/2019	1984	35.715944	-89.213167	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	92.5
38SR05400211	HAYWOOD	SR054	22.45	OVERFLOW	Open	9/16/2019	1984	35.719750	-89.210278	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	87.3
38SR05400231	HAYWOOD	SR054	22.65	OVERFLOW	Open	9/16/2019	1984	35.721306	-89.207139	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	92.4
40SR21800011	HENRY	SR218	14.39	BAILEY FORK CR.	Weight Posted	9/30/2019	1988	36.299944	-88.262333	Prestressed Concrete	Box Beam or Girders - Single	62.3
41S617300011	HICKMAN	SR230	11.46	PINEY RIVER	Weight Posted	11/5/2018	1953	35.870083	-87.500267	Concrete	Tee-Beam	37.3
41SR04800151	HICKMAN	SR048	9.55	INDIAN CREEK	Open	10/24/2018	1931	35.732633	-87.474517	Concrete Continuous	Culvert (includes frame)	69.2
41SR05000051	HICKMAN	SR438	8.23	COW HOLLOW BRANCH	Open	11/14/2018	1983	35.783283	-87.630833	Prestressed Concrete Continuous	Box Beam or Girders - Single or Spread	79.1
42FA12300011	HOUSTON	SR232	1.78	HURRICANE CREEK	Open	12/19/2019	1961	36.333333	-87.915000	Concrete	Tee-Beam	60.0
42S614400011	HOUSTON	SR046	5.03	GUICES CREEK	Open	12/5/2019	1964	36.334867	-87.604467	Prestressed Concrete	Stringer/Multi-beam or Girder	50.4
42SR01300071	HOUSTON	SR013	6.95	MUSTER GROUND CREEK	Open	12/2/2019	1928	36.319750	-87.671867	Concrete	Tee-Beam	53.3

# Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
42SR04900031	HOUSTON	SR049	5.88	WELLS CREEK	Open	12/11/2019	1932	36.319233	-87.675367	Concrete	Tee-Beam	15.9
43S622200051	HUMPHREYS	SR230	8.33	HURRICANE CREEK	Weight Posted	9/12/2019	1958	36.001983	-87.735233	Concrete	Tee-Beam	18.9
43S622200071	HUMPHREYS	SR230	8.17	HURRICANE CREEK	Open, Posting Ordered	9/12/2019	1959	36.001200	-87.732483	Concrete	Tee-Beam	18.9
43SR01300091	HUMPHREYS	SR013	3.54	BLACK BRANCH	Open	9/17/2019	1949	35.881367	-87.800550	Concrete Continuous	Culvert (includes frame)	52.3
43SR01300251	HUMPHREYS	SR013	19.35	SR13/TRACE CR-A469A504-R	Weight Posted	9/20/2019	1963	36.085733	-87.793367	Concrete Continuous	Tee-Beam	45.1
44SR15100071	JACKSON	SR151	3.50	HUDSON CREEK	Weight Posted	6/5/2019	1950	36.503067	-85.793767	Steel	Stringer/Multi-beam or Girder	5.0
45S256200011	JEFFERSON	SR363	2.75	INDIAN CREEK	Weight Posted	9/4/2019	1942	35.982117	-83.334750	Steel Continuous	Stringer/Multi-beam or Girder	33.6
45SR00900091	JEFFERSON	SR009	13.23	RIMMER CREEK	Weight Posted	10/8/2019	1934	36.027683	-83.397683	Concrete	Tee-Beam	33.1
45SR00900111	JEFFERSON	SR009	14.24	KOONTZ CREEK	Weight Posted	10/8/2019	1930	36.034583	-83.381800	Concrete	Tee-Beam	32.7
45SR03400111	JEFFERSON	SR034	14.97	SR 34 LF LN / SOU RR	Open	10/9/2019	1953	36.140167	-83.448733	Steel	Stringer/Multi-beam or Girder	49.0
45SR09200031	JEFFERSON	SR092	3.12	MUDDY CREEK	Weight Posted	10/7/2019	1946	35.954250	-83.366817	Steel Continuous	Stringer/Multi-beam or Girder	31.9
46S237400011	JOHNSON	SR167	0.15	DOE CREEK	Weight Posted	10/1/2018	1945	36.386917	-81.967983	Concrete	Tee-Beam	40.6
47I004000531	KNOX	I0040	18.30	I40-RL / 17TH. STREET	Open	10/25/2018	1965	35.963800	-83.936567	Concrete	Tee-Beam	54.0
47I027500051	KNOX	05942	0.44	BAXTER AVE-RL / I275	Open	10/30/2018	1959	35.976667	-83.935200	Concrete	Tee-Beam	41.8
47I027500061	KNOX	05942	0.44	BAXTER AVE-LL / I275	Open	10/30/2018	1959	35.976800	-83.935317	Concrete	Tee-Beam	41.8
47I027500111	KNOX	03789	1.43	RL-HEISKELL AVE. / I275	Open	10/30/2018	1959	35.991267	-83.951667	Concrete	Tee-Beam	59.8
480A20000011	LAKE	0A200	0.00	SLOUGH OF REELFOOT LAKE	Open	6/27/2018	1983	36.352778	-89.406222	Concrete	Channel Beam	47.5
49SR08700171	LAUDERDALE	SR087	6.42	BRANCH	Weight Posted	1/6/2020	1925	35.645389	-89.788083	Concrete	Channel Beam	44.2
49SR08800711	LAUDERDALE	SR088	22.79	S. FK. FORKED DEER RIVER	Open, Posting Ordered	1/22/2020	1952	35.818111	-89.358083	Steel Continuous	Stringer/Multi-beam or Girder	37.3
51SR04800071	LEWIS	SR048	9.08	ROCKHOUSE CREEK	Open	7/18/2019	1931	35.529883	-87.575867	Concrete	Tee-Beam	49.0
53I007500151	LOUDON	I0075	7.55	TENNESSEE RIVER	Open	10/9/2018	1977	35.754933	-84.375500	Steel Continuous	Stringer/Multi-beam or Girder	62.2
53SR09500111	LOUDON	SR095	10.72	CLINCH RIVER	Open	3/19/2019	1962	35.888283	-84.323567	Steel Continuous	Stringer/Multi-beam or Girder	38.0
54S432000011	MCMINN	SR307	0.52	OOSTANAULA CREEK	Open	4/16/2019	1986	35.448183	-84.584167	Concrete Continuous	Culvert (includes frame)	61.4
54SR16300111	MCMINN	SR163	13.71	CONASAUGA CREEK	Open	4/16/2019	1958	35.271583	-84.578200	Concrete	Tee-Beam	39.4
56SR05600011	MACON	SR056	0.82	JENNINGS CREEK	Open	8/9/2019	1983	36.463850	-85.831517	Concrete Continuous	Culvert (includes frame)	68.8

# Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
56SR05600091	MACON	SR056	15.65	LITTLE SALT LICK CREEK	Open	8/6/2019	1964	36.574317	-85.829967	Concrete Continuous	Culvert (includes frame culverts)	59.3
57I004000271	MADISON	I0040	14.73	SR 5	Open	5/30/2019	1961	35.670500	-88.830083	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	64.8
58I002400011	MARION	SR015	1.81	SR-15 / I-24	Open	7/17/2018	1959	35.240017	-85.848100	Concrete Continuous	Tee-Beam	49.1
58I002400021	MARION	SR015	1.81	SR-15 / I-24	Open	7/17/2018	1959	35.240083	-85.848300	Concrete Continuous	Tee-Beam	65.4
58I002400371	MARION	I0024	21.34	SEQUATCHIE RIVER	Open	8/6/2018	1965	35.048417	-85.626567	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	64.4
59SR13000011	MARSHALL	SR130	0.04	CANE CREEK	Open	9/7/2018	1954	35.320000	-86.638333	Steel	Stringer/Multi-beam or Girder	43.1
600041500091	MAURY	SR247	9.58	SNOW CREEK	Open	4/30/2018	1960	35.758700	-87.085133	Steel	Culvert (includes frame culverts)	51.2
60I006500171	MAURY	I0065	10.90	I65 RL / SR 99	Open	4/4/2018	1963	35.642567	-86.893483	Prestressed Concrete Continuous	Box Beam or Girders - Single or Spread	67.6
60I006500181	MAURY	I0065	10.90	I65 LL / SR 99	Open	4/4/2018	1963	35.642700	-86.893900	Prestressed Concrete	Box Beam or Girders - Single	66.0
60I006500261	MAURY	I0065	16.48	RUTHERFORD CREEK	Open	4/9/2018	1961	35.722150	-86.877233	Prestressed Concrete	Box Beam or Girders - Single	53.4
60S618100051	MAURY	SR246	2.34	MAHON BRANCH	Open	5/1/2018	1957	35.698533	-87.013550	Concrete	Tee-Beam	39.4
60S625400011	MAURY	SR247	1.05	LEIPERS CREEK	Weight Posted	4/30/2018	1960	35.695267	-87.202750	Steel	Stringer/Multi-beam or Girder	41.0
60SR00600111	MAURY	SR243	2.06	SUGAR CREEK	Open	5/7/2018	1925	35.548783	-87.196617	Concrete	Tee-Beam	36.4
61SR05800031	MEIGS	SR058	5.22	HIWASSEE RIVER	Weight Posted	5/1/2019	2007	35.366317	-84.910450	Steel Continuous	Stringer/Multi-beam or Girder	48.2
61SR06000011	MEIGS	SR060	3.10	TENNESSEE RIVER	Open	5/2/2019	1995	35.410617	-85.019600	Steel Continuous	Stringer/Multi-beam or Girder	49.8
62SR00200011	MONROE	SR002	2.28	SWEETWATER CREEK	Open	8/2/2019	1929	35.591800	-84.468783	Concrete	Tee-Beam	27.5
63SR01200011	MONTGOMERY	SR012	1.08	BRUSH CREEK	Open	11/13/2018	1958	36.425017	-87.215583	Concrete Continuous	Culvert (includes frame culverts)	55.3
63SR01300071	MONTGOMERY	SR013	17.49	CUMBERLAND RIVER	Weight Posted	11/27/2018	1966	36.480317	-87.374933	Steel Continuous	Stringer/Multi-beam or Girder	21.4
63SR04800011	MONTGOMERY	SR048	0.40	LITTLE BARTON'S CREEK	Weight Posted	11/9/2018	1930	36.326900	-87.374300	Concrete	Tee-Beam	28.0
63SR04800031	MONTGOMERY	SR048	3.36	LOUISE CREEK	Weight Posted	11/9/2018	1930	36.369733	-87.376217	Concrete	Tee-Beam	41.0
650A15300051	MORGAN	0A153	5.89	ISLAND CREEK	Open	5/21/2019	1953	36.029983	-84.720517	Steel	Culvert (includes frame culverts)	49.8
650A25300091	MORGAN	0A253	7.80	EMORY RIVER	Weight Posted	5/9/2019	1975	36.177667	-84.425033	Steel	Stringer/Multi-beam or Girder	16.5
650A26400011	MORGAN	0A413	0.01	FLAT FORK CREEK	Weight Posted	5/9/2019	1935	36.130967	-84.497917	Steel	Stringer/Multi-beam or Girder	29.5
650A40900051	MORGAN	0A409	10.27	ISLAND CREEK	Weight Posted	5/21/2019	1965	36.053017	-84.666867	Steel	Stringer/Multi-beam or Girder	12.2
65SR02900151	MORGAN	SR029	8.85	CROOKED FORK CREEK	Other Restrictions	5/15/2019	1928	36.084867	-84.554900	Concrete	Tee-Beam	28.0
65SR02900331	MORGAN	SR029	26.14	MASSINGALE CREEK	Weight Posted	5/6/2019	1927	36.282050	-84.657950	Concrete	Tee-Beam	59.0

Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
65SR11600031	MORGAN	SR116	2.26	STOCKSTILL CREEK	Weight Posted	5/8/2019	1970	36.097283	-84.445133	Concrete	Channel Beam	28.3
65SR11600051	MORGAN	SR116	2.60	STOCKSTILL CREEK	Weight Posted	5/8/2019	1970	36.101783	-84.447100	Concrete	Channel Beam	45.8
66S800900031	OBION	SR216	1.47	OVERFLOW	Weight Posted	5/7/2019	1986	36.355444	-89.040722	Prestressed Concrete	Stringer/Multi-beam or Girder	48.6
66SR00300161	OBION	SR003	15.39	BRANCH	Closed	4/24/2019	1960	36.391167	-89.097833	Concrete	Tee-Beam	45.7
70SR04000051	POLK	SR040	3.12	OCOEE RIVER	Weight Posted	4/2/2018	1937	35.111700	-84.675167	Concrete	Tee-Beam	33.9
70SR04000311	POLK	SR040	26.93	NORTH POTATO CREEK	Weight Posted	4/19/2018	1968	35.025150	-84.370300	Steel Continuous	Stringer/Multi-beam or Girder	33.2
70SR06800051	POLK	SR068	4.83	HIWASSEE RIVER	Weight Posted	5/2/2018	1964	35.168083	-84.317933	Prestressed Concrete	Stringer/Multi-beam or Girder	51.5
70SR06800131	POLK	SR068	16.39	BRUSH CREEK	Weight Posted	5/7/2018	1943	35.056200	-84.391633	Steel	Stringer/Multi-beam or Girder	27.0
73I004000131	ROANE	I0040	11.15	CLINCH RIVER & NFA A774	Open	10/10/2018	1960	35.890350	-84.526567	Steel Continuous	Stringer/Multi-beam or Girder	49.0
73SR02900031	ROANE	SR029	7.48	EMORY RIVER	Weight Posted	5/6/2019	1957	35.928867	-84.556967	Steel Continuous	Stringer/Multi-beam or Girder	40.9
74I006500101	ROBERTSON	I0065	4.26	I65 LL / SPRINGFIELD RD.	Open	3/9/2018	1969	36.468783	-86.682767	Concrete	Box Beam or Girders - Single or Spread	67.0
74SR04900011	ROBERTSON	SR049	3.52	MILLERS CREEK	Weight Posted	5/16/2018	1931	36.431667	-86.980000	Concrete	Tee-Beam	24.4
74SR04900031	ROBERTSON	SR049	4.93	CALEBS CREEK	Weight Posted	5/16/2018	1931	36.447883	-86.962050	Concrete	Tee-Beam	7.0
74SR07600011	ROBERTSON	SR076	0.21	SULPHUR FORK CREEK	Open	5/22/2018	1957	36.539383	-87.114150	Concrete Continuous	Tee-Beam	40.6
75F000500051	RUTHERFORD	SR268	0.84	WEST FORK STONES RIVER	Weight Posted	1/16/2019	1966	35.887933	-86.423567	Prestressed Concrete	Stringer/Multi-beam or Girder	41.0
75S619000011	RUTHERFORD	SR099	28.90	MURRAY BRANCH	Weight Posted	12/17/2018	1945	35.759483	-86.263817	Steel	Stringer/Multi-beam or Girder	50.6
75SR00100101	RUTHERFORD	SR001	10.75	OVERALL CREEK	Open	10/23/2018	1950	35.915783	-86.459983	Prestressed Concrete Continuous	Box Beam or Girders - Single or Spread	68.0
75SR01000071	RUTHERFORD	SR010	12.63	CSX RAILROAD	Weight Posted	11/16/2018	1928	35.830167	-86.393667	Concrete Continuous	Tee-Beam	48.9
75SR01100031	RUTHERFORD	SR011	2.52	COVE BRANCH	Open	11/19/2018	1929	35.753650	-86.692667	Concrete	Tee-Beam	22.2
75SR09600091	RUTHERFORD	SR096	4.56	BRANCH	Open	11/27/2018	1960	35.842933	-86.520383	Steel	Culvert (includes frame culverts)	39.0
78S241900011	SEVIER	SR339	7.70	WHITE CREEK	Open	8/28/2019	1940	35.846300	-83.388517	Concrete Continuous	Culvert (includes frame culverts)	43.1
78S242100111	SEVIER	SR416	3.04	LAUREL BRANCH	Open	9/19/2019	1950	35.772033	-83.402033	Steel	Culvert (includes frame culverts)	62.9
78SR07300191	SEVIER	SR073	17.14	LITTLE PIGEON RIVER	Open	10/10/2019	1955	35.739033	-83.416617	Concrete	Tee-Beam	37.7
78SR07300251	SEVIER	SR073	20.76	WEBB CREEK	Open	9/6/2019	1954	35.760367	-83.369233	Concrete	Tee-Beam	30.5
790145000051	SHELBY	SR175	12.88	BRANCH OF JOHNS CREEK	Open	2/7/2019	1979	35.020306	-89.882167	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	54.0
790A02100031	SHELBY	0A035	2.51	BRANCH	Open	2/26/2019	1977	35.325056	-90.050194	Prestressed Concrete	Box Beam or Girders - Multiple	67.0



# Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
79I004000811	SHELBY	04186	2.10	N HIGHLAND ST / I-40	Open	11/28/2018	1972	35.189694	-89.944583	Concrete Continuous	Box Beam or Girders - Single	65.1
79I005500491	SHELBY	I0055	7.23	I55	Open	12/12/2018	1963	35.078333	-90.052000	Steel	Stringer/Multi-beam or Girder	40.5
79I005500571	SHELBY	SR014	7.46	SR-14 / I-55	Open	1/22/2019	1964	35.079056	-90.057167	Prestressed Concrete	Stringer/Multi-beam or Girder	48.6
79I024001151	SHELBY	05155	1.48	SHADY GROVE RD / I-240	Open	12/28/2018	1963	35.123306	-89.868139	Prestressed Concrete	Stringer/Multi-beam or Girder	43.5
79S807400051	SHELBY	05757	2.51	WOLF RIVER	Weight Posted	11/28/2018	1949	35.080972	-89.651333	Steel	Stringer/Multi-beam or Girder	14.8
79S807700071	SHELBY	02810	2.97	AIRWAYS BLVD/YALE YARDS	Open	2/13/2019	1954	35.094194	-89.987278	Steel Continuous	Stringer/Multi-beam or Girder	50.0
79SR00100091	SHELBY	SR001	7.31	OK371 05250 & RR	Open	12/28/2018	1931	35.149722	-89.970139	Concrete	Slab	47.0
79SR00400031	SHELBY	SR004	2.23	JOHNS CREEK	Open	1/22/2019	1929	35.022306	-89.899444	Concrete	Tee-Beam	64.6
79SR00400151	SHELBY	SR004	7.18	NONCONNAH CREEK	Open	11/27/2018	1961	35.077722	-89.952417	Prestressed Concrete	Stringer/Multi-beam or Girder	55.0
79SR01400061	SHELBY	SR014	7.13	IC RR & NONCONNAH CREEK	Open	11/27/2018	1929	35.074417	-90.057972	Steel	Truss - Thru	12.4
79SR01400431	SHELBY	SR014	31.20	CROOKED CREEK	Open	2/7/2019	1952	35.323611	-89.807250	Concrete	Tee-Beam	53.2
79SR01500011	SHELBY	SR015	5.83	W. FK. FLETCHER CREEK	Open	1/29/2019	1983	35.203722	-89.821278	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	54.8
79SR02300031	SHELBY	SR057	1.88	SR 23 CSX & CNIC RR	Open	2/4/2019	1928	35.136611	-89.972528	Steel Continuous	Stringer/Multi-beam or Girder	32.0
79SR05700111	SHELBY	05250	0.01	RAILROAD RIGHT-OF-WAY	Weight Posted	4/1/2019	1958	35.136111	-89.967861	Concrete	Slab	42.1
79SR08300171	SHELBY	SR001	6.06	LICK CREEK	Open	1/9/2019	1956	35.151972	-89.992333	Concrete Continuous	Culvert (includes frame)	47.1
800A39200011	SMITH	05696	0.05	CUMBERLAND RIVER	Weight Posted	6/19/2018	1934	36.246933	-85.956550	Steel Continuous	Truss - Thru	42.2
80I004000051	SMITH	SR141	5.45	SR 141 / I40	Open	5/10/2019	1963	36.175483	-86.021033	Steel Continuous	Stringer/Multi-beam or Girder	52.0
80I004000231	SMITH	I0040	11.46	BOLLING BRANCH & PRIV. R	Open	5/16/2019	1962	36.163850	-85.893933	Prestressed Concrete	Box Beam or Girders - Multiple	64.4
80I004000321	SMITH	I0040	15.44	CANEY FORK RIVER	Open	7/24/2019	1962	36.141417	-85.832817	Prestressed Concrete	Stringer/Multi-beam or Girder	58.9
80I004000331	SMITH	I0040	16.16	CANEY FORK RIVER	Open	7/22/2019	1962	36.138850	-85.820150	Prestressed Concrete	Stringer/Multi-beam or Girder	64.7
80I004000341	SMITH	I0040	16.20	CANEY FORK RIVER	Open	7/22/2019	1962	36.139400	-85.819417	Prestressed Concrete	Stringer/Multi-beam or Girder	86.6
80SR05300011	SMITH	SR053	7.18	MULHERRIN CREEK	Weight Posted	6/13/2019	1947	36.174683	-86.006017	Steel	Stringer/Multi-beam or Girder	22.8
80SR08000031	SMITH	SR080	3.77	PEYTON'S CREEK	Open	5/22/2019	1953	36.335617	-85.965600	Prestressed Concrete Continuous	Box Beam or Girders - Multiple	46.5
80SR14100091	SMITH	SR141	9.03	BOLLING BRANCH	Weight Posted	6/4/2019	1949	36.158450	-85.895533	Concrete	Tee-Beam	47.4
80SR14100111	SMITH	SR141	12.68	SMITH FORK CREEK	Open, Posting Ordered	6/4/2019	1956	36.124733	-85.870317	Steel Continuous	Stringer/Multi-beam or Girder	69.0
82F003300011	SULLIVAN	SR044	4.61	BRANCH	Open	2/19/2019	1977	36.463400	-82.225183	Prestressed Concrete	Box Beam or Girders - Multiple	50.9
83I006500051	SUMNER	I0065	2.46	I65 / CARTWRIGHT CIRCLE	Open	8/2/2018	1969	36.366533	-86.714300	Concrete Continuous	Tee-Beam	50.0

# Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
83S628600071	SUMNER	SR174	34.72	MIDDLE FORK DRAKES BRANC	Open	9/7/2018	1956	36.623117	-86.327050	Concrete	Tee-Beam	48.3
83SR00600071	SUMNER	SR006	9.84	W. FK STATION CAMP CREEK	Open	10/30/2018	1955	36.349583	-86.512533	Concrete	Tee-Beam	30.9
83SR00600341	SUMNER	SR386	6.84	SR386-LL / SR6 & RAMP F	Open	9/20/2018	2006	36.328733	-86.559017	Steel Continuous	Stringer/Multi-beam or Girder	58.0
83SR04100031	SUMNER	SR041	2.17	RIGHT FORK SLATERS CREEK	Open	8/14/2018	1939	36.372967	-86.708950	Concrete Continuous	Culvert (includes frame culverts)	48.5
83SR04100111	SUMNER	SR041	17.76	RED RIVER	Open	8/15/2018	1947	36.568933	-86.606667	Concrete	Tee-Beam	37.8
85SR14100031	TROUSDALE	SR141	4.82	LITTLE GOOSE CREEK	Temproary Shoring	2/14/2019	1993	36.391850	-86.167133	Prestressed Concrete	Box Beam or Girders - Single or Spread	40.0
85SR14100071	TROUSDALE	SR141	6.50	OVERFLOW CUMBERLAND RIVE	Open	2/14/2019	1979	36.370767	-86.175833	Concrete Continuous	Culvert (includes frame culverts)	56.9
86SR10700071	UNICOI	SR107	5.22	INDIAN CREEK	Weight Posted	11/7/2018	1928	36.150833	-82.413611	Concrete	Tee-Beam	23.9
90S238600011	WASHINGTON	SR353	0.45	NOLICHUCKY RIVER	Weight Posted	11/14/2019	1958	36.155667	-82.590550	Concrete	Tee-Beam	37.0
90S245200051	WASHINGTON	SR353	11.72	LITTLE LIMESTONES CREEK	Weight Posted	10/2/2019	1945	36.264450	-82.499850	Concrete	Tee-Beam	36.9
90SR03400071	WASHINGTON	SR034	15.53	CSX RAILROAD	Weight Posted	11/5/2019	1931	36.310136	-82.393200	Concrete	Tee-Beam	56.0
91S619400031	WAYNE	SR203	3.80	BEAR CREEK	Weight Posted	11/29/2018	1962	35.153683	-87.929483	Prestressed Concrete Continuous	Box Beam or Girders - Multiple	60.9
92SR11800031	WEAKLEY	SR118	4.71	STRAWBERRY BRANCH	Open	10/9/2018	1954	36.359789	-88.713139	Concrete Continuous	Culvert (includes frame culverts)	54.4
92SR12400031	WEAKLEY	SR124	6.11	BRANCH	Open	10/16/2018	1989	36.152083	-88.696500	Prestressed Concrete	Box Beam or Girders - Single or Spread	64.4
94I006500011	WILLIAMSON	SR247	2.38	SR 247 / I65	Open	2/21/2019	1961	35.751683	-86.870483	Prestressed Concrete	Stringer/Multi-beam or Girder	34.7
94I006500091	WILLIAMSON	I0065	8.24	BRANCH	Open	2/8/2019	1963	35.851683	-86.832100	Concrete Continuous	Culvert (includes frame culverts)	43.0
94I006500371	WILLIAMSON	SR441	1.49	RAMP C/RAMP B COOL SPNG	Open	3/12/2019	1991	35.965267	-86.810067	Prestressed Concrete Continuous	Box Beam or Girders - Single or Spread	67.1
94SR00600091	WILLIAMSON	SR006	8.89	CSX RAILROAD	Weight Posted	2/15/2019	1930	35.875367	-86.882400	Concrete	Tee-Beam	20.9
94SR00600131	WILLIAMSON	SR006	12.51	HARPETH RIVER	Weight Posted	2/14/2019	1929	35.928033	-86.865567	Concrete	Tee-Beam	49.0
94SR01100171	WILLIAMSON	SR011	9.46	MC CANLESS BRANCH	Weight Posted	2/4/2019	1930	35.884167	-86.662100	Concrete	Stringer/Multi-beam or Girder	30.5
94SR01100231	WILLIAMSON	SR011	14.82	MILL CREEK	Weight Posted	2/25/2019	1930	35.956983	-86.671600	Concrete	Stringer/Multi-beam or Girder	31.5
94SR01100251	WILLIAMSON	SR011	16.23	BRANCH	Open	2/25/2019	1932	35.977267	-86.678100	Concrete Continuous	Culvert (includes frame culverts)	49.2
94SR09600131	WILLIAMSON	SR096	10.74	HARPETH RIVER	Open	2/8/2019	1958	35.920533	-86.865317	Concrete	Tee-Beam	52.0

# Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
94SR09600191	WILLIAMSON	SR096	16.76	MAYES CREEK	Open	2/13/2019	1948	35.892467	-86.767117	Concrete	Tee-Beam	38.0
94SR09600231	WILLIAMSON	SR096	19.47	CSX RAILROAD	Open	2/13/2019	1985	35.871483	-86.726433	Prestressed Concrete	Box Beam or Girders - Single or Spread	52.7
94SR10600011	WILLIAMSON	SR106	1.30	RUTHERFORD CREEK	Open	2/26/2019	1966	35.742817	-86.838867	Steel	Stringer/Multi-beam or Girder	48.9
94SR84001061	WILLIAMSON	I0840	10.33	I840/ S GARRISON BRANC	Open	4/24/2019	2012	35.852083	-87.071167	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	55.0
95FA02430041	WILSON	SR026	2.33	SINKING CREEK	Open	12/3/2019	1960	36.213017	-86.296133	Concrete	Tee-Beam	48.6
95I004000011	WILSON	SR265	2.24	SR 265 / I40	Open	10/1/2019	1963	36.167483	-86.532050	Concrete Continuous	Tee-Beam	43.4
95I004000271	WILSON	SR010	12.46	SR 10 / I-40	Open	10/16/2019	1965	36.181850	-86.299100	Concrete Continuous	Tee-Beam	40.9
95I004000331	WILSON	I0040	16.76	CSX RAILROAD	Open	10/18/2019	1964	36.187650	-86.270567	Prestressed Concrete	Stringer/Multi-beam or Girder	62.6
95I004000341	WILSON	I0040	16.76	CSX RAILROAD	Open	10/18/2019	1964	36.187950	-86.270800	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	61.2
95I004000351	WILSON	I0040	16.82	I40 / SR 26	Open	10/18/2019	1964	36.187950	-86.269417	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	51.2
95I004000361	WILSON	I0040	16.82	I40 / SR 26	Open	10/19/2019	1964	36.187950	-86.269417	Prestressed Concrete	Stringer/Multi-beam or Girder	69.0
95I004000381	WILSON	I0040	18.61	SPRING CREEK	Open	11/26/2019	1964	36.193733	-86.238083	Prestressed Concrete Continuous	Stringer/Multi-beam or Girder	57.4
95SR01000111	WILSON	SR010	13.56	TOWN CREEK	Open	11/14/2019	1959	36.197100	-86.292483	Concrete	Tee-Beam	45.7
95SR01000121	WILSON	SR010	13.56	TOWN CREEK	Open	11/14/2019	1959	36.197167	-86.292633	Concrete	Tee-Beam	45.7
95SR01000171	WILSON	SR010	20.91	CUMBERLAND RIVER	Open	3/27/2018	1991	36.298700	-86.263467	Steel Continuous	Stringer/Multi-beam or Girder	55.1
95SR02400371	WILSON	SR024	17.10	SINKING CREEK	Open	11/20/2019	1931	36.208217	-86.291933	Concrete	Culvert (includes frame culverts)	50.5
95SR09600031	WILSON	SR096	0.93	SAUNDERS FORK CREEK	Open	12/5/2019	1963	35.976567	-86.070667	Concrete	Tee-Beam	53.6
95SR09600051	WILSON	SR096	2.91	SMITH FORK CREEK	Open	12/5/2019	1956	35.988600	-86.040200	Steel	Stringer/Multi-beam or Girder	49.5